

[Manuals.plus](#) /

› [Hikiddo](#) /

› Hikiddo 12V Kids Ride-On Truck User Manual (Model: 12V 4.5Ah/2WD)

Hikiddo 12V 4.5Ah/2WD

Hikiddo 12V Kids Ride-On Truck User Manual

Model: 12V 4.5Ah/2WD

Brand: Hikiddo

1. SAFETY GUIDELINES

1.1 General Safety

- Always supervise children during operation of the ride-on truck.
- Ensure the vehicle is used on flat, stable surfaces, away from roads, pools, or steep inclines.
- The vehicle is designed for children aged 3-5 years.
- Maximum load capacity is 66 lbs (30 kg). Do not exceed this limit.
- Always ensure the child is securely fastened with the seat belt.
- Regularly inspect the vehicle for any signs of damage or wear before each use.

1.2 Age and Weight Recommendations

This ride-on truck is recommended for children aged 3 to 5 years. The maximum weight capacity is 66 lbs. For optimal safety and performance, ensure the child's height and weight are within the recommended range.



Image: Recommended age, height, and weight for users.

2. PRODUCT OVERVIEW

2.1 Key Features

- Equipped with a 12-volt rechargeable lead-acid battery for up to 1-1.5 hours of operation.
- Includes a 2.4GHz parental remote control for assisted driving.
- Features a built-in music player with Wireless (Bluetooth) and USB connectivity.
- Designed with a four-wheel suspension system for a smoother ride.
- Meets U.S. Federal safety standards for ASTM & CPSIA.
- Incorporates Soft Start Technology for uniform deceleration and a braking time of less than 0.5 seconds.

Powerful Performance

2x30W
Strong Motor

12V/4.5Ah
Rechargeable Battery



Image: Rear view of the ride-on truck showcasing its powerful performance features.

2.2 Product Dimensions

The overall dimensions of the Hikiddo 12V Ride-On Truck are approximately 39.4 inches (L) x 24.8 inches (W) x 25.6 inches (H).

Product Dimensions



Recommended Age:
2-5 Years old



Max Weight:
66Lbs



Image: Visual representation of the product dimensions.

3. SETUP

3.1 Assembly Instructions

For detailed assembly instructions, please refer to the official installation video provided below. Ensure all components are securely fastened before use.

Video: [Step-by-step installation guide for the Hikiddo 12V 2WD Ride-On Truck.](#)

3.2 Initial Battery Charge

Before the first use, fully charge the 12V battery. Connect the charger to the charging port and plug it into a standard wall outlet. The charging indicator will show when charging is complete. Do not overcharge the battery.

4. OPERATING INSTRUCTIONS

4.1 Driving the Vehicle

To operate the vehicle, ensure the power switch is in the 'ON' position. The child can use the foot pedal for acceleration and the steering wheel to control direction. Always ensure the child is wearing the seat belt.

Video: Demonstration of the Hikiddo ride-on truck in action, highlighting its features and suitability for young adventurers.

4.2 Parental Remote Control

The 2.4GHz parental remote control allows adults to safely guide the vehicle, especially for younger children who are still learning to drive independently. The remote control overrides manual operation for enhanced safety.



**Green and Pink Color Shown*

Image: Parental remote control for safe supervision.

4.3 Music and Connectivity

The vehicle features a built-in music player. Connect your device via Wireless (Bluetooth) or USB to play your child's favorite songs and stories during their ride.

Bluetooth Connection

Connect, Play, and Soundtrack Your Adventure



Image: Dashboard with music player and connectivity options.

4.4 Child-Friendly Design

The ride-on truck is designed with safety in mind, featuring seat harnesses and locking doors to keep children secure during play.

Child-Friendly Design

Seat harnesses and locking doors keep kids safe



Image: Details of the child-friendly design, including seat harness.

4.5 Soft Start Technology

The integrated soft start technology ensures a smooth acceleration and deceleration, preventing sudden jolts and enhancing the child's comfort and safety. The braking time is less than 0.5 seconds.

Soft Start Technology

Guaranteeing your kid's safety



Uniform Deceleration

Braking Time: $\leq 0.5S$



Image: Illustration of the soft start technology for smooth operation.

5. MAINTENANCE

5.1 Battery Care

- Charge the 12V battery before first use and after each play session.
- Do not leave the battery completely discharged for extended periods.
- Store the battery in a cool, dry place when not in use.

5.2 Cleaning and Storage

- Clean the vehicle with a damp cloth. Avoid using harsh chemicals or abrasive cleaners.
- Store the toy in a dry place, away from direct sunlight and extreme temperatures.
- Regularly check the toy for any signs of damage or wear and tear.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Vehicle does not move	Battery is low or disconnected.	Charge the battery fully. Check battery connections.
Remote control not working	Remote control batteries are dead or not paired.	Replace remote control batteries. Refer to the remote control pairing instructions in the main manual.
Vehicle runs slowly	Low battery charge or overloaded vehicle.	Recharge the battery. Ensure the vehicle is not overloaded beyond 66 lbs.
Unusual noises during operation	Loose parts or debris in the wheels/motor.	Inspect for loose screws or foreign objects. Tighten any loose parts.

7. SPECIFICATIONS

Feature	Detail
Product Dimensions (L x W x H)	39.4 x 24.8 x 25.6 inches
Battery	12V 4.5Ah Lead-acid
Playtime	Approximately 1-1.5 Hours
Recommended Age	3-5 years
Maximum Load	66 LBS
Motors	2x30W (2WD)

8. WARRANTY AND SUPPORT

Hikiddo products are designed for quality and durability. For warranty information or technical support, please refer to the warranty card included with your purchase or contact Hikiddo customer service directly.

Contact Information: Please visit the official Hikiddo website or refer to your product packaging for the most up-to-date customer support details.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question