Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Bestway 26-60005-new

Bestway SaluSpa Bahamas AirJet Inflatable Hot Tub User Manual

Model: 26-60005-new

1. Introduction

Welcome to the Bestway SaluSpa Bahamas AirJet Inflatable Hot Tub user manual. This guide provides essential information for the safe and efficient setup, operation, and maintenance of your new portable spa. Please read this manual thoroughly before installation and use to ensure optimal performance and longevity of your product.

The SaluSpa Bahamas AirJet offers a relaxing spa experience with 120 soothing air jets, designed for 2 to 4 persons. Its EnergySense cover and DuraPlus construction enhance energy efficiency and durability, providing a comfortable and reliable outdoor spa solution.



Figure 1.1: Bestway SaluSpa Bahamas AirJet Inflatable Hot Tub with external pump unit.

2. Safety Information

WARNING: Read and follow all instructions and warnings in this manual. Failure to do so could result in serious injury or death.

2.1 General Safety Precautions

- Always supervise children around the hot tub.
- Do not use the hot tub if the water temperature exceeds 104°F (40°C).
- Consult a doctor before use if pregnant, diabetic, in poor health, or under medical care.
- Avoid using the hot tub immediately after strenuous exercise.
- Do not consume alcohol or drugs before or during hot tub use.
- Exit the hot tub immediately if you feel uncomfortable, dizzy, or sleepy.
- Keep all electrical appliances away from the hot tub.
- Ensure the hot tub is placed on a level surface capable of supporting its weight when filled.

2.2 Electrical Safety

- Do NOT use an extension cord or multi-plug adapter.
- Only use a grounded socket corresponding to the electrical rating of the attachment plug.
- It is recommended to use a socket that is also resistant to humidity and capable of high-power loading. Consult an electrician if unsure.
- Regularly inspect the plug and socket for signs of damage. If damage is found, do NOT plug back into the socket.




Figure 2.1: Important guidelines for safe installation location and electrical connections.

3. What's in the Box

Your Bestway SaluSpa Bahamas AirJet package includes the following components:

- SaluSpa Bahamas AirJet Inflatable Hot Tub (71 in. x 26 in.)
- Spa Pump with integrated control panel
- EnergySense Insulated Cover
- ChemConnect Dispenser

- Filter Cartridge (Type VI)
- Repair Patch




Figure 3.1: Contents of the SaluSpa Bahamas AirJet package.

4. Setup

Follow these steps to set up your SaluSpa Bahamas AirJet Hot Tub:

4.1 Site Selection

- Choose a level surface that can support the combined weight of the hot tub, water (approx. 177 gallons), and users.

- Ensure adequate drainage is available.
- The location should be within 12 ft. of a grounded, grounding-type receptacle.
- Outdoor setup is preferred. If choosing an indoor location, ensure proper ventilation to prevent humidity damage.

4.2 Inflation

1. Unpack the hot tub and lay it flat on the chosen surface.
2. Connect the inflation hose from the pump unit to the hot tub's inflation valve.
3. Press the Massage System Button on the pump to begin inflating the spa. Inflate until firm but not over-inflated.
4. Inflate the insulated lid using the same method.

▶ **Watch video online**
Bestway SaluSpa Bahamas AirJet Inflatable Outdoor Hot Tub

Video 4.1: Detailed setup instructions for the Bestway SaluSpa Bahamas AirJet Inflatable Hot Tub, including inflation and initial connections.

4.3 Connecting the Pump Unit

- Connect the three hoses from the hot tub to the corresponding inlets/outlets on the pump unit. Ensure connections are secure to prevent leaks.
- Plug the pump unit into a grounded electrical outlet.

4.4 Filling with Water

- Fill the hot tub with water using a garden hose.
- Fill until the water level is between the MIN and MAX lines indicated on the hot tub's interior.

5. Operating the Hot Tub

The integrated pump unit features an adjustable control panel for easy operation.

5.1 Control Panel Functions

- **Power Button:** Turns the hot tub system on/off.
- **Lock/Unlock Button:** Press and hold for 3 seconds to lock or unlock the control panel.
- **Temperature Adjustment:** Use the up/down arrows to set your desired water temperature (up to 104°F / 40°C).
- **Heating System:** Activates the water heating function.
- **AirJet Massage System:** Activates the 120 bubbling air jets for a soothing massage.
- **Water Filtration:** Controls the filtration system to keep water clean.
- **Energy Saving Timer:** Allows you to schedule the heating cycle to save energy.



Figure 5.1: Adjustable Control Panel for the SaluSpa pump unit.

5.2 EnergySense Cover

The included EnergySense insulated cover is designed to speed up heating time and prevent heat loss, making your hot tub up to 40% more energy-efficient. Always keep the cover on when the hot tub is not in use to maintain water temperature and cleanliness.



Figure 5.2: The EnergySense cover helps retain heat and save energy.

5.3 FreezeShield Technology

The FreezeShield automatic heating function protects the pump and liner from damage due to cold weather. This system automatically activates when the ambient temperature drops below a certain threshold, preventing internal components from freezing.

▶ **Watch video online**
Bestway SaluSpa Bahamas AirJet Inflatable Hot Tub

Video 5.3: Explanation of the FreezeShield technology for cold weather protection.

6. Maintenance

Regular maintenance is crucial for the longevity and hygiene of your hot tub.

6.1 Filter Cartridge Cleaning

The filter cartridge (Type VI) should be cleaned regularly, ideally after each use or at least once a week, depending on usage. This ensures efficient water filtration.

1. Turn off the hot tub and unplug the pump unit.
2. Remove the filter housing from the hot tub interior.
3. Remove the filter cartridge and rinse it thoroughly with a garden hose.
4. If the filter remains dirty or discolored after rinsing, it should be replaced.
5. Reassemble the filter housing and reattach it to the hot tub.

6.2 Water Chemistry

Proper water chemistry is essential for safe and enjoyable hot tub use. Use the included ChemConnect dispenser to evenly disperse chlorine tablets.

- Regularly test the water pH and chlorine levels using a test kit (not included).
- Maintain pH levels between 7.4 and 7.6.
- Maintain chlorine levels as recommended by your chemical supplier.
- Add chemicals as needed, following the manufacturer's instructions.



Figure 6.1: The pump unit includes convenient cupholders.

6.3 Draining and Cleaning

The hot tub should be drained and cleaned periodically, typically every 1-3 months depending on usage and water quality.

1. Turn off and unplug the pump unit.
2. Locate the drain valve at the bottom of the hot tub.
3. Attach a garden hose to the drain valve to direct water away from the hot tub area.
4. Open the drain valve and allow the hot tub to empty completely.
5. Once empty, clean the interior surfaces with a mild cleaner and soft cloth. Rinse thoroughly.
6. Allow the hot tub to air dry completely before deflating for storage.

7. Troubleshooting

This section addresses common issues you might encounter with your SaluSpa Bahamas AirJet Hot Tub.

7.1 Common Issues and Solutions

Problem	Possible Cause	Solution
Hot tub not heating	Low water level, dirty filter, heater malfunction.	Ensure water is above MIN line. Clean/replace filter. Contact customer support if issue persists.
Jets not working	Air pump malfunction, control panel locked.	Unlock control panel. Ensure pump is powered. Contact customer support.
Water quality issues (cloudy, slimy)	Improper chemical balance, dirty filter, insufficient filtration time.	Test and adjust water chemistry. Clean/replace filter. Increase filtration time.
Error codes on display	Specific system fault.	Refer to the full user manual for specific error code meanings and troubleshooting steps. Often requires power cycling the unit.

8. Specifications

Feature	Detail
Brand	Bestway
Model	SaluSpa Bahamas AirJet (26-60005-new)
Capacity	2 to 4 Person
Number of AirJets	120
Max. Water Temperature	104°F (40°C)
Dimensions (Diameter x Height)	71 inches x 26 inches
Water Capacity	177 Gallons
Material	DuraPlus 3-layer PVC
Energy Efficiency	EnergySense Cover (up to 40% more efficient)
Winter Protection	FreezeShield Automatic Heating
UPC	821808082582

9. Warranty and Support

For warranty information, technical support, or replacement parts, please refer to the warranty card included with your product or visit the official Bestway website. Keep your proof of purchase for warranty claims.

You can also visit the Bestway Store on Amazon for additional product information and accessories.

© 2024 Bestway. All rights reserved.
This manual is for informational purposes only. Always refer to the physical manual included with your product for the most accurate and up-to-date instructions.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0D7J1C3SQ

More documents and user manuals: **https://manuals.plus/**