

MARS 10857

Mars 10857 Azure ECM Blower Motor User Manual

MODEL: 10857

1. Introduction

This manual provides essential instructions for the safe and efficient installation, operation, and maintenance of your Mars 10857 Azure ECM Blower Motor. Please read this manual thoroughly before attempting to install or operate the motor. Retain this document for future reference.

2. Safety Information

WARNING: Failure to follow these safety instructions could result in electric shock, fire, serious injury, or death.

- Always disconnect power to the unit before installing, servicing, or performing any maintenance on the motor.
- Installation and servicing should only be performed by qualified and experienced personnel.
- Ensure all wiring complies with local and national electrical codes.
- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, during installation and maintenance.
- Do not operate the motor if it is damaged or if any components are missing.
- Keep hands and loose clothing away from moving parts.

3. Product Overview

The Mars 10857 Azure ECM Blower Motor is designed for efficient air movement in various applications. This section provides a visual reference and general description of the motor.



Figure 1: Mars 10857 Azure ECM Blower Motor. This image displays the motor with its distinctive blue housing and the central shaft extending upwards. The lower section is silver-colored, and ventilation slots are visible on the blue and silver parts.

The motor features an Electronically Commutated Motor (ECM) design, offering improved efficiency and variable speed capabilities. It is rated for 1/2 to 1 horsepower and operates on 120/240V electrical systems.

4. Setup and Installation

Proper installation is critical for the safe and efficient operation of the blower motor. Consult a qualified technician if you are unsure about any steps.

1. **Pre-Installation Check:** Verify that the motor specifications (voltage, horsepower) match the requirements of your application. Inspect the motor for any shipping damage.

2. **Mounting:** Securely mount the motor in the intended position. Ensure adequate clearance for airflow and maintenance. Use appropriate fasteners that can support the motor's weight and withstand operational vibrations.
3. **Electrical Connections:**
 - Ensure the power supply is disconnected at the circuit breaker before making any connections.
 - Connect the motor wiring according to the wiring diagram provided with your specific HVAC unit or appliance. Pay close attention to voltage (120V or 240V) and phase requirements.
 - All connections must be tight and secure to prevent arcing and overheating.
 - Proper grounding is essential for safety. Connect the motor to an earth ground.
4. **Blower Wheel Attachment:** Carefully attach the blower wheel to the motor shaft. Ensure it is balanced and securely fastened to prevent vibration and premature wear.
5. **Final Inspection:** Before restoring power, double-check all connections, mounting, and clearances.

5. Operating Instructions

- Once installed, the Mars 10857 Azure ECM Blower Motor operates in conjunction with your system's control board.
1. **Initial Startup:** After ensuring all safety checks are complete, restore power to the system. The motor should initiate its startup sequence as commanded by the system's control board.
 2. **Normal Operation:** The ECM motor will adjust its speed based on the system's demand, providing efficient airflow. Monitor for any unusual noises or vibrations during operation.
 3. **Shut Down:** The motor will typically shut down or enter a low-speed mode as dictated by the system's operational cycle. For complete power disconnection, turn off the main power supply at the circuit breaker.

6. Maintenance

- Regular maintenance helps ensure the longevity and optimal performance of your blower motor. Always disconnect power before performing any maintenance.
- **Annual Inspection:** At least once a year, inspect the motor for signs of wear, corrosion, or damage. Check electrical connections for tightness and integrity.
 - **Cleaning:** Keep the motor and surrounding area free from dust, dirt, and debris. Accumulated dirt can impede cooling and reduce efficiency. Use a soft brush or compressed air for cleaning. Do not use liquids directly on the motor.
 - **Blower Wheel:** Inspect the blower wheel for dirt buildup and balance. A dirty or unbalanced wheel can cause excessive vibration and strain on the motor. Clean the blower wheel as needed.
 - **Bearings:** ECM motors typically feature sealed bearings that do not require lubrication. Refer to the specific motor label or manufacturer's guidelines if lubrication is indicated.

7. Troubleshooting

This section provides solutions to common issues. For problems not listed here, or if solutions do not resolve the issue, contact a qualified service technician.

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Motor does not start	No power supply Incorrect wiring Faulty control signal	Check circuit breaker and power connections. Verify wiring against diagram. Consult HVAC system manual for control board diagnostics.
Motor runs but no airflow	Blower wheel detached or damaged Obstruction in ductwork	Inspect blower wheel for secure attachment and damage. Check for blockages in the air ducts.
Unusual noise or vibration	Loose mounting Unbalanced blower wheel Foreign object in blower Worn bearings	Tighten mounting bolts. Clean and balance blower wheel. Inspect for and remove any foreign objects. If bearings are worn, motor replacement may be necessary.
Motor overheats	Restricted airflow Overload High ambient temperature	Ensure clear airflow around the motor and through the system. Verify motor is correctly sized for the load. Ensure operating environment is within specified temperature limits.

8. Specifications



The following are key specifications for the Mars 10857 Azure ECM Blower Motor:

- **Brand:** MARS
- **Model:** 10857 Azure ECM
- **Horsepower:** 1/2 - 1 HP
- **Voltage:** 120/240V
- **Material:** Copper (internal windings)
- **UPC:** 685744108573
- **Package Dimensions:** 15 x 8 x 7 inches
- **Weight:** Approximately 15 Pounds
- **Manufacturer:** Mars

9. Warranty and Support



For warranty information, technical support, or service inquiries, please contact the manufacturer, MARS, or your authorized distributor. Keep your purchase receipt and model number readily available when contacting support.
Manufacturer: Mars



	Azure Bluetooth ECM Motor Installation Guide - MARS 10856/10857 Comprehensive installation guide for MARS Azure Bluetooth ECM motors (models 10856 and 10857), covering setup, configuration, and compatibility checks for various HVAC systems.
	MARS Azure Bluetooth ECM Installation Guide for Motors 10858/10859 Comprehensive installation guide for MARS Azure Bluetooth ECM blower motors (models 10858 and 10859). Covers both Bluetooth and non-Bluetooth installation procedures, safety warnings, and setup instructions for HVAC professionals.
	MARS Motors Catalog: Comprehensive Guide to HVAC and Refrigeration Motors Explore the extensive range of MARS motors, including HVAC and refrigeration fan motors, direct drive blower motors, and more. This catalog provides detailed specifications, features, and cross-references for various motor types.
	MARS Motors Catalog - High-Quality HVAC and Refrigeration Motors Explore the comprehensive MARS Motors catalog, featuring a wide range of high-efficiency ECM and PSC motors for HVAC, refrigeration, and various industrial applications. Find detailed specifications, model numbers, and cross-references for easy selection.
	MARS Motors, Components, Service & Installation, Parts & Accessories Catalog Comprehensive catalog from MARS featuring a wide range of motors, components, service and installation parts, and accessories for the HVAC/R industry. Includes detailed specifications and product information.
	MARS Getting Into Parts: HVAC/R Replacement Components Guide A comprehensive guide from MARS presenting a suggested start-up inventory for wholesalers entering the HVAC/R replacement components, motors, and service/installation products market. Includes product categories, part numbers, and descriptions.

[pdf] Installation Guide Guide

Layout 1 Bruce Towell Installation Guideharnesses from the OEM motor and connect to Azure If does not respond a fan call then is compatible with equipment Azure Guide 10856 57 2023 Spreads
NEWmarsdelivers wps wcm 92afefce 5448 48a0 909c a19acc270791 NEW MOD AJPERES CONVERT
TO url CACHEID ROOTWORKSPACE psSimUH Azure® 10857 98600M14MARS Document
Libraryharnesses NEWAzure psSimUHmarsdelivers 98600M14Azure® LibraryMARS psSimUHww
marsdelivers psSimUHcraigslist ||| ||| Bluetooth ECM Installation Guide MARS Motor No. 10856/10857
MARS Technical Help Line: 800-678-9888 M-F 8 am - 5 pm Eastern Apple Azure ECM app Android
WARNING To prevent electric shock, personal injury, or death, turn off the electric power ||| Bluetooth
ECM Installation Guide MARS Motor No. 10856/10857 MARS Technical Help Line: 800-678-9888 M-F 8
am - 5 pm Eastern Apple Azure ECM app Android WARNING To prevent electric shock, personal injury,
or death, turn off the electric power ||| Bluetooth ECM Installation Guide MARS Motor No. 10856/10857
MARS Technical Help Line: 800-678-9888 M-F 8 am - 5 pm Eastern Apple Azure ECM app Android
WARNING To prevent electric shock, personal injury, or death, turn off the electric power
Bluetooth ECM Installation Guide MARS Motor No. 10856/10857 MARS Technical
Help Line: 800-678-9888 M-F 8 am - 5 pm Eastern Apple Azure ECM app Android
WARNING To prevent electric shock, personal injury, or death, turn off the electric
power at the disconnect or main service panel prior to maki...
lang:en score:30 filesize: 2.04 M page_count: 8 document date: 2023-06-07



[Azure Bluetooth ECM Motor Installation Guide - MARS 10856/10857](#)

Comprehensive installation guide for MARS Azure Bluetooth ECM motors (models 10856 and 10857), covering setup, configuration, and compatibility checks for various HVAC systems.
lang:en score:28 filesize: 2.04 M page_count: 8 document date: 2023-06-07



In stock universal HVAC parts, tools and consumables at our eight locations.



Universal Parts
Buyers Guide

[\[pdf\]](#) Guide Buyer's Guide

hvac parts now buyers guide 2013 markssupply ca 80 docs

Parts Now In stock universal HVAC parts, tools and consumables at our eight locations. Universal Par ... /U 24 UNIVERSAL THERMOCOUPLE 59104 60422 98140 98143 98144 98145 116498 347406 361181 59103 59100 **108571** Q340A1447CARD 48 UNIVERSAL THERMOCOUPLE H06E-36 36 HONEYWELL UNIVERSAL THERMOCOUPLE H06E-1...

lang:en **score:22** filesize: 8.83 M page_count: 36 document date: 2013-04-02

2024

Featured Products Guide
Motors • Components • Service & Installation



Toll Free 800.445.6155 • Fax 521.348.7160 • www.marsdelivers.com



[\[pdf\]](#) Guide Accessories Catalog

2024 Featured Product Guide 98606 MARS Document Library FPG f MOD AJPERES CONVERT TO url CACHEID ROOTWORKSPACE e48cda2b 18ca 459f 9be6 7430773bd7ab oRCslPY w marsdelivers wps wcm connect |||

2024 Featured Products Guide Motors Components Service Installation NEW NEW MARS Bulk Package ... N Hand Held Programmer for 10860/10861/10865/ 10866/10867/10868/10869 MARS NO. DIA. 10856 5.5 **10857** 5.5 10858 5.5 10859 5.5 10860 * 5.5 10861 * 5.5 10867 * 5.0 10865 * 5.5 1...

lang:en **score:21** filesize: 19.31 M page_count: 68 document date: 2024-02-01

2024

Featured Products Guide
Motors • Components • Service & Installation



Toll Free 800.445.6155 • Fax 521.348.7160 • www.marsdelivers.com



[\[pdf\]](#) Guide Accessories Catalog

2024 Featured Product Guide 98606 MARS Document Library FPG f MOD AJPERES CONVERT TO url CACHEID ROOTWORKSPACE e48cda2b 18ca 459f 9be6 7430773bd7ab p0d GbK w marsdelivers wps wcm connect |||

2024 Featured Products Guide Motors Components Service Installation NEW NEW MARS Bulk Package ... N Hand Held Programmer for 10860/10861/10865/ 10866/10867/10868/10869 MARS NO. DIA. 10856 5.5 **10857** 5.5 10858 5.5 10859 5.5 10860 * 5.5 10861 * 5.5 10867 * 5.0 10865 * 5.5 1...

lang:en **score:20** filesize: 19.5 M page_count: 68 document date: 2024-06-12



[\[pdf\]](#) Guide Accessories Catalog

Featured Products Guide FPG 2025 vf MOD AJPERES CONVERT TO url CACHEID

ROOTWORKSPACE e48cda2b 18ca 459f 9be6 7430773bd7ab poRMcQn marsdelivers wps wcm connect |||

2025 Featured Products Guide Motors Components Service Installation NEW Expanded Product Offer ... side MARS No. HP Volts RPM Rotation Diameter 10856 1/4-1/2 115/230 1075 Variable REV 5.5 **10857** 1/2-1 115/230 1075 Variable REV

*Due to proprietary OEM protocol, some communicating ECMs m...

lang:en score:18 filesize: 26.17 M page_count: 72 document date: 2025-05-23



[\[pdf\]](#) Guide Accessories Catalog

Featured Products Guide FPG 2025 vf MOD AJPERES CONVERT TO url CACHEID

ROOTWORKSPACE bce91f32 e47f 43c6 aa32 8fb5070e4eef pfmDugL hcon aktion wps wcm connect |||

2025 Featured Products Guide Motors Components Service Installation NEW Expanded Product Offer ... side MARS No. HP Volts RPM Rotation Diameter 10856 1/4-1/2 115/230 1075 Variable REV 5.5 **10857** 1/2-1 115/230 1075 Variable REV

*Due to proprietary OEM protocol, some communicating ECMs m...

lang:en score:18 filesize: 16.96 M page_count: 72 document date: 2024-12-10



[\[pdf\]](#) Guide Accessories Catalog

Featured Products Guide Mars MotorsCommon brands include AC Pro AirTemp Broan Frigidaire Gibson motors found in Bohn Nutone Chandler Larkin Kramer Climate Control Featured Guide23 fmarsdelivers wps wcm connect e48cda2b 18ca 459f 9be6 7430773bd7ab f MOD AJPERES CONVERT TO url CACHEID ROOTWORKSPACE omDXMbM |||

2025 Featured Products Guide Motors Components Service Installation NEW Expanded Product Offer ... side MARS No. HP Volts RPM Rotation Diameter 10856 1/4-1/2 115/230 1075 Variable REV 5.5 **10857** 1/2-1 115/230 1075 Variable REV

*Due to proprietary OEM protocol, some communicating ECMs m...


lang:en score:17 filesize: 18.79 M page_count: 72 document date: 2025-06-23



[2025 MARS Featured Products Guide: HVAC/R Motors, Components & Surge Protectors](#)

Explore the comprehensive 2025 Featured Products Guide from MARS, showcasing a wide range of HVAC/R motors, surge protectors, capacitors, and essential components. Find high-quality parts for efficient system maintenance and repair.

lang:en **score:17** filesize: 18.99 M page_count: 72 document date: 2025-09-19



[\[pdf\] Specifications](#)

DMT Development Systems Group 10857 Volvo V50 Goldenes Lenkrad 2004 the Golden Steering wheel estate media volvocars global en gb |||

Award Date of issue Mar 01, 2004 ID: **10857** Volvo V50 Goldenes Lenkrad 2004 the Golden Steeringwheel the estate class Awarded By: Country: Model: Readers category , publication: Bild am Sonntag Germany V50 Volvo Cars PVH50, 50200 SE405 31 Gteborg Sweden Phone: 46 31 59 65 25 Fax: 46 31 5...

lang:en **score:16** filesize: 80.64 K page_count: 1 document date: 0000-00-00



[MARS 2025 Featured Products Guide: Motors, Components, Service & Installation](#)

Explore the comprehensive MARS 2025 Featured Products Guide, showcasing a wide array of motors, components, and service & installation products for the HVAC/R market. Discover leading brands and innovative solutions.

lang:en **score:16** filesize: 18.79 M page_count: 72 document date: 2025-06-23



[\[pdf\] User Manual](#)

im409 Lincoln R3R 400 Parts Manual Pdf Operator s IDEALARC Electric 3a9d4e2d 1557 4a6b 9862 a2ecac543352 dl owneriq net 3 |||

RETURN TO MAIN MENU IM409-E IDEALARC R3R-300, -400 AND -500 November, 2009 For use with machine Code Numbers: 9534 thru 10471, **10857**, 10858, 10881, 10882, 11043, 11044, 11045, 11046 11342, 11344 Safety Depends on You Lincoln arc welding and cutting equipment is designed and built with safety in ...

lang:en **score:15** filesize: 1.15 M page_count: 32 document date: 2009-12-15




[pdf] Dimension Guide Guide Catalog

Mon guide Provence Outils Mar 1 2022 · B Modèle ZX300 4 roues permet un nettoyage du fond et des Intex Comprenant brosse incurvée épuisette tampon à recurer 07032022 provence outils fr ecatalogue |||

JARDIN RETRA RETRA agasin agasin BRICO RETRA RETRA agasin agasin 11IT IT hh m m IT lhT 1h 1m m ... ir. 3 x 3 m 9 m2 env. Rf. 10855 9,99e 4 x 4 m 16 m2 env. Rf. 10856 12,99e 5 x 5 m 25 m2 env. Rf. **10857** 19,99e 6 x 6 m 36 m2 env. Rf. 10858 29,99e 7 x 7 m 49 m2 env. Rf. 10859 34,99e 8 x 8 m 64 m...

lang:fr score:15 filesize: 13.01 M page_count: 76 document date: 2022-03-02




[pdf] Catalog

Layout 1 Heather CatalogMars® 10857Mars 10856 Catalogsouthernpipe ASSETS DOCUMENTS CMS EN Mars Catalog |||

MARS MOTORS AzureECM ECM Direct Drive Variable Speed and Constant Torque Blower Applications Ball ... perating temperature range: -20C to 55C -4F to 131F UL Recognized MARS NO. HP 10856 1/4 1/2 **10857** 1/2 1 VOLTS 115/230 115/230 RPM ROTATION 1075 Variable Rev DIAMETER 5-1/2 DIMENSIONS A BC...

lang:en score:15 filesize: 10.05 M page_count: 1 document date: 2024-01-26




[pdf] Catalog

Layout 1 Heather Azure®ECM MARS MO T ORS azure 10856 57 marsdelivers images 98605 catalog ||| MARS MOTORS AzureECM ECM Direct Drive Variable Speed and Constant Torque

Blower Applications Ball ... perating temperature range: -20C to 55C -4F to 131F UL Recognized MARS NO. HP 10856 1/4 1/2 **10857** 1/2 1 VOLTS 115/230 115/230 RPM ROTATION 1075 Variable Rev DIAMETER 5-1/2 DIMENSIONS A BC...

lang:en score:15 filesize: 10.05 M page_count: 1 document date: 2024-01-26



[pdf] User Manual Troubleshooting Guide Parts List Specifications


Heath Z19 Terminal Operating Manual Rescanned by Marcus Bennett maben homeip net static S100

HeathZenith terminal monitor printer H19 |||

,,,, data - systems VIDEO TERMINAL Model Z-19-CN 595-2731-01 Operation Manual ZENITH DATA SYSTEMS ... 10464-56 063-07757 063-07757 Not used 063-09922-06 063-07757 063-09921-95 063-09922-19 Not used 063-10857-09 063-10559-36 Not used 063-01701 2200 0, 10 , 1/2 watt 22 0, 10 , 15 watt 220 0, 10 , 1/2

...

lang:en score:14 filesize: 4.63 M page_count: 88 document date: 2009-05-13



[pdf] Specifications

Layout 1 SPECIFICATION 3 2 hp 1075 RPM 115 230V Single Phase ECM Blower Motor MARS Ferguson 9426384 8025961 specification fergusonprod a bigcontent io v1 static |||

MARS MOTORS Digi-Motor Direct Drive Blower Applications Bluetooth Ball Bearing The latest generat ... to 131F UL Recognized MARS Adjustable Auto No. Speeds* Sizing* Replaces 10856 Yes Yes PSC 10857 Yes Yes PSC 10858 Yes Yes X13, Ensite, Endura 10859 Yes Yes X13, Ensite, Endura * Wh...

lang:en score:14 filesize: 554.08 K page_count: 1 document date: 2021-04-15



[pdf]

Azure® ECM Motor Rebate MARS Document Library Azure Redemption Form 24 MOD AJPERES CONVERT TO url CACHEID ROOTWORKSPACE e68e311b 21c7 43c5 b761 2275a815dbb3 oPbG6m w marsdelivers wps wcm connect oPbG6mg |||

Turn Blue to GREEN 1000 Rebate ECM Qualifying Motors MARS # 10858 10859 10874 10860 CONSTANT TOR ... ARIABLE SPEED CONSTANT TORQUE ECM REPLACEMENT 10856 1/4 1/2 115/230 1075 Variable Reversible 10857 1/2 1 115/230 1075 Variable Reversible Redemption Details On Back marsdelivers.com EC...

lang:en score:14 filesize: 2.01 M page_count: 2 document date: 2024-01-02



[pdf] Specifications Accessories

Layout 1 Heather Azure® ECM Accessories MARS MO TORS MarsMotors Armatures Azure 00035 M5

CAT cdn designair Resources |||


MARS MOTORS Azure ECM / Azure Accessories ECM Commercial Refrigeration

Watt Reach-In Motor Ball ... it for 2-Speed Operation 2/PK for 10852; Controls up to 5

Motors Ensite Adapter: Accessory 10856, **10857** Replacement Part 10858, 10859

MARS NO. 10891 WATTS OUTPUT 4 - 25 VOLTS 115/230 RPM 1550 1 ...

lang:en score:13 filesize: 2.01 M page_count: 1 document date: 2024-02-22



[pdf]

Azure Rebate Redemption Form 2025 indd Motor 2025MARS Document Libraryww marsdelivers wps

wcm connect 8cdbb3d2 f90f 47bf 8d4e 99ef5a4c9b07 MOD AJPERES CONVERT TO url CACHEID

ROOTWORKSPACE ph6K0eU 2025Azure LibraryMARS ph6K0eUcraiglist ||| ||| Truck Stock Reward

Less Inventory 1000 Rebate Stock few Replace many ECM Leading The Way In ECM Technology

Qualifying Motors MARS # 10858 10859 10874 10860 CONSTANT TORQUE HP Voltage RPM Rotation

1/5 1/2 115/230 1075 Reversible 1/2 - 1 115/


Truck Stock Reward Less Inventory 1000 Rebate Stock few Replace many ECM

Leading The Way In ECM ... CCWLE 3/4 115/230 1075 Variable CCWLE VARIABLE

SPEED CONSTANT TORQUE ECM REPLACEMENT 10856 **10857** 1/4 1/2 115/230

1/2 1 115/230 1075 1075 Variable Reversible Variable Reversible Offer Ex...

lang:en score:13 filesize: 5.83 M page_count: 2 document date: 2025-01-07



[CDC 722-10 Display Terminal Hardware Maintenance Manual](#)

Comprehensive hardware maintenance manual for the Control Data CDC 722-10

Display Terminal, including diagrams, parts data, and support information for models

CC628-A and CC628-B.

lang:en score:13 filesize: 14.35 M page_count: 184 document date: 2020-02-21

[pdf] Specifications Flyer

Layout 1 Bruce Towell Azure® 10856 10857 Azure Variable Speed Flyer 98600M16MARS Document LibraryAzure 57 Motor 6Amarsdelivers wps wcm connect 7445efe7 2aba 4b8e 9f26 798a451b3f71 6A MOD AJPERES CONVERT TO url CACHEID ROOTWORKSPACE oqjEe9S 98600M16Specification SheetMARS LibraryMars® 10857Azure 6AMars Specification Sheetmarsdelivers oqjEe9Ssouthernpipe ASSETS DOCUMENTS CMS EN Mars Sheet SheetTechnical documentMARS 10857HVAC ECM Victor DistributingAzure SheetCBL1704D001F034R0000098 SPECmarsdelivers Sheetimages tradeservice ATTACHMENTS SPEC CBL1704D001F034R0000098 98600M16Azure® LibraryMARS 6AAzure oqjEe9Sww marsdelivers oqjEe9Scaigslist ||| ||| Got an OEM ECM with one of these connectors 4 Pin Variable Speed 16 Pin Variable Speed Constant Torque Replace it with Azure. Azure connects directly to OEM harnesses. Delivering Confidence 3 Bluetooth Control Free app AZURE ECM is availabl ||| Got an OEM ECM with one of these connectors 4 Pin Variable Speed 16 Pin Variable Speed Constant Torque Replace it with Azure. Azure connects directly to OEM harnesses. Delivering Confidence 3 Bluetooth Control Free app AZURE ECM is availabl ||| Got an OEM ECM with one of these connectors 4 Pin Variable Speed 16 Pin Variable Speed Constant Torque Replace it with Azure. Azure connects directly to OEM harnesses. Delivering Confidence 3 Bluetooth Control Free app AZURE ECM is availabl ||| Got an OEM ECM with one of these connectors 4 Pin Variable Speed 16 Pin Variable Speed Constant Torque Replace it with Azure. Azure connects directly to OEM harnesses. Delivering Confidence 3 Bluetooth Control Free app AZURE ECM is availabl

Got an OEM ECM with one of these connectors 4 Pin Variable Speed 16 Pin Variable Speed Constant To ... inside MARS No. HP Volts RPM Rotation Diameter 10856 1/4-1/2 115/230 1075 Variable REV 5.5 **10857** 1/2-1 115/230 1075 Variable REV 5.5 * Due to proprietary OEM protocol, some communicating E...

lang:en score:13 filesize: 1.32 M page_count: 2 document date: 2023-01-23




[pdf] Specifications Catalog

Layout 1 Heather Azure®ECM MARS MO T ORS 20 feb 2023 — The newest generation of Azure® ECM featuring integrated Bluetooth control for use with the smartphone app While not required azure 10856 57 hcon aktion images 98605 catalog |||

ECM Direct Drive Variable Speed and Constant Torque Blower Applications Ball Bearing The newest gen ... perating temperature range: -20C to 55C -4F to 131F UL Recognized MARS NO. HP 10856 1/4 1/2 **10857** 1/2 1 VOLTS 115/230 115/230 RPM ROTATION 1075 Variable Rev 1075 Variable Rev DIAMETER 5-1/...


lang:en score:13 filesize: 1.54 M page_count: 1 document date: 2023-03-10



[pdf] Specifications Borchure

Azure® Full Line Brochure 98939 Bruce Towell MARS Document LibraryAzure 98939ww marsdelivers wps wcm connect 9667fdc2 84ee 405d be84 64fd8fa30669 Azure MOD AJPERES CONVERT TO url CACHEID ROOTWORKSPACE ppu5NFa LibraryMARS 98939Azure ppu5NFa Craigslist ||| ||| ECM marsdelivers.com Delivering Confidence 98702 7/15 Walk-In Cooler Applications Drop in 3.3 ECM replaces most OEM / ECM / PSC and standard shaded pole commercial refrigeration evaporator fan motors up to 1/15 HP for walk-in cooler/freezer ECM marsdelivers.com Delivering Confidence 98702 7/15 Walk-In Cooler Applications Drop in 3.3 ... d Programmer for 10860/10861/10865/ 10866/10867/10868/10869 MARS NO. 10856 DIA. 5.5 HP 1/4-1/2 **10857** 5.5 1/2-1 10858 5.5 1/5-1/2 10859 5.5 1/2-1 VOLTS 115/230 115/230 115/230 115/230 ... lang:en score:13 filesize: 6.65 M page_count: 6 document date: 2025-04-22





[pdf] Catalog

Layout 1 Heather Catalog Page sHVAC ECM Motor Victor DistributingCBL1704D001F034R0000098

CATimages tradeservice ATTACHMENTS CAT CBL1704D001F034R0000098 |||

MARS MOTORS AzureECM ECM Direct Drive Variable Speed and Constant Torque Blower Applications Ball ... perating temperature range: -20C to 55C -4F to 131F UL Recognized MARS NO. HP 10856 1/4 1/2 **10857** 1/2 1 VOLTS 115/230 115/230 RPM ROTATION 1075 Variable Rev DIAMETER 5-1/2 DIMENSIONS A BC...

lang:en score:11 filesize: 10.3 M page_count: 1 document date: 2024-03-21



MARS and Comfort Aire HVAC Components and Systems Catalog

Explore a comprehensive catalog of HVAC components and systems from MARS and Comfort Aire, featuring PolarPad, PolarPan, Leak Lock, AZURE motors, Comfort Aire units, and more, designed for reliability and efficiency.

lang:en score:11 filesize: 3.86 M page_count: 12 document date: 2025-09-05



[pdf] Flyer

MARS Flyer 2025 indd innovative flyer 98600M37 f MOD AJPERES CONVERT TO url CACHEID

ROOTWORKSPACE a5892f9b d97e 4faa b6c9 5b2aa3688ddb pcs hfd marsdelivers wps wcm connect |||

Innovative Products Delivering Confidence Multiple Sizes, Profiles, Colors RUGGED, RELIABLE ... ard 10865 5.5 1/3-1/2 115/230 5* REV NO 10866 5.5 3/4-1 115/230 5* REV NO MARS No. 10856 **10857** HP 1/4-1/2 1/2-1 Volts 115/230 115/230 RPM 1075 Variable 1075 Variable Rotation REV REV D...

lang:en score:11 filesize: 5.02 M page_count: 12 document date: 2025-01-23

MARS Tech Selecting an Azure HVAC ECM Bruce Towell 98600M24MARS Document

CONVERT TO url CACHEID ROOTWORKSPACE pc2SnJ3 98600M24Selecting LibraryMARS

system design. Motors have seen some of the most dramatic change, largely driven by the need for

years have brought significant changes in system design. Motors have seen some of the most dramatic

available, identifying sui

seen some of the mo ... able Speed ECM 1/4-1/2 1/2-1 115/230 Bluetooth built in;

ECM 1/5-1/2 115/230 1/2-1 1/8-1/3 115/230/ 277 PSC ...

lang:en score:11 filesize: 943.71 K page_count: 1 document date: 2024-11-06



MARS Flyer 2025 indd Innovative 98600M37MARS Document Libraryinnovative flyer 98600M37

CONVERT TO url CACHEID ROOTWORKSPACE pikV6En |||

RELIABLE ... ard 10865 5.5 1/3-1/2 115/230 5* REV NO 10866 5.5 3/4-1 115/230 5*

Variable 1075 Variable Rotation REV REV D...

lang:en score:11 filesize: 5.02 M page_count: 12 document date: 2025-01-23

imf409 french IMF409 9500 à 10500 10857 10858 10881 10882 11043 11044 11045 11046 The Lincoln

Manuel de l'Opérateur IDEALARC R3R-300,-400,-500 Pour utilisation avec les

9698; 9699; 9704; 9705; 9706; 9864; 9865; 9866; 9867; 9874; 9875; 9876; 9881;

9884; 9885; 9886; 9887; 10471; **10857**; 10858; 10881; 10882; 11043; 1104...

lang:fr score:11 filesize: 993.72 K page_count: 32 document date: 2018-07-27



[\[pdf\]](#) Specifications

Azure 98939 Bruce Towell marsdelivers MOD AJPERES CONVERT TO url CACHEID
ROOTWORKSPACE b59fd60e 3c9d 4c4f b0d8 8cd507b46df2 n2s1Ync wps wcm connect ||| ||| ECM
marsdelivers.com Delivering Confidence 98702 7/15 Walk-In Cooler Applications Drop in 3.3 ECM
replaces most OEM / ECM / PSC and standard shaded pole commercial refrigeration evaporator fan
motors up to 1/15 HP for walk-in cooler/freezer
ECM marsdelivers.com Delivering Confidence 98702 7/15 Walk-In Cooler
Applications Drop in 3.3 ... 860/10861/10865/ 10866/10867/10868/10869 MARS NO.
DIA. HP VOLTS 10856 5.5 1/4-1/2 115/230 **10857** 5.5 1/2-1 115/230 10858 5.5 1/5-1/2
10859 5.5 1/2-1 115/230 115/230 10860 5.5 ...
lang:en score:11 filesize: 3.4 M page_count: 6 document date: 2023-03-20



[\[pdf\]](#) Specifications Borchure

Azure® Full Line Brochure 98939 Bruce Towell 14 часов назад — Step 1 Download the Azure ECM App
to your Apple or Android smart phone tablet 2 Connect wireless programmer motor 3 Open and MOD
AJPERES CONVERT TO url CACHEID ROOTWORKSPACE 9667fdc2 84ee 405d be84 64fd8fa30669
pccuVAQ hcon aktion wps wcm connect |||
ECM marsdelivers.com Delivering Confidence 98702 7/15 Walk-In Cooler
Applications Drop in 3.3 ... d Programmer for 10860/10861/10865/
10866/10867/10868/10869 MARS NO. 10856 DIA. 5.5 HP 1/4-1/2 **10857** 5.5 1/2-1
10858 5.5 1/5-1/2 10859 5.5 1/2-1 VOLTS 115/230 115/230 115/230 115/230 ...
lang:en score:11 filesize: 3.4 M page_count: 6 document date: 2024-11-08



[\[pdf\]](#) Specifications Borchure


Azure® Full Line Brochure 98939 Bruce Towell 22 anp 2025 r — Drop in 3 ECM replaces most OEM
PSC and standard shaded pole commercial refrigeration evaporator fan motors up Azure MOD AJPERES
CONVERT TO url CACHEID ROOTWORKSPACE 9667fdc2 84ee 405d be84 64fd8fa30669 ppu5NFa
marsdelivers wps wcm connect |||
ECM marsdelivers.com Delivering Confidence 98702 7/15 Walk-In Cooler
Applications Drop in 3.3 ... d Programmer for 10860/10861/10865/
10866/10867/10868/10869 MARS NO. 10856 DIA. 5.5 HP 1/4-1/2 **10857** 5.5 1/2-1
10858 5.5 1/5-1/2 10859 5.5 1/2-1 VOLTS 115/230 115/230 115/230 115/230 ...
lang:en score:11 filesize: 6.65 M page_count: 6 document date: 2025-04-22



[MARS Motors Replacement Fractional Horsepower Motors for HVAC/R Industry](#)

Comprehensive catalog of MARS Motors' fractional horsepower replacement motors for the HVAC/R industry, featuring Azure ECM, condenser fan motors, blower motors, and more, with detailed specifications and cross-references.

lang:de score:11 filesize: 12.34 M page_count: 32 document date: 2025-09-19



[\[pdf\]](#)

Slide 1 Jane arc services calendar march 2021 a storyblok f 58810 x 4279f9be25 |||

March 2021 Supports For You All our programmes are FREE available online. To register email: info ... rt Centres is a registered charity in Ireland. Charity Regulator Number: 20028428 Charity Number: **10857** Company Number: 505230
www.arccancersupport.ie ...

lang:en score:10 filesize: 168.29 K page_count: 1 document date: 2021-03-03



[\[pdf\]](#)

Slide 1 Jane arc services calendar february v2 a storyblok f 58810 x 37cbf0675e

February 2021 Supports For You For your safety and convenience, all our services are currently offe ... rt Centres is a registered charity in Ireland. Charity Regulator Number: 20028428 Charity Number: **10857** Company Number: 505230
www.arccancersupport.ie ...

lang:en score:10 filesize: 162.56 K page_count: 1 document date: 2021-02-02



[\[pdf\]](#)

Slide 1 Jane arc services calendar february 2021 a storyblok f 58810 x ba179976fb |||

February 2021 Supports For You For your safety and convenience, all our services are currently offe ... rt Centres is a registered charity in Ireland. Charity Regulator Number: 20028428 Charity Number: **10857** Company Number: 505230
www.arccancersupport.ie ...

lang:en score:10 filesize: 162.67 K page_count: 1 document date: 2021-01-26