MOOER GE200 Pro Li

MOOER GE200 Pro Li Multi-Effects Guitar Processor User Manual

Model: GE200 Pro Li

1. Introduction

The MOOER GE200 Pro Li is an advanced amp modeling and multi-effects guitar processor designed for guitarists seeking a comprehensive and portable solution for live performances, studio recording, and practice. This unit integrates a wide array of effects, amplifier models, a looper, and a drum machine, all powered by an internal battery for maximum flexibility. This manual provides detailed instructions for setup, operation, maintenance, and troubleshooting to ensure optimal performance of your device.



Image 1: Overview of the MOOER GE200 Pro Li Multi-Effects Guitar Processor.

2. Setup

2.1 Powering the Device

The GE200 Pro Li can be powered via its included 9V DC 3A power adapter or its internal Lithium-Ion battery. A full charge provides approximately 5.5 hours of operation. Ensure the device is fully charged before initial use or extended sessions without external power.



Image 2: Battery installation and power specifications.

2.2 Connecting Your Equipment

The GE200 Pro Li offers extensive input/output options for various setups:

- **Guitar Input:** Connect your guitar to the mono 1/4" input.
- **Audio Outputs:** Use the stereo 1/4" outputs for connection to an amplifier, mixer, or audio interface. Stereo XLR outputs are also available for balanced connections to professional audio equipment.
- **Headphone Output:** A 3.5mm headphone output is provided for silent practice.
- **FX Loop:** Parallel or serial FX loop send and return jacks allow integration of external pedals.
- **MIDI:** Programmable MIDI inputs and outputs enable control via MIDI controllers or DAWs.
- **USB-C:** Connect to a computer for USB audio interface functionality and MOOER Studio Software access.




Image 3: Detailed view of the GE200 Pro Li's input/output options.

3. Operating Instructions

3.1 Effects and Amp Models

The GE200 Pro Li features 286 advanced effect modules and amp models. It supports MOOER's MNRS amp sim impulse response files with 20 free storage slots, and third-party IR cabinet simulation files up to 2048 points.



Image 4: Overview of available amp, cab, and power amp models.

3.2 Ambient Light LED Strip

Customize the ambient light LED strip with various colors and display styles (Solid, Slow Flashing, Rainbow Wave) to suit your preference or stage environment.



Image 5: Ambient light LED strip features.

3.3 Advanced Effect Controls

The unit includes a Spill-over trail hold function for delay and reverb effects, tap tempo control for time-based effects, and adjustable Global EQ settings for overall tone shaping.

3.4 Bluetooth Connectivity and GE CLOUD App

Utilize Bluetooth for audio playback, allowing you to stream backing tracks directly to the GE200 Pro Li. Connect to the GE CLOUD app to upload and download presets and sample files, expanding your sonic possibilities.



Image 6: Bluetooth connectivity and GE CLOUD app integration.

3.5 Groove Station

Engage Groove Station mode, which includes a drum machine with 70 drum patterns and a 60-second phrase looper. The looper can be synchronized with the drum machine, providing a tool for practice and creative improvisation.



Image 7: Groove Station interface on the GE200 Pro Li display.

3.6 MOOER Studio Software and USB Audio Interface

The USB-C port functions as a professional low-latency ASIO USB audio interface, supporting up to a 44.1 kHz sample rate. This allows for direct recording to a computer. The free MOOER Studio Software provides a graphical interface for editing presets, managing files, and performing firmware updates. USB MIDI functionality is also supported for enhanced control.



Image 8: MOOER Studio Software interface.

4. Maintenance

To ensure the longevity and optimal performance of your GE200 Pro Li, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to clean the exterior. Avoid abrasive cleaners or solvents.
- **Storage:** Store the device in a cool, dry place away from direct sunlight and extreme temperatures.
- **Battery Care:** For optimal battery life, avoid fully discharging the battery frequently. If storing for an extended period, charge the battery to approximately 50% and recharge every few months.
- **Firmware Updates:** Regularly check the MOOER website for firmware updates. Always back up your custom presets before performing an update, as updates may erase user data.

5. Troubleshooting

If you encounter issues with your GE200 Pro Li, consider the following:

- **No Power:** Ensure the power adapter is securely connected or that the internal battery is charged.
- **No Sound:** Check all audio cable connections. Verify volume levels on the GE200 Pro Li, your guitar, and connected amplification. Ensure the correct output mode is selected.
- **Unwanted Noise/Hum:** Check for faulty cables. Ensure proper grounding. Try using a different power outlet.
- **Effects Not Working:** Verify that the effects are enabled within your preset and that their parameters are set correctly.
- **Connectivity Issues (Bluetooth/USB):** Ensure Bluetooth is enabled on both devices. For USB, check driver installation and cable connection.
- **Presets Lost After Update:** This can occur if presets are not backed up before a firmware update. Always save your custom presets to your computer using the MOOER Studio Software before updating firmware.

If problems persist, consult the MOOER official support resources or perform a factory reset (refer to the MOOER website for specific instructions on performing a factory reset, as this will erase all user data).

6. Specifications

Feature	Specification
Model	GE200 Pro Li
Dimensions	22.9 x 12.8 x 6.4 inches
Item Weight	3.96 pounds (1.8 Kilograms)
Power Source	Rechargeable Battery, DC 9V 3A Adapter
Battery Type	1 Lithium Ion battery (included)
Battery Life	Approx. 5.5 hours
Hardware Interface	Bluetooth, USB (Type-C)
Signal Format	Digital
USB Audio Sample Rate	Up to 44.1 kHz
Audio Output Effects	Modulation, Distortion, Synth, Compression, Delay, Preamp, Pitch-Shifting, Overdrive, Chorus, Multi-Effect, Flanger, Reverb

7. Warranty and Support

For detailed warranty information, please refer to the official MOOER website or the warranty card included with your product. Technical support and additional resources, including firmware updates and software downloads, are available through the MOOER official website and the GE CLOUD app.