#### Manuals+

Q & A | Deep Search | Upload

#### manuals.plus /

- Vacmaster /
- Vacmaster VOC812SF 1101 8-Gallon Premium Stainless Steel Wet/Dry Vacuum Instruction Manual

#### Vacmaster VOC812SF 1101

# Vacmaster VOC812SF 1101 8-Gallon Premium Stainless Steel Wet/Dry Vacuum Instruction Manual

Model: VOC812SF 1101

#### 1. Introduction

This manual provides essential information for the safe operation, assembly, maintenance, and troubleshooting of your Vacmaster VOC812SF 1101 8-Gallon Premium Stainless Steel Wet/Dry Vacuum. Please read all instructions carefully before using the product to ensure proper function and to prevent injury or damage.



Image 1.1: The Vacmaster VOC812SF 8-Gallon Premium Stainless Steel Wet/Dry Vacuum.

# 2. IMPORTANT SAFETY INSTRUCTIONS

When using an electrical appliance, basic precautions should always be followed, including the following:

- Read all instructions before using this wet/dry vacuum.
- Do not leave the appliance unattended when plugged in. Unplug from outlet when not in use and before

servicing.

- Do not use outdoors or on wet surfaces.
- Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- Use only as described in this manual. Use only manufacturer's recommended attachments.
- Do not use with damaged cord or plug. If appliance is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center.
- Do not pull or carry by cord, use cord as a handle, close a door on cord, or pull cord around sharp edges
  or corners. Do not run appliance over cord. Keep cord away from heated surfaces.
- Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
- Do not handle plug or appliance with wet hands.
- Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce air flow.
- Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- Do not use to pick up flammable or combustible liquids, such as gasoline, or use in areas where they may be present.
- Do not use without filters in place.
- Turn off all controls before unplugging.
- Use extra care when cleaning on stairs.
- Do not use to pick up toxic materials, such as chlorine bleach, ammonia, or drain cleaner.

# 3. PACKAGE CONTENTS

Verify that all components listed below are included in your package. If any parts are missing or damaged, contact customer support.

- Vacmaster VOC812SF 8-Gallon Wet/Dry Vacuum Unit
- Hose (7 feet long)
- 2 Extension Wands
- Crevice Tool
- Floor Nozzle
- Round Dust Brush
- Utility Nozzle
- Cartridge Filter (for dry pick-up)
- Foam Filter (for wet pick-up)
- Dust Collection Bag



NOTE: The hose and accessories for this vacuum are 1-7/8" (47.6 mm) diameter.

Image 3.1: All included accessories for the Vacmaster VOC812SF vacuum.

# 4. ASSEMBLY & SETUP

Follow these steps to assemble your wet/dry vacuum before first use.

- 1. **Unpacking:** Carefully remove all components from the packaging. Ensure all packing materials are removed from inside the canister.
- 2. **Caster Assembly:** Attach the four durable 360° rotating casters to the base of the vacuum. The necessary screws for the wheels are typically located inside the canister. Secure them firmly.
- 3. **Handle Attachment:** Attach the top handle to the motor head. The screws for the handle are also usually found inside the canister.
- 4. **Hose Connection:** For vacuuming, connect the hose to the intake port on the front of the canister. Ensure a secure fit. For blowing, connect the hose to the exhaust port on the motor head.
- 5. **Accessory Storage:** Utilize the on-board storage for the hose, power cord, and accessories to keep them organized and readily accessible.



Image 4.1: The Vacmaster VOC812SF demonstrating on-board hose, cord, and accessory storage.

#### 5. OPERATION

# 5.1. Wet/Dry Vacuuming

The Vacmaster VOC812SF is designed for both wet and dry pick-up. Ensure the correct filter is installed for the task.

- **Dry Pick-up:** Install the cartridge filter. For fine dust, a dust collection bag can also be used in conjunction with the cartridge filter.
- Wet Pick-up: Remove the cartridge filter and install the foam filter. Ensure the foam filter is properly seated over the filter cage.

Connect the desired accessory to the hose. Plug the power cord into a suitable electrical outlet. Turn the vacuum on using the power switch. Guide the accessory over the area to be cleaned. The high-performance motor delivers 83 inches of water lift for tough messes.



Image 5.1: Demonstrating high suction power for cleaning various surfaces.



Image 5.2: The 17-foot cleaning reach allows for versatile use, including vehicle interiors.

# 5.2. Blower Function

The vacuum easily converts to a powerful blower. To use the blower function:

- 1. Ensure the vacuum is unplugged.
- 2. Remove the hose from the intake port.
- 3. Insert the hose into the exhaust port located on the motor head.
- 4. Plug in the power cord and turn on the vacuum.



Image 5.3: The vacuum converts to a blower for clearing debris.

# 5.3. Accessory Usage

The vacuum comes with a variety of accessories for different cleaning tasks:

- Crevice Tool: Ideal for tight spaces, corners, and edges.
- Floor Nozzle: Suitable for general floor cleaning.
- Round Dust Brush: Designed for delicate surfaces like blinds, screens, dashboards, and other scratchprone areas.
- Utility Nozzle: A versatile tool for various cleaning applications.
- Extension Wands: Use with other accessories to extend reach for floors or high areas.




Image 5.4: Detailed view of the Utility Nozzle, Crevice Tool, and Floor Brush/Squeegee Nozzle.

# 6. MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your vacuum.

#### 6.1. Filter Care

- Cartridge Filter (Dry): For dry pick-up, the cartridge filter protects the motor. Clean by gently tapping off loose debris or rinsing with water (allow to air dry completely before reinstallation). Replace if damaged or excessively dirty.
- Foam Filter (Wet): For wet pick-up, the foam filter protects the motor. Rinse with water after each wet use and allow to air dry completely before storage or next use.

# 6.2. Tank Emptying

The large drain port allows for quick and easy emptying of liquids. For dry debris, unlatch the motor head and carefully empty the canister. Clean the interior of the stainless steel tank as needed.

# 6.3. General Cleaning

Wipe down the exterior of the vacuum with a damp cloth. Do not use harsh chemicals or abrasive cleaners. Store the vacuum and its accessories in a dry, protected area.

# 7. TROUBLESHOOTING

Refer to this section for common issues and their solutions.

Problem	Possible Cause	Solution
Vacuum does not start	No power to outlet; Power cord not plugged in; Faulty switch	Check power supply; Ensure plug is fully inserted; Contact service center if switch is faulty
Loss of suction	Hose or accessory clogged; Filter dirty or clogged; Canister full; Motor head not sealed properly	Clear obstruction; Clean or replace filter; Empty canister; Ensure motor head latches are secure
Water coming from exhaust	Foam filter not installed for wet pick-up; Canister overfilled	Install foam filter; Empty canister to below maximum fill line
Excessive noise	Obstruction in motor; Damaged motor	Check for and remove obstructions; Contact service center

# 8. Specifications

Key technical specifications for the Vacmaster VOC812SF 1101 Wet/Dry Vacuum:

Model: VOC812SF 1101Capacity: 8 Gallons

• Motor Horsepower: 6 Peak HP

Wattage: 1380 wattsAmperage: 11.5 AmpsVoltage: 120 volts

• Maximum Suction: 83 Inches of Water Lift

• Hose Length: 7 Feet

• Power Cord Length: 10 Feet

• Product Dimensions: 14"L x 14"W x 20"H

• Item Weight: 15.8 pounds

• Material: Stainless Steel (canister)

• Filter Type: Cartridge (dry), Foam (wet)

• Noise Level: 80 Decibels

• Indoor/Outdoor Usage: Outdoor

# 9. WARRANTY & SUPPORT

For warranty information or technical support, please refer to the official Vacmaster website or contact their customer service department. Keep your purchase receipt as proof of purchase for any warranty claims.

No official product videos were found in the provided data. For visual guides on assembly, operation, or maintenance, please visit the manufacturer's official support channels.

#### Related Documents - VOC812SF 1101



#### Vacmaster Wet/Dry Vacuum Operator's Manual - VOC508S 1101

Comprehensive operator's manual for the Vacmaster 5 Gallon Wet/Dry Vacuum, Model VOC508S 1101. This guide provides essential safety instructions, detailed assembly procedures, operational guidelines for dry, wet, and blower functions, maintenance tips, troubleshooting solutions, and a complete parts list to ensure optimal performance and longevity of your vacuum cleaner.



#### Vacmaster Wet/Dry Vacuum Operator's Manual - Model VOC508S 1101

Comprehensive operator's manual for the Vacmaster 5 Gallon Wet/Dry Vacuum, Model VOC508S 1101. Includes detailed safety instructions, assembly guide, operation procedures for dry, wet, and blower modes, maintenance tips, troubleshooting, and a complete parts list. Essential for safe and optimal performance.



#### Vacmaster VFB511B 0201 5 Gallon Wet/Dry Vacuum Operator's Manual

Operator's manual for the Vacmaster VFB511B 0201 5 Gallon Wet/Dry Vacuum. Includes safety instructions, operating procedures for dry, wet, and blower modes, maintenance, troubleshooting, and parts list.



#### Vacmaster 5 Gallon Wet/Dry Vacuum Operator's Manual VOC508S 1101

Comprehensive operator's manual for the Vacmaster 5 Gallon Wet/Dry Vacuum, Model VOC508S 1101. Includes detailed instructions for assembly, dry and wet vacuuming, blower operation, maintenance, troubleshooting, and safety guidelines.



#### Vacmaster VF408B 1101 Wet/Dry Vacuum Operator's Manual

Comprehensive operator's manual for the Vacmaster VF408B 1101 Wet/Dry Vacuum. Learn about safe operation, assembly, maintenance, and troubleshooting for this versatile household appliance.




# <u>Vacmaster VJE1412SW 0201 Wet/Dry Vacuum Operator's Manual: Safety, Operation, Maintenance Guide</u>

Download the Vacmaster VJE1412SW 0201 Wet/Dry Vacuum Operator's Manual. Get detailed instructions on safe operation, assembly, dry/wet vacuuming, blower use, maintenance, and troubleshooting. Find official Vacmaster accessories and parts at Vacmaster.com.

Documents - Vacmaster - VOC812SF 1101

#### [pdf] User Manual Instructions Warranty Accessories

Operator s Manual del usuario Manuel d utilisation Wet Dryinstrucciones de reparación aspiradoras en mojado seco con aislamiento doble antes repararlas Use esta aspiradora como se describe este manualvoc812sf1101manualvacmaster content voc812sf1101manual srsltid AfmBOorhR4 63HMysAlYRSPUXDOQNSc DYbobHsUp4dWgdUmmlLZzMNm DryOperator manualinstrucciones manualvacmaster AfmBOopjQBsxoigYFE3qpWB8HCbg19AFaO7MsgEuqdHE Q12RfGAaeECvacmaster AfmBOorHUxFTCuha4wrt45e0bBZ u nUlSqs1es16DKeQjlbW 79FD Yvacmaster manualaspiradora sino más bien la potencia caballos fuerza Deje que el filtro húmedo seque completamente al aire guardarlo o vacmaster DYbobHsUp4dWgdUmmlLZzMNmvacmaster



Wet/Dry Vacuum Aspiradora en Mojado/Seco Aspirateur Sec et Humide Operator s Manual Manual del usuario Manuel d utilisation 8 Gallon / 8 Galones / 30 L Model No. N de modelo Rfrence de modle **VOC812SF 1101** FOR YOUR SAFETY Read and understand this manual before use. Keep this manual for future refe... lang:es score:39 filesize: 31.41 M page count: 58 document date: 2024-04-28





[pdf] User Manual Instructions Warranty Accessories

Wet Dry Vacuum Aspiradora voc812sf1101manual vacmaster content |||

Wet/Dry Vacuum Aspiradora en Mojado/Seco Aspirateur Sec et Humide Operator s Manual Manual del usuario Manuel d utilisation 8 Gallon / 8 Galones / 30 L Model No. N de modelo Rfrence de modle **VOC812SF 1101** FOR YOUR SAFETY Read and understand this manual before use. Keep this manual for future refe...

lang:es score:26 filesize: 31.41 M page\_count: 58 document date: 2024-04-28