

## VERFARM B0D7SGLD7T

# VERFARM Twin Metal Daybed Frame with Trundle Instruction Manual

Model: Twin Daybed Frame with Trundle (Rustic Brown)

Brand: VERFARM

## IMPORTANT SAFETY INFORMATION

---

- Always assemble according to the instructions provided.
- Do not exceed the weight limit of 300 lbs for both the main bed and the trundle bed.
- Keep the area around the bed clear to prevent entrapment.
- This product is not intended for children under 3 years old.
- Always use appropriate bedding materials for the intended user.
- Ensure all connections are securely tightened before use. Periodically check and re-tighten hardware as needed.
- Do not stand or jump on the bed frame.

## PACKAGE CONTENTS

---

Please refer to the included parts list in your product packaging to ensure all components are present and undamaged before beginning assembly. If any parts are missing or damaged, contact customer support immediately.

## ASSEMBLY INSTRUCTIONS

---

### Step 1: Unpack and Identify Parts


Carefully unpack all components from the box. Lay out all parts on a clean, soft surface, such as a carpet, to prevent scratches or damage. Identify each part by comparing it to the parts list in your packaging.

## Step 2: Assemble the Main Daybed Frame



Attach the side rails to the headboard and footboard sections using the provided bolts and tools. Ensure all connections are aligned correctly and securely tightened. Do not overtighten at this stage, as minor adjustments may be needed later.

## Step 3: Install Slats for Main Daybed



Place the metal slats onto the designated support areas of the main daybed frame. Secure each slat according to the instructions, typically by inserting them into plastic caps or bolting them to the frame. This forms the mattress foundation.

## Step 4: Assemble the Trundle Frame



Assemble the trundle frame following the same principles as the main daybed. Ensure the built-in casters are properly attached and can rotate freely. The trundle is designed to slide smoothly under the main daybed.

## Step 5: Final Checks

Once both the main daybed and trundle are assembled, go back and securely tighten all bolts and connections. Ensure the entire frame is stable and does not wobble. Place your mattresses on the main daybed and the trundle.

## OPERATING THE DAYBED AND TRUNDLE

---

### Using the Trundle Bed



To utilize the trundle bed, gently pull it out from under the main daybed. The built-in casters facilitate smooth movement. Ensure the trundle is fully extended and positioned stably before allowing anyone to use it.

### **Storing the Trundle Bed**



When the trundle bed is not in use, remove any bedding and gently push it back under the main daybed until it is fully concealed. This design optimizes space, making it ideal for smaller rooms or guest areas.

## CARE AND MAINTENANCE

---


- **Regular Inspection:** Periodically check all bolts, screws, and connections to ensure they remain tight. Re-tighten as necessary to maintain stability and safety.
- **Cleaning Metal Parts:** Wipe metal surfaces with a soft, damp cloth. Avoid using abrasive cleaners or harsh chemicals, as these can damage the finish.
- **Cleaning Wood Parts:** Clean rustic wood headboard and footboard with a dry or slightly damp cloth. Do not use excessive moisture.
- **Weight Capacity:** Do not exceed the maximum weight capacity of 300 lbs for either the main daybed or the trundle bed.
- **Moving the Bed:** When moving the daybed, lift it rather than dragging it to prevent damage to the frame or floor.

## TROUBLESHOOTING

---

Issue	Solution
Bed frame wobbles or feels unstable.	Check all bolts and screws. Re-tighten any loose connections. Ensure all parts are correctly aligned according to the assembly instructions.
Trundle bed does not slide smoothly.	Inspect the casters for any obstructions (e.g., debris, carpet fibers). Ensure the casters are properly installed and clean. Lubricate if necessary with a silicone-based spray.
Missing parts or damaged components upon arrival.	Do not proceed with assembly. Contact VERFARM customer support immediately with your purchase details for assistance and replacement parts.
Squeaking noises from the frame.	Identify the source of the squeak. Often, it's a loose bolt or friction between metal parts. Re-tighten all hardware. Applying a small amount of wax or lubricant to contact points can help.

## PRODUCT SPECIFICATIONS



The image above illustrates the key dimensions of the daybed and trundle for your reference.

Feature	Detail
Style	Modern
Size	Twin
Color	Rustic Brown
Frame Material	Metal, Wood
Weight Capacity (Each Bed)	300 Pounds
Required Assembly	Yes

Feature	Detail
Manufacturer	VERFARM
UPC	721702138357
ASIN	B0D7SGLD7T

## WARRANTY AND CUSTOMER SUPPORT

---

This VERFARM product is covered by a **one-year warranty** from the date of purchase. This warranty covers manufacturing defects and provides for free replacement parts.

For any questions, concerns, or assistance with assembly, missing parts, or product issues, please do not hesitate to contact VERFARM customer service. We are committed to resolving your problem within 24 hours to ensure your satisfaction.

Please have your purchase details (e.g., order number, date of purchase) ready when contacting support to facilitate a quicker resolution.