Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VEVOR GZT910*610J

VEVOR Stainless Steel Table (Model GZT910*610J) Instruction Manual

Brand: VEVOR | Model: GZT910*610J

Introduction

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your VEVOR Stainless Steel Table (Model GZT910*610J). Designed for durability and versatility, this table is suitable for various applications, from commercial kitchens to home workshops.

Safety Information

ATTENTION: For your security and to prevent injury, gloves are required during assembly. Handle all components with care to avoid cuts or pinches. Ensure all screws are tightened securely before use.

Package Contents

Verify that all components are present before beginning assembly:

- Stainless Steel Tabletop (1)
- Adjustable Lower Shelf (1)
- Legs (4)
- Swivel Casters (4, including 2 with brakes)
- Assembly Hardware (screws, washers, hex key)

Setup and Assembly

Follow these steps for proper assembly of your VEVOR Stainless Steel Table. It is recommended to have a second person assist with certain steps.

Step 1: Prepare Components

Carefully unbox all parts. Remove any protective plastic film from the stainless steel surfaces. Lay out all components on a clean, flat surface.



Image: Overview of assembly steps, showing components and tools.

Step 2: Attach Legs to Tabletop

Place the tabletop upside down on a soft, protected surface. Insert each of the four legs into the corner brackets on the underside of the tabletop. Secure each leg using the provided screws and washers. Do not fully tighten at this stage.



Image: Close-up of the underside of the tabletop, illustrating where legs attach with screws.

Step 3: Install Adjustable Lower Shelf

Slide the adjustable lower shelf onto the legs. The legs have multiple pre-drilled holes, allowing you to choose one of three height positions for the shelf. Align the shelf with your desired height and secure it to the legs using the remaining screws and washers. Ensure the shelf is level before tightening.



Image: Diagram showing how to loosen screws to adjust the height of the lower shelf, with an adjustable height range of 7.1-13.4 inches.

Step 4: Attach Casters

Attach the four swivel casters to the bottom of each leg. Two of the casters include brakes for stability. Make sure to adjust the leveling of the casters during installation to ensure the table is stable. Once all casters are attached, carefully turn the table upright.



Image: Close-up of the casters, highlighting the two casters equipped with brakes for locking the table in place.

Step 5: Final Tightening

Once all components are in place, use the provided hex key to fully tighten all screws. Ensure the table is stable and does not wobble.

Assembly Video Guide

For a visual guide on the assembly process, please refer to the video below:

▶ **Watch video online**
VEVOR Stainless Steel Prep Table

Video: A detailed assembly guide for the VEVOR Stainless Steel Prep Table, demonstrating each step from unboxing to final tightening.

Key Features

- **High-Quality SUS201 Stainless Steel:** Provides superior rust resistance, a sleek appearance, and a smooth surface that is easy to clean. Meets public health standards.

- **Stable and Durable Construction:** Features an upgraded thickness of 0.8mm, offering robust support for heavy items. The tabletop has a load capacity of 430 lbs, and the lower shelf supports 320 lbs, for a total capacity of 750 lbs.
- **Enhanced Mobility:** Equipped with four swivel casters, two of which include brakes, allowing for easy movement and secure positioning.
- **3-Level Adjustable Lower Shelf:** The lower shelf can be adjusted to three different height levels, with an adjustable height range of 7.1 to 13.4 inches, accommodating various item sizes.



Image: Infographic comparing VEVOR's SUS201 stainless steel construction to galvanized steel, emphasizing rust resistance and solid tabletop design.



Image: The table shown in a kitchen setting, indicating a top shelf load capacity of 430 lbs and a bottom shelf load capacity of 320 lbs.

Operating Instructions

Your VEVOR Stainless Steel Table is designed for versatile use. Here are general operating guidelines:

- **Placement:** Position the table on a flat, stable surface. For optimal stability, engage the brakes on the two locking casters.
- **Load Capacity:** Do not exceed the maximum load capacities: 430 lbs for the top shelf and 320 lbs for the lower shelf. Distribute weight evenly.
- **Mobility:** To move the table, disengage the caster brakes and gently push the table to its desired location. Re-engage the brakes once positioned.
- **Adjusting Shelf Height:** To adjust the lower shelf, loosen the screws on each leg that secure the shelf. Carefully raise or lower the shelf to the desired height, ensuring it aligns with the pre-drilled holes. Re-tighten all screws securely.

Maintenance

Proper maintenance will ensure the longevity and hygiene of your stainless steel table:

- **Cleaning:** Wipe down all stainless steel surfaces with a soft cloth and mild detergent or a specialized stainless steel cleaner. Avoid abrasive cleaners or scouring pads, which can scratch the surface. Rinse thoroughly and dry immediately to prevent water spots.
- **Hand Wash Only:** This product is designed for hand washing. Do not use dishwashers or harsh chemical cleaning agents.
- **Regular Inspection:** Periodically check all screws and bolts for tightness. Re-tighten as necessary to maintain stability. Inspect casters for smooth operation and clean any debris that may hinder movement.

Troubleshooting

- **Table is Wobbly:**
  - Ensure all assembly screws for the legs and shelves are fully tightened.
  - Check that the casters are properly installed and adjusted for levelness.
- **Casters Not Rolling Smoothly:**
  - Inspect casters for any trapped debris (hair, lint, etc.) and remove it.
  - Ensure caster brakes are disengaged.
- **Difficulty Adjusting Shelf Height:**
  - Ensure all screws securing the shelf are sufficiently loosened before attempting to move it.
  - Align the shelf carefully with the desired holes before re-tightening.

Specifications

Attribute	Detail
Brand	VEVOR
Model Number	GZT910*610J
Overall Dimensions (L x W x H)	36" x 24" x 38" (914 x 610 x 965 mm)
Material	SUS201 Stainless Steel
Color	Silver
Finish Type	Polished
Tabletop Thickness	0.03 inches (0.8 mm)
Top Shelf Load Capacity	430 lbs
Lower Shelf Load Capacity	320 lbs
Total Load Capacity	750 lbs
Number of Shelves	2 (1 fixed top, 1 adjustable lower)
Adjustable Shelf Height Positions	3 (Range: 7.1 - 13.4 inches)

Attribute	Detail
Casters	4 Swivel Casters (2 with brakes)
Item Weight	35 pounds
Assembly Required	Yes
Tools Recommended for Assembly	Hex Key (included)

Warranty and Support

VEVOR products typically come with a warranty. Please refer to the product packaging or the official VEVOR website for specific warranty details and customer support contact information. For assistance with assembly or troubleshooting, you may also visit the VEVOR Store on Amazon.

© 2026 VEVOR. All rights reserved.
This manual is for informational purposes only. Product specifications are subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0D7VKMF5Z

More documents and user manuals: **https://manuals.plus/**