

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [FREDBECK](#) /

› [FREDBECK 42x80 Inch White Barn Door with 7FT Sliding Hardware Kit Instruction Manual](#)

FREDBECK MB-CPS-11H-4280

FREDBECK 42x80 Inch White Barn Door with 7FT Sliding Hardware Kit Instruction Manual

1. INTRODUCTION

This manual provides detailed instructions for the assembly, installation, operation, and maintenance of your FREDBECK 42x80 inch White Barn Door with 7FT Sliding Hardware Kit. Please read all instructions carefully before beginning installation to ensure safe and proper use of the product. Keep this manual for future reference.

2. SAFETY INFORMATION

WARNING: Improper installation can lead to serious injury or property damage. Always follow these safety guidelines:

- Ensure the wall structure can support the weight of the door and hardware. Reinforce walls if necessary.
- Use appropriate tools and safety equipment, including eye protection and gloves.
- Two people are recommended for lifting and installing the door panel due to its weight (approximately 50 lbs).
- Verify all components are present and undamaged before installation. Do not use damaged parts.
- Keep children and pets away from the work area during installation.
- Ensure the sliding track is level and securely fastened to wall studs.

3. PACKAGE CONTENTS

Your FREDBECK Barn Door package includes the following components:

- 1 x Door Panel (Width: 42 inches, Height: 80 inches)
- 1 x 7FT Sliding Door Hardware Kit (includes track, hangers, floor guide, anti-jump pads, and stoppers)
- 1 x Door Handle
- Assembly and Installation Manual

ABOUT THE PACKAGE



NOTE: hardware and door panels are in **one package** as picture below.

Package size:

Length: 80in-86in

With: 4in-7in

High: 10in-14in



Hardware track kit




Image: Detailed view of the Fredbeck barn door components and the included hardware track kit.



Image: Visual representation of the packing list, showing door panels and hardware components.

4. PRODUCT OVERVIEW

The FREDBECK 42x80 inch White Barn Door is designed for interior use, offering a modern aesthetic and space-saving functionality. The door panel is constructed from solid wood and MDF, with a glossy PVC surface for enhanced durability and ease of cleaning. The included 7FT sliding hardware kit ensures smooth operation.



Image: Cross-section view illustrating the pine wood core, MDF, and PVC surface construction, highlighting stability and water-proof properties.



WaterProof

Prefinished PVC water proof surface allows our white door to be installed with confidence in areas with high humidity such as bathrooms and kitchens, only waterproof but also resistant to deformation.



white pvc skin is solid and beautiful

Image: Close-up of the door surface, emphasizing its waterproof PVC coating, suitable for high-humidity areas like bathrooms and kitchens.

This barn door is suitable for various applications, including bathrooms, laundry rooms, kitchens, dining rooms, bedrooms, and living rooms, providing a stylish and functional room divider or closet door.



Widely used Environmental Easy install No deformation

Image: An installed Fredbeck white barn door in a modern living room setting, demonstrating its aesthetic appeal and space-saving design.



Stable



Water-proof



Not wrap



Easy to clean

Pine Wood Core

PVC+MDF+Wood Material, it was more stable and Long term use, unwarping, the PVC surface is easy to clean and water-proof




Image: Collage showing the Fredbeck barn door used in different rooms such as a kitchen, bedroom, laundry room, bathroom, and living room.

5. SPECIFICATIONS

Attribute	Detail
Brand	FREDBECK
Model Number	MB-CPS-11H-4280
Size	42x80 inches (single door)
Color	White
Material	Solid Wood, MDF, PVC Surface
Style	Modern
Item Weight	50 Pounds

Product Dimensions	1.4 x 42 x 80 inches
Hardware Kit	7FT Sliding Barn Door Hardware Kit Included

To ensure proper fit, measure your door opening. This 42x80 inch door is designed to fit openings between 38-41 inches wide and up to 78 inches high.



Door size	Fit Opening Width	Fit Opening High
18x84 double door	33in-35in	≤82
21x84 double door	38in-41in	≤82
24x84 double door	45in-47in	≤82
28x84	25in-26in	≤82
30x80	27in-28in	≤78
30x84	27in-28in	≤82
32x80	29in-30in	≤78
32x84	29in-30in	≤82
34x84	31in-32in	≤82
36x80	33in-34in	≤78
36x84	33in-34in	≤82
38x84	35in-37in	≤82
42x80	38in-41in	≤78
42x84	38in-41in	≤82
48x80	45in-47in	≤78
48x84	45in-47in	≤82

Image: A detailed size chart indicating various door sizes and their corresponding fit for opening widths and heights.

6. INSTALLATION

The FREDBECK barn door is designed for DIY assembly and installation. A step-by-step detailed instruction manual is included in your package. Please refer to it for precise measurements and procedures.

General Installation Steps:

- Prepare the Opening:** Ensure your door opening is clean, plumb, and properly sized for the 42x80 inch door.
- Assemble the Door Panel:** Follow the included instructions to assemble the door panel. This typically involves connecting the individual door sections.
- Install the Track:** Locate wall studs above the door opening. Securely mount the 7FT sliding track to the wall

studs using the provided hardware. Ensure the track is perfectly level.

4. **Attach Hangers to Door:** Fasten the sliding hangers to the top edge of the assembled door panel.
5. **Mount Door to Track:** Carefully lift the door and hook the hangers onto the track. Adjust stoppers and anti-jump pads as needed.
6. **Install Floor Guide:** Secure the floor guide to the floor to prevent the door from swinging out.
7. **Attach Door Handle:** Install the door handle on the door panel.



Image: Visual guide showing the four main steps for easy installation: installing the door slab, complete door installation, complete hardware installation, and final installation.

7. OPERATION

To operate your FREDBECK barn door, simply grasp the handle and slide the door along the track. The smooth-gliding hardware allows for effortless opening and closing. Ensure the path of the door is clear of obstructions.

8. MAINTENANCE

Regular maintenance will ensure the longevity and smooth operation of your barn door:

- **Cleaning:** The PVC surface is water-proof and easy to clean. Wipe the door surface with a soft, damp cloth and mild detergent. Avoid abrasive cleaners or harsh chemicals.
- **Hardware:** Periodically check all screws and fasteners on the track and hangers to ensure they are tight. Lubricate the rollers and track with a silicone-based lubricant if you notice any friction or noise during operation.
- **Floor Guide:** Keep the floor guide clean and free of debris to prevent scratching the door or impeding its movement.

9. TROUBLESHOOTING

If you encounter any issues with your barn door, refer to the following common problems and solutions:

- **Door is difficult to slide:** Check the track for debris or obstructions. Ensure the rollers are clean and lubricated. Verify the track is level and securely mounted.
- **Door wobbles:** Ensure the floor guide is properly installed and adjusted. Check that all hardware is securely fastened.
- **Noise during operation:** Lubricate the rollers and track. Check for any loose components.

If problems persist, please contact customer support.

10. WARRANTY & SUPPORT

For information regarding product warranty, returns, or customer support, please refer to the documentation included

with your purchase or visit the FREDBECK store on Amazon. FREDBECK offers customer support and a 30-day easy return policy for eligible purchases.

© 2026 FREDBECK. All rights reserved.