



Manuals.plus /

› Hisense /

› Hisense HS2000 Soundbar User Manual

## Hisense HS2000

# Hisense HS2000 Soundbar User Manual

Model: HS2000

## 1. INTRODUCTION

---

Thank you for choosing the Hisense HS2000 Soundbar. This manual provides essential information for setting up, operating, and maintaining your new soundbar to ensure optimal performance and longevity. Please read this manual thoroughly before use and keep it for future reference.

### Key Features:

- **All-in-one Design:** Enhance your sensory experience with this all-in-one 2.1 channel soundbar featuring a visible integrated subwoofer that seamlessly blends into your home.
- **Dolby Audio & DTS Digital Surround:** Experience the combined power of Dolby Audio and DTS Digital Surround technology, creating a virtualized 3D sound experience from floor to ceiling that immerses you in your favorite entertainment.
- **Visible Integrated Subwoofer:** Enjoy deep bass sound thanks to a visible integrated subwoofer that takes up minimal space.
- **TV Mode:** When paired with a Hisense TV, enjoy your TV's Dolby Atmos feature through the soundbar for enhanced immersive audio.
- **EzPlay:** Simplify control of your Hisense soundbar's sound modes via your Hisense TV remote to optimize audio and dialogue.

### Package Contents:

- Hisense HS2000 Soundbar
- Remote Control
- Power Cable
- Quick Start Guide
- Warranty Card

## 2. SAFETY INFORMATION

---

Please observe the following safety precautions to prevent damage to the product and ensure your safety:

- Do not expose this appliance to dripping or splashing.
- Do not place objects filled with liquids, such as vases, on the apparatus.
- Ensure proper ventilation. Do not block any ventilation openings.
- Place the soundbar on a stable, flat surface.
- Unplug the apparatus during lightning storms or when unused for long periods.
- Refer all servicing to qualified service personnel.
- This product is not waterproof. Avoid exposure to moisture.

### 3. PRODUCT OVERVIEW

The Hisense HS2000 Soundbar is designed to deliver powerful and immersive audio for your home entertainment system. Its sleek, all-in-one design integrates a visible subwoofer for deep bass without requiring a separate unit.



Figure 3.1: Hisense HS2000 Soundbar, a black, rectangular soundbar with a visible integrated subwoofer in the center.



\*Quelle: Global No.1. Omdia, Q1 2024 - Q4 2024. Anteil der weltweiten Auslieferungen in Stück, Produktkategorie Fernsehgeräte einschließlich LCD + OLED TV 100" - 115".

Figure 3.2: Hisense Global No.1 in 100+ TV, showcasing Hisense's global market position with a gold trophy design.

## 4. SETUP

---

### 4.1 Placement

The Hisense HS2000 Soundbar is designed for table mounting. Place the soundbar on a stable, flat surface directly in front of your television for the best audio experience. Ensure there is adequate space around the soundbar for proper ventilation.

### 4.2 Connecting to Your TV

You can connect the soundbar to your TV using various methods:

- **HDMI (Recommended):** Connect an HDMI cable (not included) from the HDMI ARC/eARC port on your TV to the HDMI OUT (ARC) port on the soundbar. This allows for high-quality audio transmission and control of the soundbar with your TV remote.
- **Optical:** Connect an optical cable (not included) from the Optical Digital Audio Out port on your TV to the OPTICAL IN port on the soundbar.
- **Auxiliary:** Connect a 3.5mm audio cable (not included) from the Audio Out port on your TV to the AUX IN port on the soundbar.

### 4.3 Power Connection

After connecting the soundbar to your TV, plug the supplied power cable into the AC IN port on the soundbar and then into a wall outlet. The soundbar will enter standby mode.

### 4.4 Initial Setup and EzPlay

Once powered on, the soundbar will automatically detect the input source. If you have a Hisense TV, the EzPlay feature allows you to control the soundbar's sound modes and settings directly from your TV remote. Simply access the soundbar setup menu on your Hisense TV to optimize audio and dialogue.

## 5. OPERATING

---

### 5.1 Remote Control Functions

Use the included remote control to manage your soundbar. Key functions include:

- **Power:** Turn the soundbar on or off.
- **Volume +/-:** Adjust the master volume level.
- **Input:** Select the audio input source (HDMI, Optical, Aux, Bluetooth, Coaxial).
- **Mute:** Mute or unmute the sound.
- **Sound Modes:** Cycle through various sound modes like Movie, Music, News, and TV Mode.

### 5.2 Sound Modes

The HS2000 offers several sound modes to optimize your listening experience:

- **Dolby Audio / DTS Digital Surround:** Provides an immersive 3D sound experience.
- **TV Mode:** Enhances audio when paired with a Hisense TV, leveraging Dolby Atmos features.
- Other modes for specific content types (e.g., Movie, Music) may be available via the remote.

## 5.3 Bluetooth Pairing

To connect a Bluetooth device:

1. Press the Bluetooth button on the remote control. The soundbar will enter pairing mode.
2. Enable Bluetooth on your device (smartphone, tablet, etc.) and search for