

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [ULANZI](#) /

> [ULANZI ZJ02 Camera Desk Mount Overhead Magic Arm Instruction Manual](#)

## ULANZI ZJ02

# ULANZI ZJ02 Camera Desk Mount Overhead Magic Arm Instruction Manual

Model: ZJ02 | Brand: ULANZI

## 1. INTRODUCTION

This instruction manual provides detailed information on the ULANZI ZJ02 Camera Desk Mount Overhead Magic Arm. It covers product features, assembly, operation, maintenance, and specifications to ensure optimal use and longevity of your device. This adjustable articulating arm is designed for mounting cameras, DSLRs, and lights for various applications such as live streaming, photo, and video shooting.

## 2. PRODUCT OVERVIEW

The ULANZI ZJ02 is a versatile and sturdy camera desk mount crafted from durable aluminum alloy. It features multiple adjustment points for flexible positioning and supports various devices.

### Key Features:

- **4-Section Adjustable Length:** The stand is freely adjustable, with an extended length of up to 98cm (38.6 inches), suitable for large-sized desks.
- **Flexible Adjustment:** Toothed joints of the arm allow for 180° versatility to any angle and position.
- **Overhead Shooting Height:** Extendable up to 65cm (25.6 inches) for various shooting angles, ideal for flatlay photography.
- **Sturdy C-Clamp:** Easily attaches to desks up to 48mm (1.89 inches) thick with a secure C-clamp featuring a silicone pad for grip.
- **1/4" Ball Head:** Offers flexible adjustments for shooting at different angles, including 360° rotation and 90° tilt.
- **Load Capacity:** Supports devices up to 2kg (4.4lb).

### Product Components:

- Camera Desk Mount
- C-clamp



Figure 1: ULANZI ZJ02 Camera Desk Mount in various usage scenarios, including unboxing, still life photography, and game streaming setups.

### 3. SETUP INSTRUCTIONS

#### 1. Attach the C-Clamp:

Secure the C-clamp to the edge of your desk. Ensure the desk thickness is within 48mm (1.89 inches). Tighten the screw firmly until the clamp is stable and does not wobble. The silicone pad on the clamp provides a secure grip and protects your desk surface.

# Sturdy C-Clamp

Easily attaches to desks up to 48mm thick with a sturdy C-clamp.



Figure 2: Detail of the C-clamp attachment to a desk, highlighting the silicone pad and maximum desk thickness.

## 2. Assemble the Arm:

Insert the main pole of the camera desk mount into the C-clamp. Tighten the locking mechanism on the C-clamp to secure the pole in place.

## 3. Adjust Arm Length and Angle:

The arm consists of multiple sections. Loosen the knob adjustments to extend or retract the arm to your desired length, up to 98cm. The toothed joints allow for 180° angle adjustments. Once the desired position is achieved, tighten all knobs and levers to ensure stability.

# 4-Section Adjustable Length

The stand is freely adjustable, with an extended length of up to 98cm, suitable for large-sized desks.



Figure 3: Illustration of the 4-section adjustable length feature, extending the arm up to 98cm.

# Flexible Adjustment

You can adjust the toothed joints of the arm for 180° versatility to any angle and position you need.



Figure 4: Visual guide to the flexible adjustment capabilities of the arm's toothed joints, allowing for 180° and 360° movements.

#### 4. Attach Your Device:

Mount your camera, DSLR, or light onto the 1/4" ball head screw at the end of the arm. Ensure your device is securely fastened.

# 1/4" Ball Head

1/4" ball head offers flexible adjustments for shooting at different angles.



Figure 5: The 1/4" ball head, illustrating its 90° tilt and 360° rotation for versatile device positioning.

## 4. OPERATING INSTRUCTIONS

The ULANZI ZJ02 offers extensive flexibility for various shooting needs:

- **Length Adjustment:** Use the twist-lock knobs on the arm sections to extend or retract the arm. Twist counter-clockwise to loosen, adjust length, then twist clockwise to tighten.
- **Angle Adjustment:** The toothed joints allow for precise 180° adjustments. Loosen the lever, set the desired angle, and then firmly tighten the lever to lock the position. Note that these joints lock in approximately 5-degree increments for enhanced stability.
- **Ball Head Positioning:** The 1/4" ball head provides 360° pan and 90° tilt capabilities. Loosen the ball head knob, position your device, and then tighten the knob to secure it. This allows for effortless switching between horizontal and vertical shooting modes.

- **Overhead Shots:** For flatlay photography or overhead video, extend the arm and adjust the joints to position your camera directly above your subject. The arm can reach a maximum overhead shooting height of 65cm (25.6 inches).

# Extendable to 65cm

Adjusts for various shooting angles, with a maximum height of 65cm to create flat lay photography.



Figure 6: The arm configured for overhead shooting, demonstrating its maximum height for flatlay applications.

## Demonstration Video:

Your browser does not support the video tag.

Video 1: A demonstration of the ULANZI ZJ02 Camera Desk Mount Overhead Magic Arm, showcasing its assembly, adjustments, and various uses for content creation.

## 5. MAINTENANCE

- **Cleaning:** Wipe the arm and clamp with a soft, dry cloth to remove dust and debris. Avoid using abrasive cleaners or solvents.
- **Joint Inspection:** Periodically check all knobs, levers, and joints for tightness. Ensure they are securely fastened before mounting any equipment.

- **Storage:** When not in use, the arm can be folded for compact storage. Store in a dry place away from extreme temperatures.

## 6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Arm does not hold position or sags.	Joints or extension knobs are not tightened sufficiently. Device weight exceeds maximum load capacity.	Ensure all toothed joint levers and extension knobs are firmly tightened. Verify that the mounted device does not exceed the 2kg (4.4lb) load capacity.
C-clamp is loose on the desk.	C-clamp screw is not tightened enough. Desk surface is too thin or uneven.	Tighten the C-clamp screw securely. Ensure the desk thickness is appropriate (up to 48mm). If the surface is uneven, consider adding a protective pad for better grip.
Difficulty adjusting arm angles.	Joints are overtightened or not properly aligned.	Loosen the joint levers slightly, adjust the angle, and then re-tighten. The toothed joints lock in specific increments, so fine-tune by adjusting the ball head.

## 7. SPECIFICATIONS

Feature	Detail
Model Number	ZJ02 (also referred to as ZJ04 in some specifications)
Brand	ULANZI
Material	Aluminum Alloy + Plastic
Product Dimensions	38.6 x 3.54 x 3.54 inches (Extended)
Item Weight	2.2 pounds
Extended Length	Up to 98cm (38.6 inches)
Overhead Shooting Height	Up to 65cm (25.6 inches)
Max. Load Capacity	2kg (4.4lb)
C-Clamp Thickness Range	Up to 48mm (1.89 inches)
Mounting Screw	1/4" universal screw
Compatible Devices	Cameras, Lights, DSLRs

## 8. WARRANTY AND SUPPORT

For warranty information, technical support, or any inquiries regarding your ULANZI ZJ02 Camera Desk Mount, please refer to the official ULANZI website or contact their customer service directly. Keep your purchase receipt for warranty claims.