

FIMEI MF18813

FIMEI Split LED Floor Lamp with Reading Light (Model MF18813)

Instruction Manual

1. INTRODUCTION

Thank you for choosing the FIMEI Split LED Floor Lamp. This manual provides essential information for the safe and efficient use of your new lamp. Please read it thoroughly before assembly and operation, and retain it for future reference.

2. SAFETY INSTRUCTIONS

- Ensure the lamp is unplugged before assembly, cleaning, or maintenance.
- Do not operate the lamp with a damaged cord or plug. Contact customer support for assistance.
- This lamp is designed for indoor use only. Do not expose it to water or high humidity.
- Place the lamp on a stable, level surface to prevent tipping. The base is weighted for stability.
- Keep the lamp away from heat sources and flammable materials.
- Do not attempt to modify or repair the lamp yourself. Refer all servicing to qualified personnel.

3. PACKAGE CONTENTS

Verify that all components are present before beginning assembly:

- Lamp Base
- Lamp Pole Sections (multiple)
- Main Lamp Head (dual semi-circular rings)
- Reading Light (flexible arm)
- Power Adapter
- Remote Control
- Instruction Manual



Image: Overview of the FIMEI Split LED Floor Lamp, showing the main dual-ring light, the flexible reading light, and the remote control.

4. ASSEMBLY INSTRUCTIONS

Assembly of the FIMEI Split LED Floor Lamp is tool-free and straightforward. Follow these steps:

1. **Attach the Lamp Pole to the Base:** Carefully screw the first section of the lamp pole into the heavy circular base. Ensure the power cord is threaded through the pole.
2. **Connect Remaining Pole Sections:** Continue screwing the subsequent pole sections together, ensuring the internal wiring connects properly and is not pinched.
3. **Attach Lamp Heads:** Connect the main dual-ring lamp head and the flexible reading light arm to the top section of the pole. Ensure they are securely fastened.
4. **Connect Power Adapter:** Plug the power adapter into the lamp's power input, then plug the adapter into a standard electrical outlet.

Multifunctional Floor Lamp for Living Room



Image: A diagram illustrating the various components of the floor lamp and how they connect during the assembly process.

FIMEI Unique Split Designed Floor Lamp

You can turn on/off, adjust color and brightness of each lamp individually.




Image: Detailed view of the lamp's dimensions and the independent rotation capabilities of the main semi-rings (330° vertical and horizontal) and the flexible reading lamp.

5. OPERATING INSTRUCTIONS

5.1. Dual Control Methods

Your FIMEI floor lamp offers two convenient ways to control its functions:

- **Touch-Pad Control:** Buttons located on the lamp pole allow for direct control of the main light and reading light.
- **Remote Control:** A magnetic remote control is included for convenient operation from a distance (up to 25ft / 7.62m). The remote can be attached to the lamp pole for easy storage. (Requires 2x AAA Batteries, not included).




Image: Close-up of the lamp pole showing the touch-pad controls for the main and reading lights, alongside the remote control.

5.2. Adjusting Light Sources

- **Rotatable Main Light:** The dual semi-circular rings of the main lamp head can be rotated independently up to 330 degrees horizontally and vertically. Adjust them to direct light as needed for ambient or task lighting.
- **Flexible Reading Light:** The smaller ring light is attached to a flexible arm, allowing you to position it precisely for reading or focused tasks.

5.3. Color Temperature and Brightness Adjustment

Both the main light and the reading light offer stepless adjustment for color temperature and brightness:

- **Color Temperature:** Cycle through color temperatures from 3000K (warm yellow) to 6000K (cold white) using the 'CCT' buttons on the remote or by short-pressing the corresponding button on the lamp pole.
- **Brightness:** Adjust brightness from 5% to 100% by long-pressing the brightness buttons on the remote or the corresponding button on the lamp pole.




Image: Visual representation of the lamp's adjustable color temperatures (3000K, 4000K, 5000K, 6000K) and brightness levels (5% to 100%).

5.4. Smart Memory Function

The lamp features an intelligent memory function that recalls your last used brightness and color temperature settings when turned off and on again, ensuring your preferred lighting is always ready.

6. MAINTENANCE

- **Cleaning:** Ensure the lamp is unplugged. Wipe the lamp with a soft, dry cloth. Do not use abrasive cleaners or solvents, as they may damage the finish.
- **LED Lights:** The LED light sources are integrated and not user-replaceable.
- **Remote Control:** Replace AAA batteries in the remote control as needed.

7. TROUBLESHOOTING

| Problem | Possible Cause | Solution |
|---------|----------------|----------|
|---------|----------------|----------|

| Problem | Possible Cause | Solution |
|--------------------------------------|---|---|
| Lamp does not turn on. | Power cord not properly connected. Outlet not functioning. Remote control batteries depleted. | Check power cord connection. Test outlet with another device. Replace remote control batteries. |
| Remote control not responding. | Batteries depleted or incorrectly inserted. Remote out of range. Obstruction between remote and lamp. | Replace batteries, ensuring correct polarity. Move closer to the lamp. Remove any obstructions. |
| Light flickers or dims unexpectedly. | Unstable power supply. Loose connection. | Try plugging into a different outlet. Ensure all pole sections are tightly screwed. |

8. SPECIFICATIONS

- **Model Number:** MF18813
- **Brand:** FIMEI
- **Product Dimensions:** 12.4"D x 12.4"W x 68.5"H (approx. 31.5cm D x 31.5cm W x 174cm H)
- **Item Weight:** 10.58 pounds (approx. 4.8 kg)
- **Material:** Metal
- **Finish Type:** Coated
- **Lamp Type:** LED
- **Light Source Type:** LED
- **Number of Light Sources:** 2 (Main Light, Reading Light)
- **Wattage:** 29 watts
- **Voltage:** 110 Volts
- **Brightness:** 1700 Lumens (Maximum)
- **Color Temperature:** 3000K-6000K (Stepless Adjustment)
- **Control Method:** Remote, Touch
- **Special Features:** Adjustable, Corded, Dimmable, Memory Function
- **Included Components:** Remote Control
- **Indoor/Outdoor Usage:** Indoor
- **Assembly Required:** Yes

9. WARRANTY AND SUPPORT

FIMEI is committed to the quality of its products. This product is covered by a quality assurance policy that protects against manufacturing defects in materials, workmanship, or electrical function. For warranty claims, technical support, or any inquiries, please contact FIMEI customer service.

For more information, visit the [FIMEI Store on Amazon](#).

