

[manuals.plus](#) /› [Edifier](#) /› [Edifier STAX Spirit S10 True Wireless Earbuds User Manual](#)

Edifier S10

Edifier STAX Spirit S10 True Wireless Earbuds User Manual

INTRODUCTION

This manual provides detailed instructions for the proper use and maintenance of your Edifier STAX Spirit S10 True Wireless Planar Magnetic Earbuds. Please read this manual thoroughly before using the product to ensure optimal performance and longevity.

PACKAGE CONTENTS

Verify that all items listed below are included in your product package:

- Edifier STAX Spirit S10 True Wireless Earbuds
- Charging Case
- USB Type-C Charging Cable
- 7 Pairs of Ear Tips (various sizes)
- User Manual (this document)

Clear Calls Even in Noisy Environments

32kHz Wide-Band Calling with aptX Voice



6 High-sensitivity Mics
(3 mics per earbud)



Image: The Edifier STAX Spirit S10 earbuds, their charging case, a USB-C charging cable, and a selection of ear tips in various sizes.

SETUP

1. Charging the Earbuds and Case

Before first use, fully charge the earbuds and the charging case. Connect the provided USB Type-C cable to the charging port on the case and to a power source. The indicator light on the case will show the charging status. A full charge provides up to 28 hours of playback with ANC off, or 18 hours with ANC on. A 15-minute charge can provide approximately 2 hours of playback.

IP54 Dust & Splash Resistance

With an IP54 rating for dust and splash resistance, designed to withstand sweat and splashes, making it perfect for active lifestyles and various environmental conditions.



Image: The Edifier STAX Spirit S10 charging case being charged via a USB-C cable, highlighting fast charging capabilities and battery life.

2. Bluetooth Pairing

To pair your earbuds with a device:

1. Open the charging case. The earbuds will automatically enter pairing mode.
2. On your device (smartphone, tablet, computer), enable Bluetooth and search for "Edifier STAX Spirit S10" in the list of available devices.
3. Select the earbuds to connect. A voice prompt will confirm successful pairing.

For Android devices, the earbuds support **Google Fast Pair** for quick and effortless connection.

Image: The Edifier STAX Spirit S10 earbuds in their charging case, with a smartphone showing the Google Fast Pair prompt for easy connection.

3. Ear Tip Selection and Fit

Selecting the correct ear tip size is crucial for optimal sound quality, noise cancellation, and comfort. Experiment with the 7 included pairs of ear tips to find the best fit for your ears. A good seal ensures proper bass response and effective noise isolation.

IP54 Dust & Splash Resistance



Image: A selection of ear tips in different sizes, demonstrating the variety provided for a customized fit.

OPERATING INSTRUCTIONS

1. Touch Controls

The Edifier STAX Spirit S10 earbuds feature touch-sensitive controls on each earbud. These controls can be customized via the EDIFIER ConneX app. Default functions typically include:

- **Single Tap:** Play/Pause, Answer/End Call
- **Double Tap:** Next Track (Right Earbud), Previous Track (Left Earbud), Reject Call
- **Triple Tap:** Voice Assistant
- **Long Press:** Toggle ANC/Ambient Sound Mode

2. Wearing Detection

The built-in wear sensor automatically pauses audio playback when you remove an earbud and resumes playback when you put it back in. This feature provides a seamless listening experience.




Image: A person wearing the earbuds, illustrating the automatic pause and play function when earbuds are removed or inserted.

3. Multipoint Connection

The earbuds support multipoint connection, allowing you to connect to two Bluetooth audio devices simultaneously, such as your phone and laptop. This enables effortless switching between devices to manage calls or enjoy music without constant re-pairing.



Image: The earbuds simultaneously connected to a smartphone and a laptop, demonstrating the multipoint connection feature.

4. Active Noise Cancellation (ANC)

The STAX Spirit S10 features Qualcomm's 3rd generation adaptive hybrid ANC technology, which dynamically adjusts noise cancellation levels to your environment. This provides an immersive listening experience by reducing ambient noise.

Full Sets of Audio Codecs for Superior Sound Quality



Qualcomm aptX Adaptive



Qualcomm aptX Voice



Image: Earbuds with visual representation of sound waves being cancelled, depicting the Active Noise Cancellation feature.

Video: An official product video from Edifier showcasing the STAX Spirit S10 earbuds, highlighting their design and features, including active noise cancellation.

5. Calling Features

Each earbud is equipped with three high-sensitivity microphones (six in total) and Qualcomm aptX Voice technology. This combination provides a 32kHz calling bandwidth, ensuring clear vocals and superior sound quality during phone calls, even in noisy environments.

3rd Generation Adaptive Hybrid ANC

Delivering superior noise cancellation that adapts to your environment for an immersive listening experience.



Image: A person making a call with the earbuds, accompanied by a diagram illustrating the placement and function of the six high-sensitivity microphones.

6. Game Mode

Activate Game Mode for a seamless gaming experience with 89ms end-to-end low latency. This ensures synchronized audio and video, providing immersive gameplay without noticeable lag.



Bluetooth 5.4

Built with Qualcomm 2nd generation Bluetooth V5.4 SoC platform, it ensures a stable connection and low power consumption, as well as improved call quality and environmental noise suppression.

Image: A person engaged in mobile gaming while wearing the earbuds, emphasizing the low-latency Game Mode for synchronized audio and video.

7. EDIFIER ConneX App

The EDIFIER ConneX app allows you to personalize your listening style and customize controls. Features include:

- Personalize Bluetooth Device Name
- Last Device Connection Location Check
- Customize Control Settings
- Notification Sound Level Adjustments
- Equalizer (EQ) Settings and Presets
- Noise Cancellation Controls

Smart Wear Sensor and Comfortable Fit

A built-in wear sensor automatically pauses and plays audio.
7 pairs of earbuds in different sizes allow you to choose the
best fit for your ears.



Image: Multiple screenshots of the EDIFIER ConneX app interface, displaying various customization options such as sound effects, noise cancellation controls, and EQ settings.


FEATURES OVERVIEW

1. Planar Magnetic Driver Technology

The STAX Spirit S10 features a 12mm modularized planar magnetic driver. This innovative design incorporates an ultra-thin 10µm planar diaphragm built on a 2µm polymer substrate, ensuring fast transient response and detailed audio reproduction. The 2nd generation EqualMass wiring counterbalances magnetic field variations, ensuring uniform weight distribution and minimizing distortion for a highly accurate and immersive audio experience.

The 2nd EqualMass Wiring Technology

Counterbalancing magnetic field variations, ensuring uniform weight distribution and minimizing distortion.



12mm Modularized Planar Magnetic Driver


*Patent No: PCT/CN2021/124329

Image: An exploded diagram of the earbud, detailing the internal components including the 12mm modularized planar magnetic driver.

Image: A detailed diagram showcasing the 2nd Generation EqualMass Wiring Technology, which ensures balanced weight distribution and uniform momentum across the diaphragm.

2. Full Sets of Audio Codecs

The S10 supports a comprehensive range of audio codecs, including all codecs in the Qualcomm Snapdragon Sound suite (aptX Audio, aptX Adaptive, and aptX Lossless), as well as HD codecs like LDAC and LHDC 5.0. AAC compatibility is also included, providing versatile, high-fidelity sound across various devices.



Google Fast Pairing

With Google Fast Pair, the STAX Spirit S10 can effortlessly and swiftly connect to your Android device in Bluetooth mode.

Image: The earbuds displayed alongside logos of various supported audio codecs, including Hi-Res Audio Wireless, LHDC, LDAC, and Qualcomm aptX technologies.

3. Bluetooth 5.4

Built with Qualcomm's 2nd generation Bluetooth V5.4 SoC platform, the earbuds ensure a stable connection, low power consumption, improved call quality, and enhanced environmental noise suppression.




Image: A close-up of the Qualcomm QCC5181 chip, emphasizing the advanced Bluetooth 5.4 technology integrated into the earbuds.

4. IP54 Dust & Splash Resistance

The earbuds are rated IP54 for dust and splash resistance, making them suitable for active lifestyles and various environmental conditions. This rating indicates protection against limited dust ingress and water splashes from any direction.



Image: The earbuds and their case shown with water splashing around them, demonstrating their IP54 dust and splash resistance.

MAINTENANCE

1. Cleaning

Regular cleaning helps maintain sound quality and hygiene:

- Use a soft, dry cloth to wipe the earbuds and charging case.
- Remove ear tips and clean them with mild soap and water. Ensure they are completely dry before reattaching.
- Gently clean the charging contacts on both the earbuds and the case with a dry cotton swab to ensure proper connection.
- Avoid using abrasive cleaners, alcohol, or chemical solvents.

2. Storage

When not in use, store the earbuds in their charging case to protect them from dust, damage, and to keep them charged. Store the case in a cool, dry place away from extreme temperatures and direct sunlight.

TROUBLESHOOTING

If you encounter issues with your Edifier STAX Spirit S10 earbuds, refer to the following common solutions:

Problem	Solution
No sound from earbuds	Ensure earbuds are charged. Check Bluetooth connection on your device. Increase volume on both earbuds and device.
Earbuds not pairing	Place earbuds in case, close and reopen. Ensure device Bluetooth is on and in pairing mode. Forget device on your phone and re-pair.
Poor sound quality	Ensure ear tips provide a good seal. Try different ear tip sizes. Clean earbuds. Check audio source quality.
ANC not effective	Ensure earbuds are properly seated in your ears with a good seal. Check ANC settings in the EDIFIER ConneX app.
Earbuds not charging	Ensure charging cable is securely connected. Clean charging contacts. Try a different USB port or charger.

For further assistance, please refer to the official Edifier support website or contact customer service.

SPECIFICATIONS

Key technical specifications for the Edifier STAX Spirit S10 True Wireless Earbuds:


Feature	Detail
Model Name	S10
Audio Driver Type	Planar Magnetic Driver
Audio Driver Size	12 Millimeters
Noise Control	Adaptive Noise Cancellation (3rd Gen Qualcomm Hybrid ANC)

Feature	Detail
Bluetooth Version	5.4
Bluetooth Range	10 Meters
Supported Codecs	aptX Audio, aptX Adaptive, aptX Lossless, LDAC, LHDC 5.0, AAC
Microphones	6 (3 per earbud) with Qualcomm aptX Voice (32kHz bandwidth)
Water Resistance Level	IP54 (Dust and Splash Resistant)
Control Method	App, Touch
Special Features	Fast Charging, Microphone Included, Multipoint Pairing, Noise Cancellation, Sweatproof, Wearing Detection
Item Weight	0.62 Kilograms (earbuds and case)
Batteries	2 Lithium Ion batteries (included)
Impedance	16 Ohm

WARRANTY AND SUPPORT

The Edifier STAX Spirit S10 True Wireless Earbuds come with a manufacturer's warranty. For specific warranty terms and conditions, please refer to the warranty card included in your package or visit the official Edifier website. For technical support, product registration, or to access frequently asked questions, please visit www.edifier.com.

Related Documents - S10

	<u>Edifier STAX SPIRIT S10 True Wireless ANC Earbuds User Manual</u> Comprehensive user manual for Edifier STAX SPIRIT S10 True Wireless Planar Magnetic Earbuds with Active Noise Cancellation. Learn about setup, pairing, controls, app features, and charging.
---	---

EDIFIER | 爱德华

S3
Wireless Over-Ear Headphones

— Manual — 

EN 1. Power ON/OFF

1 Power On: Press and hold the MFB button for 5s when power OFF.
2 Power Off: Press and hold the MFB button for 5s when power ON.

2. Pairing

1 Press and hold the MFB button for 5s when power OFF. And wait till LED will turn blue. Then press and hold the "MFB" button for 5s when power ON. The LED will turn red. Then press and hold the "MFB" button for 5s when power OFF. The LED will turn blue again. The pairing is successful.

3. Reset

1 Power on and disconnected to any Bluetooth device.
2 Simultaneously press and hold the "MFB" button for 5s to reset and start pairing again.
3 Blue LED will blink 6 times rapidly when successful.

4. Dual Connectivity

1 Put device A with the headphones. Press and hold the MFB button of device A for 5s. Then press and hold the MFB button of device B for 5s. The LED will turn blue. Then press and hold the MFB button of device A for 5s. The LED will turn red. Then press and hold the MFB button of device B for 5s. The LED will turn blue again. The pairing is successful.

5. Charge

1 Please connect the product to power source with the included Type-C charging cable for charging.
2 The LED is ready to when charging and when fully charged.

6. AUX Cable

1 Connect the AUX cable to the jack port on one side on, and the headphones will switch to the AUX in source when connected.
2 Connect the AUX cable to the headphones when power off. The headphones will power on and switch to the AUX in source when connected.
3 Unplug the AUX cable from the headphones and the headphones will power off again.
4 Green LED is ready to when in the AUX in sound source state.

7. Controls



Note:
1 Press and hold.
2 Do not charge the headset when there is sweat or other liquids inside the charging port, which may damage the headset.
3 Charge the headset in a dry environment away from the actual usage place.
4 Download Edifier Connect App for more customizable control settings.

8. Ear cushion replacement method



For more information, please visit our website:
www.edifier.com 

Model: F0770001
Edifier International Limited
7/F, 100 King's Road, Tsim Sha Tsui
Kowloon, Hong Kong
www.edifier.com
Edifier International Limited. All rights reserved.
Edifier is a registered trademark of Edifier International Limited.
DTS is a registered trademark of DTS, Inc.
The DTS logo is a registered trademark of DTS, Inc.
The DTS logo is a registered trademark of DTS, Inc.
For the need of technical improvement and certain legal
considerations, the design and specification of the product
are subject to change without prior notice.
Please note that the product may be customized for different countries.
Please note that the product may be sold under different brand names
from the original product.
Any difference is normal. No legal problem occurs.



NeoBuds Planar
True Wireless Planar Magnetic Noise Cancelling Earbuds

— Manual — [BC](#)

EN 1. Power ON/OFF

Open or close the case to power on/off

2. First pairing

1. Once paired, the earbuds will enter Bluetooth pairing mode and the LED will flash red for 5 seconds. 2. Select "EDIFIER NeoBuds Planar" in your device settings to connect.

3. Pairing for new device

1. Place the earbuds in the case and keep it open. 2. Press and hold the button on the case for 5s. 3. Select "EDIFIER NeoBuds Planar" in your device settings to connect. Note: If the earbuds are paired, the earbuds will automatically connect to the device used last time.

4. Multipoint connection

1. Pair the device with the earbuds manually and keep the earbuds in the case. 2. For multipoint pairing and select "EDIFIER headphones Pro" in device B settings to connect. 3. Select "EDIFIER headphones Pro" again in device A settings to complete the multipoint connection.

5. Reset/Left&Right Connection

1. Place the earbuds in the case and keep it open. 2. Press and hold the button on the case for 10s until the reset is complete. Note: If the earbuds are paired, disconnect the earbuds and restore factory settings.

6. Charging

1. Connect the included USB-C cable to a power source. 2. Charge with a compatible third-party wireless charger (not included). Note: Make sure the USB-C port is completely dry before charging.

7. Controls

Press area: 

Left Earbud	Right Earbud
Call	Music
Y x1↑ Y x2↑	Y x1↑ Y x2↑
Y x1↓ Y x2↓	Y x1↓ Y x2↓
Y x2↓ Y x1↓	Y x2↓ Y x1↓

Note:
 1. Y x1↑ Press, Y x2↑ Double press, Y x1↑ Triple press, Y x2↑ Press and hold.
 2. Double tap here to turn on/off Active Noise Cancellation off.
 3. Download EDIFIER Connect App to customize more control settings.

[EDIFIER NeoBuds Planar True Wireless Noise Cancelling Earbuds User Manual](#)


Explore the EDIFIER NeoBuds Planar user manual for detailed instructions on pairing, multipoint connection, controls, charging, and app customization for these true wireless noise-cancelling earbuds.



TWS NBQ
True Wireless Earbuds with Active Noise Cancellation
www.edifier.com

[Edifier TWS NBQ True Wireless Earbuds with Active Noise Cancellation User Manual](#)

User manual for Edifier TWS NBQ True Wireless Earbuds with Active Noise Cancellation, covering product description, accessories, charging, pairing, operation, FAQs, and maintenance.



[Edifier STAX SPIRIT S5 Wireless Planar Magnetic Headphones Manual](#)

User manual for the Edifier STAX SPIRIT S5 Wireless Planar Magnetic Headphones, covering power on/off, Bluetooth pairing, dual-device connection, charging, controls, fast pair, reset, and wired listening.



EDIFIER

X5 Pro
True Wireless Earbuds with Active Noise Cancellation
- 真无线主动降噪耳机 -

1. 产品说明及配件

物品组成：充电盒 x1，充电线 x1，Type-C 充电线 x1，说明书 x1，保修卡 x1

注意：本说明书中的图标均为示意意图，可能与实物有偏差。请以实物为准。解码时扫描二维码。

2. 开关机

- 充电盒盖自动开机
- 将耳机放入充电盒，关机自动关机

A photograph of the Edifier X5 Pro charging case with two earbuds inserted. The case is open, showing the earbuds inside.

3. 电量状态与充电

耳机充电

- 当耳机出现电量低报警时，将耳机放入充电盒充电。
- 充电盒显示电量

充电盒充电

- 充电盒放入 Type-C 充电线，充电时，指示灯常亮，充满电后，指示灯闪烁。

输入：5V⎓1A (充电)
5V⎓1A (充电)

注意：
• 充电盒的充电端头为带盖装置，以便充电时用。请不要将充电线插入其中，以免损坏。
• 请勿在潮湿的环境或雨天使用本产品。
• 请勿在阳光直射或过热的环境下使用本产品。请勿将产品置于温度过高的地方（如阳光直射处、车门等）。请勿在温度过低的地方使用本产品（如冰箱、冰块等）。

4. 操作说明

蓝牙配对

- 首次连接，充电盒开机后，将自动进入蓝牙配对状态，自动识别。
- 重新连接设备，打开蓝牙并搜索设备，长按充电盒上的配对键 3 秒，直至指示灯闪烁，直到 79%。
- 识别设备“EDIFIER X5 Pro”。
- 当耳机通过设备后，再次打开蓝牙并连接一次。

A photograph of the Edifier X5 Pro charging case with a signal icon overlaid, indicating connectivity.

左右耳切换/恢复出厂设置

- 按住左耳 3 秒或右耳 3 秒，打开充电盒盖，三连充电盒指示灯闪烁，直至恢复出厂设置。

功能说明

A photograph of the Edifier X5 Pro earbuds.

以下为耳机功能说明，具体功能请以实物为准。

- 降噪模式切换：轻触次左耳
• 播放/暂停：轻触次左耳或右耳
• 音量增减：轻触次右耳
• 音量调节：轻触次左耳
• 下一曲：轻触次右耳

1. 降噪模式：降噪开、降噪关、降噪模式切换
2. 下载 Edifier Connect APP 可设置更多便捷功能。

EDIFIER CONNECT APP 功能说明

A screenshot of the Edifier Connect app interface showing various icons for battery level, volume, and other controls.

扫描下载 Edifier Connect APP 可设置更多便捷功能

5. 常见问题解答

充电盒充电时，指示灯不亮

- 充电盒盖未盖好，或盖子松动。
- 充电盒未连接电源，或连接电源未通电。
- 严禁将充电盒长时间放置在太阳直射的地方，此时需放置 30 分钟才能充电。

耳机无法识别音量

- 请确认耳机于工作状态。
- 请确认耳机音量大小，是否合适。
- 请确认耳机是否与手机正常连接。
- 请确认耳机是否正常工作。

耳机通话音质不好

- 请确认耳机音量大小，是否合适。
- 请确认耳机与手机正常连接。
- 请确认耳机孔是否干净或堵塞。
- 请确认耳机音量调节过小，静音。

- 请检查耳机电量是否过低，电量过低会影响耳机性能。
为什么播放音乐时，耳机不能进行暂停、恢复控制
此次安装需与耳机同时对设备支持AURC(Audio/Video Remote Control Profile)的支持

6. 保养与维修

- 带锂电池的产品最长时间不使用，请至少确保每三个月充一次电。
- 保持产品干燥，勿在潮湿的地方，以免影响产品内部零件。
- 避免在靠近水源或潮湿的地方使用产品。
- 别将产品放置在太阳直晒或温度较高的地方，直至各组件完全冷却，以免影响产品寿命，以及对耳机内部造成损坏。
- 别将产品放置在过冷的地方，以免影响产品寿命。
- 别将产品拆开产品，如果非专业人士，可能会损坏产品。
- 不要跌落、撞击或砸伤，用硬质壳带产品，以免受到环境影响。
- 别使用任何化学物质，清洁剂和清洁液。
- 不要用尖锐物体在产品表面刮上乱刻，以免损坏外壳和影响外观。
- 对脸部过敏者慎用。



欲知更多，请扫描

欲知更多，请扫描

- 北京麦迪逊科技股份有限公司 [mtds](#)
- 本公司为北京麦迪逊科技股份有限公司
- 地址：北京市丰台区南四环西路188号总部国际C座
- 电话：400-100-1000
- 电子邮箱：service@mtds.com
- 网址：www.mtds.com

特别说明：本公司“麦迪逊”、“M”、“M&D”、“麦迪逊”、“麦迪逊”为北京麦迪逊科技股份有限公司的注册商标，受国家法律保护。