

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

- › [Kunert](#) /
- › Kunert ARIZO 2-in-1 Stroller Instruction Manual (AR-01 Black)

Kunert ARIZO AR-01 (2-in-1)

Kunert ARIZO 2-in-1 Stroller Instruction Manual

Model: ARIZO AR-01 (2-in-1) | Brand: Kunert

1. IMPORTANT SAFETY INFORMATION

Please read this instruction manual carefully before assembling and using the Kunert ARIZO 2-in-1 Stroller. Keep this manual for future reference. Failure to follow these instructions could result in serious injury to your child.

- This product is suitable for children from birth up to 15 kg (approximately 3 years).
- Always use the restraint system. Ensure your child is securely fastened in the harness.
- Never leave your child unattended in the stroller.
- Ensure all locking devices are engaged before use.
- Do not overload the storage basket. The maximum load for the basket is 3 kg.
- Any load attached to the handle affects the stability of the stroller.
- This product is not suitable for running or skating.
- Regularly check the stroller for loose parts, damaged components, or signs of wear. Discontinue use if any damage is found.
- Complies with European safety standards.

2. COMPONENTS LIST

The Kunert ARIZO 2-in-1 Stroller system includes the following main components:

- Stroller Frame with wheels
- Bassinet unit
- Stroller Seat unit
- Foot cover for bassinet
- Foot cover for stroller seat
- Diaper Bag
- Rain Cover

- Mosquito Net
- Storage Basket (integrated)



Image: Kunert ARIZO 2-in-1 Stroller in bassinet configuration. This image shows the complete stroller with the bassinet attached to the black frame, ready for use with an infant.



Image: Kunert ARIZO 2-in-1 Stroller in seat unit configuration. This image displays the stroller with the forward-facing seat unit attached to the black frame, suitable for older babies and toddlers.



Image: Included diaper bag accessory. This image shows the stylish and functional diaper bag that comes with the stroller system.



Image: Rain cover and mosquito net. This image illustrates the protective rain cover and mosquito net, essential accessories for various weather conditions.

3. SETUP AND ASSEMBLY

3.1 Unfolding the Frame

1. Place the folded frame on a flat surface.
2. Release the folding lock mechanism, usually located on the side of the frame.
3. Lift the handle upwards until the frame fully extends and locks into place. Listen for a 'click' sound to confirm it is securely locked.

3.2 Attaching the Wheels

1. Insert the rear wheels into the axle until they click into place. Pull gently to ensure they are secure.
2. Attach the front wheels by pushing them into the designated slots until they lock. Ensure they swivel freely.

3.3 Attaching the Bassinet or Seat Unit

1. Align the connectors on the bassinet or seat unit with the mounting points on the stroller frame.
2. Push down firmly until both sides click into place. Verify that the unit is securely attached by gently lifting it.



Image: Stroller frame. This image shows the main frame of the Kunert ARIZO stroller, illustrating the attachment points for the wheels and the bassinet/seat unit.

4. OPERATING INSTRUCTIONS

4.1 Brake System

- To engage the brake, press down on the brake pedal located near the rear wheels.
- To release the brake, lift the pedal upwards. Always ensure the brake is engaged when parking the stroller.

4.2 Adjusting the Handlebar

- Press the buttons on both sides of the handlebar simultaneously.
- Adjust the handlebar to your desired height and release the buttons to lock it in place.

4.3 Reclining the Seat Unit

- Locate the recline lever or button on the back of the seat unit.
- Press the lever/button and adjust the seat to one of the available recline positions. Release to lock.

4.4 Adjusting the Footrest

- Press the buttons on either side of the footrest.
- Adjust the footrest to the desired angle and release the buttons to lock.

4.5 Folding the Stroller

1. Ensure the seat unit is in the most upright position or removed (refer to specific model instructions).
2. Engage the brake.
3. Locate the folding mechanisms, usually on the handlebar or sides of the frame.
4. Follow the specific folding sequence for your model until the frame is fully collapsed and the folding lock engages.



Image: Safety strap on the handle. This image highlights the safety strap designed to be worn around the wrist, providing extra security against the stroller rolling away unintentionally.

5. MAINTENANCE

5.1 Cleaning

- **Fabric Parts:** Wipe clean with a damp cloth and mild soap. Do not use harsh detergents or bleach. Air dry thoroughly.
- **Frame:** Wipe the frame with a soft, damp cloth. Dry immediately to prevent rust.
- **Wheels:** Periodically remove dirt and debris from the wheels and axles. Lubricate moving parts with a silicone-based spray if necessary.

5.2 Storage

- Store the stroller in a dry, well-ventilated area, away from direct sunlight and extreme temperatures.
- Ensure the stroller is clean and dry before storing for extended periods.

6. TROUBLESHOOTING

- **Stroller difficult to fold/unfold:** Check for any obstructions in the folding mechanism. Ensure all components are correctly aligned.
- **Wheels squeak:** Clean the wheel axles and apply a small amount of silicone lubricant.
- **Brake not engaging/releasing:** Check for debris around the brake mechanism. Ensure the pedal is fully pressed or lifted.
- **Unit not attaching securely to frame:** Ensure the bassinet or seat unit is correctly aligned with the frame's mounting points and pushed down firmly until it clicks.

7. SPECIFICATIONS

Brand	Kunert
Model	ARIZO AR-01 (2-in-1)
Color	AR-01 Black + black frame
Product Dimensions (L x W x H)	95 x 59 x 114 cm
Maximum Weight Recommendation	15 Kilograms
ASIN	B0D8BL7DF9

8. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation provided with your purchase or contact the retailer. For technical support or replacement parts, please contact Kunert customer service through their official website or the contact details provided in your purchase documentation.