

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Ariete](#) /

> [Ariete 413 Professional Fruit Juicer User Manual](#)

## Ariete 00C04130EARBR

# Ariete 413 Professional Fruit Juicer User Manual

Model: 00C04130EARBR | Brand: Ariete

## 1. INTRODUCTION

Thank you for purchasing the Ariete 413 Professional Fruit Juicer. This appliance is designed for efficient and convenient extraction of juice from citrus fruits. Please read this manual carefully before using the appliance to ensure safe operation and optimal performance. Keep this manual for future reference.

## 2. IMPORTANT SAFETY INSTRUCTIONS

- Read all instructions before use.
- Do not immerse the motor unit, cord, or plug in water or other liquids.
- Close supervision is necessary when any appliance is used by or near children.
- Unplug from outlet when not in use, before assembling or disassembling parts, and before cleaning.
- Avoid contact with moving parts.
- Do not operate any appliance with a damaged cord or plug, or after the appliance malfunctions or has been damaged in any manner. Contact customer service for examination, repair, or adjustment.
- The use of attachments not recommended or sold by the manufacturer may cause fire, electric shock, or injury.
- Do not use outdoors.
- Do not let the cord hang over the edge of a table or counter, or touch hot surfaces.
- Do not place on or near a hot gas or electric burner, or in a heated oven.
- Always ensure the appliance is properly assembled before operation.
- Do not use the appliance for anything other than its intended use.

## 3. PRODUCT COMPONENTS

Familiarize yourself with the parts of your Ariete 413 Professional Fruit Juicer:

- **Motor Unit Base:** Houses the powerful 85W motor and controls. Features rubber suction feet for stability.

- **Juicing Cone (Large):** Stainless steel cone for larger fruits like oranges and grapefruits.
- **Juicing Cone (Small):** Smaller cone with a pin to securely hold and juice smaller fruits like lemons and limes.
- **Pulp Filter:** Sits below the juicing cone to separate pulp from juice.
- **Juice Collector:** Collects the extracted juice.
- **Anti-Drip Spout:** Prevents juice from dripping onto the counter when not in use. Can be flipped up to stop flow.
- **Pressure Lever:** Used to apply pressure to the fruit for efficient juicing.
- **Dust Cover:** Protects the juicing mechanism when not in use.



Image 1: The Ariete 413 Professional Fruit Juicer in operation, showcasing its vintage design and components.

## 4. SETUP

1. **Unpack:** Carefully remove all components from the packaging. Retain packaging for storage or future transport.
2. **Clean:** Before first use, wash all removable parts (cones, pulp filter, juice collector, dust cover) in warm, soapy water. Rinse thoroughly and dry. Wipe the motor unit base with a damp cloth.

### 3. **Assemble:**

- Place the juice collector onto the motor unit base, ensuring it is seated correctly.
- Insert the pulp filter into the juice collector.
- Select the appropriate juicing cone (large for oranges/grapefruits, small for lemons/limes) and place it onto the drive shaft in the center of the pulp filter.
- Ensure the anti-drip spout is in the down position to allow juice to flow into your glass or container.

4. **Position:** Place the assembled juicer on a stable, flat, and dry surface. Ensure the power cord is within reach of an electrical outlet.

## 5. OPERATING INSTRUCTIONS

1. **Prepare Fruit:** Wash citrus fruits thoroughly. Cut them in half across the middle.
2. **Plug In:** Plug the power cord into a 110-volt electrical outlet.
3. **Place Glass:** Position a glass or container under the anti-drip spout. Ensure the spout is in the down position.
4. **Start Juicing:** Place a fruit half onto the rotating juicing cone. Gently press down on the fruit with the pressure lever. The motor will automatically start when pressure is applied and stop when pressure is released.
5. **Extract Juice:** Continue pressing and rotating the fruit until all juice is extracted. The pulp filter will separate seeds and large pulp.
6. **Repeat:** Repeat the process with remaining fruit halves.
7. **Anti-Drip Function:** To stop the flow of juice between glasses or when finished, simply flip the anti-drip spout upwards.
8. **Finish:** Once juicing is complete, unplug the appliance from the power outlet.



Image 2: The Ariete 413 Professional Fruit Juicer ready for use, demonstrating its compact design.

## 6. CLEANING AND MAINTENANCE

Regular cleaning ensures the longevity and hygienic operation of your juicer.

1. **Disconnect Power:** Always unplug the appliance from the electrical outlet before cleaning.
2. **Disassemble:** Remove the pressure lever, dust cover, juicing cone, pulp filter, and juice collector from the motor unit base.
3. **Wash Removable Parts:** Wash the removable parts by hand in warm, soapy water. Rinse thoroughly and dry completely. These parts are also dishwasher safe.
4. **Clean Motor Unit Base:** Wipe the motor unit base with a damp cloth. Do not submerge the motor unit in water or any other liquid.
5. **Avoid Abrasives:** Do not use abrasive cleaning agents, scouring pads, or metal utensils to clean any part of the juicer, as this may damage surfaces.
6. **Reassemble and Store:** Once all parts are clean and dry, reassemble the juicer and store it in a clean, dry place.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Juicer does not turn on.	Not plugged in; Power outlet malfunction; Appliance not assembled correctly; No pressure applied to cone.	Ensure the power cord is securely plugged into a working outlet. Check circuit breaker. Verify all parts are correctly assembled. Apply gentle pressure to the juicing cone with fruit.
Low juice yield.	Insufficient pressure applied; Fruit not fresh; Incorrect cone size for fruit.	Apply firm, even pressure with the lever. Use fresh, ripe citrus fruits. Ensure the correct cone (large or small) is used for the fruit type.
Juice leaks from under the collector.	Juice collector not seated correctly; Anti-drip spout not fully closed.	Ensure the juice collector is properly aligned and seated on the motor unit base. Check that the anti-drip spout is in the fully closed (up) position when not dispensing.
Excessive pulp in juice.	Pulp filter not installed or clogged.	Ensure the pulp filter is correctly placed. Clean the pulp filter if it appears clogged.

## 8. SPECIFICATIONS

- **Model:** 00C04130EARBR
- **Brand:** Ariete
- **Maximum Power:** 85 Watts
- **Voltage:** 110 Volts
- **Product Dimensions:** 6.89"D x 9.65"W x 11.42"H
- **Item Weight:** 4.62 pounds
- **Material:** Metal (body), Stainless Steel (large cone)
- **Special Features:** Easy to Clean, Quiet Motor, Rubber Suction Feet, Anti-Drip Spout
- **Recommended Uses:** Lemon, Orange, Pomegranate

## 9. WARRANTY AND SUPPORT

This product is covered by a manufacturer's warranty against defects in material and workmanship. For specific warranty terms and conditions, please refer to the warranty card included with your purchase or contact Ariete customer support.

For technical assistance, spare parts, or any questions regarding your Ariete 413 Professional Fruit Juicer, please visit the official Ariete website or contact their customer service department.