LostCat 20-inch Bathroom Vanity

LostCat 20-inch Bathroom Vanity with Sink Instruction Manual

Model: 20-inch Bathroom Vanity

Introduction

This manual provides detailed instructions for the assembly, installation, operation, and maintenance of your LostCat 20-inch Bathroom Vanity with Sink. Please read all instructions carefully before beginning assembly and retain this manual for future reference. Proper assembly and care will ensure the longevity and optimal performance of your vanity.



Image: The LostCat 20-inch Bathroom Vanity with Sink, showcasing its design and functionality within a bathroom environment.

Safety Information

- Always wear appropriate safety gear, such as gloves and eye protection, during assembly.
- Ensure all parts are present and undamaged before beginning assembly. Do not proceed with assembly if any parts are missing or damaged.
- Keep small parts away from children and pets to prevent choking hazards.
- Do not overtighten screws, as this may damage the material.
- For plumbing connections, it is recommended to consult a qualified plumber.
- Place the vanity on a level, stable surface to prevent tipping.

Package Contents

Verify that all components listed below are included in your package before starting assembly.

Item	Description	Quantity
Vanity Cabinet	Main cabinet structure (MDF and solid wood)	1
Ceramic Sink Top	Integrated sink with overflow and faucet hole	1
Cabinet Door	With decorative pattern	1
Adjustable Shelf	Internal shelf for storage	1
Two-tier Storage Rack	Attaches to the inside of the cabinet door	1
Hardware Pack	Screws, stainless steel door hinges, handles	1 set
Instruction Manual	Detailed assembly guide	1




Image: Front view of the LostCat 20-inch Bathroom Vanity, showing the cabinet and sink top.

Assembly Instructions

The vanity requires assembly. Follow these steps carefully. All necessary hardware is included.

Step 1: Prepare the Cabinet Frame

Unpack all components and identify the side panels, back panel, and base. Assemble the main cabinet frame using the provided screws. Ensure all connections are secure but do not overtighten.

Image: Illustration of the durable MDF board and solid wood construction materials.

Step 2: Install Adjustable Shelf

Locate the pre-drilled holes inside the cabinet. Insert the shelf pins into the desired height. Place the adjustable shelf onto

the pins. This allows customization of storage space.




Image: The interior of the vanity cabinet with an adjustable shelf, demonstrating flexible storage options.

Step 3: Attach Cabinet Door and Hinges

Attach the stainless steel soft-closing hinges to the cabinet door and then to the cabinet frame using the provided screws. Ensure the door opens and closes smoothly. Adjust hinges if necessary for proper alignment.




Image: A close-up view of the soft-closing door hinges, designed for quiet operation and durability.

Step 4: Install Two-tier Storage Rack

Secure the two-tier storage rack to the inside of the cabinet door using the designated screws. This rack provides additional storage for smaller items.



Image: The two-tier storage rack mounted on the inside of the cabinet door, offering convenient access to small items.

Step 5: Attach Cabinet Handles

Fasten the silver cabinet handles to the cabinet door using the provided screws. Ensure they are securely attached.



Image: A close-up of the silver cabinet handle, highlighting its modern design.

Step 6: Place Ceramic Sink Top

Carefully place the ceramic sink top onto the assembled cabinet. Ensure it is properly aligned with the cabinet edges. Apply a bead of silicone sealant (not included) around the perimeter of the sink where it meets the cabinet for a watertight seal, if desired.



Image: Detail of the integrated ceramic sink, showing the pre-drilled faucet hole, chrome overflow, and smooth surface.

Setup

After assembly, proceed with the following setup steps:

1. **Positioning:** Carefully move the assembled vanity to its desired location in the bathroom. Ensure the floor is level and stable.
2. **Plumbing Connections:** Connect the faucet (not included) to the pre-drilled hole in the sink. Connect the drain assembly (not included) to the sink and then to your home's plumbing system. It is highly recommended to have a qualified plumber perform these connections to prevent leaks.
3. **Water Test:** Once plumbing is connected, slowly turn on the water supply and check for any leaks around the faucet, drain, and supply lines. Tighten connections as needed.

Operating

The LostCat Bathroom Vanity is designed for daily use in a bathroom environment. Its primary functions include:

- **Sink Usage:** The integrated ceramic sink is suitable for washing hands and other typical bathroom activities. Ensure the faucet is properly installed and connected.
- **Storage:** Utilize the cabinet with its adjustable shelf and the two-tier door rack for organizing bathroom essentials such as soaps, towels, shampoos, and tissue papers. The soft-closing door mechanism ensures quiet operation.



Image: The LostCat 20-inch Bathroom Vanity with its door open, revealing the adjustable shelf and two-tier storage rack filled with various bathroom items.

Maintenance

Regular cleaning and proper care will help maintain the appearance and functionality of your vanity.

- **Cabinet Cleaning:** The vanity's painted finish is water-proof and stain-proof. Wipe surfaces with a soft, damp cloth and mild soap. Avoid abrasive cleaners or harsh chemicals, as these can damage the finish.
- **Sink Cleaning:** The smooth, glazed ceramic sink is easy to clean. Use a non-abrasive cleaner and a soft sponge or cloth. Rinse thoroughly after cleaning.
- **Hardware:** The stainless steel hinges and handles are designed to resist rusting. Wipe them clean with a soft, dry cloth.
- **Spills:** Wipe up any water spills on the cabinet surface immediately to prevent potential water damage, despite its water-resistant properties.

Troubleshooting

Problem	Possible Cause	Solution
Cabinet door does not close properly or is misaligned.	Hinges are loose or require adjustment.	Tighten hinge screws or adjust the hinge mechanism for proper alignment.

Problem	Possible Cause	Solution
Water leaks from faucet or drain.	Loose plumbing connections or improper sealant application.	Check and tighten all plumbing connections. Ensure proper use of plumber's tape or sealant. If issues persist, consult a qualified plumber.
Vanity feels unstable or wobbly.	Not placed on a level surface or assembly screws are loose.	Ensure the vanity is on a level floor. Check and tighten all assembly screws.

Specifications

Detailed product specifications for the LostCat 20-inch Bathroom Vanity.

Feature	Detail
Brand	LostCat
Model	20-inch Bathroom Vanity
Color	White
Material	Real Wood, MDF Boards, Ceramic (sink)
Product Dimensions (D x W x H)	50.8D x 45.7W x 86.4H Centimetres (approx. 20"D x 18"W x 34"H)
Item Weight	34.16 kg (75.3 lbs)
Mounting Type	Floor Mount
Special Features	Water-proof, Stain-proof Painted Finish, Soft-closing Door, Adjustable Shelf, Two-tier Door Rack
Assembly Required	Yes

Warranty and Support

For warranty information or technical support, please refer to the contact details provided at the point of purchase or visit the official LostCat website. Please have your model number (20-inch Bathroom Vanity) and purchase date available when contacting support.

© 2026 LostCat. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question