

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [foxydry](#) /

› [Foxydry Duo Balcony Clothes Drying Rack User Manual](#)

foxydry Foxydry Duo

Foxydry Duo Balcony Clothes Drying Rack

Model: Foxydry Duo | Brand: foxydry

PRODUCT OVERVIEW

The Foxydry Duo is a versatile and durable tiltable clothes drying rack designed for outdoor use on balconies, terraces, and railings. Constructed from high-quality stainless steel and aluminum, it offers exceptional resistance to weather elements, including saltwater, rain, wind, and sun. Its innovative design allows it to be tilted both inwards and outwards, providing flexibility for drying clothes, and can be folded away to be almost invisible when not in use. This model is 162 cm in length and finished in white powder coating for enhanced durability and a minimalist aesthetic.



Image: The Foxydry Duo drying rack, demonstrating its compact folded state and its extended state with laundry hanging, attached to a balcony railing.

KEY FEATURES

- **Dual Tilt Direction:** The drying rack can be tilted both inwards towards the balcony or outwards, offering flexible drying options.
- **Space-Saving Design:** When not in use, the rack folds compactly against the railing, becoming nearly invisible and saving space.
- **Durable Construction:** Made from 100% Italian-manufactured high-quality stainless steel and aluminum, ensuring rust resistance and longevity against harsh weather conditions.
- **Powder Coated Finish:** Features an outdoor-grade white powder coating for enhanced durability and a sleek, minimalist appearance.

- **High Load Capacity:** Capable of supporting up to 15 kg (33 lbs) of laundry distributed across its 8 rods, allowing for significant drying capacity.
- **Easy Installation:** Designed for straightforward installation on square or rectangular balcony railings without the need for specialized tools.
- **Secure Locking Mechanism:** Equipped with two practical clips to secure the rack to the balcony, preventing movement even in strong winds.

INSTALLATION GUIDE

The Foxydry Duo is designed for easy installation on most square or rectangular balcony railings. No special tools are required for assembly and mounting.

1. **Assemble the Rods:** Join the individual drying rods using the provided connectors to achieve the full length of the drying rack (162 cm for this model). Ensure all connections are secure.



Image: Step-by-step illustration of connecting the drying tubes with joints to form the complete drying rack length.

2. **Attach Mounting Brackets:** Secure the mounting brackets to the main frame of the drying rack. These brackets will attach to your balcony railing.
3. **Mount to Railing:** Position the drying rack on your balcony railing. The maximum depth of the railing surface it can attach to is 8 cm. The provided screw has a maximum height of 5 cm; a longer screw can be used if needed for taller railings. Tighten the screws on the mounting clamps to firmly secure the rack to the railing.



Image: Detailed view of the robust clamping system that secures the Foxydry Duo to a balcony railing.

4. **Verify Stability:** Once mounted, gently test the rack's stability to ensure it is securely fastened and will not wobble or detach.

OPERATING INSTRUCTIONS

The Foxydry Duo offers flexible positioning for optimal drying and space-saving when not in use.

Positions:

1. **Open Outwards:** Tilt the drying rack away from the balcony towards the exterior. This position is ideal for maximizing drying space and airflow.

3 positions

1 open
outwards

2 open
inwards

3 closed



Image: The drying rack in its outward-tilted position, ready for use.

2. Open Inwards: Tilt the drying rack towards the interior of the balcony. This can be useful for easier access or in situations where outward extension is not preferred.

For rectangular railings

Per ringhiere rettangolari

Für rechteckige Geländer




Image: The drying rack in its inward-tilted position, showing its versatility.


3. Closed Position: When not in use, fold the drying rack upwards against the railing. It becomes compact and discreet. Use the two practical clips to lock it securely in place, preventing it from flapping in the wind.

foxydry®

EASY INSTALLATION

Unisci i tubi con i giunti

per ottenere la lunghezza di 162 cm



80 cm + 80 cm

Join the tubes using the connectors
to reach the length of 162 cm.

Une los tubos con los conectores
para alcanzar una longitud de 162 cm.

Verbinde die Rohre mit den
Verbindungsstücken, um eine Länge
von 162 cm zu erreichen.

Assemble les tubes avec les raccords
pour avoir 162 cm de longueur.


Image: The drying rack in its fully closed and secured position, demonstrating its space-saving design.



Image: Visual representation of the three operational positions of the Foxydry Duo drying rack.

To change positions, simply unlock the clips (if in closed position), and gently tilt the rack to your desired angle. Ensure it clicks into place or is secured by the clips for stability.





Images: Examples of the Foxydry Duo in practical use on various balconies, showcasing its functionality and aesthetic integration.

Maintenance

The Foxydry Duo is designed for minimal maintenance due to its durable materials. To ensure its longevity and optimal performance:

- **Regular Cleaning:** Wipe down the rods and frame periodically with a damp cloth to remove dust, dirt, or salt residue, especially if exposed to coastal environments.
- **Inspect Connections:** Occasionally check all screws and connections to ensure they remain tight. Retighten if necessary.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners or harsh chemicals, as these may damage the powder coating or the metal surfaces.

Troubleshooting

While the Foxydry Duo is built for reliability, here are some common issues and their solutions:

- **Rack feels loose after installation:** Ensure all mounting screws are fully tightened. Check that the railing depth is within the specified 8 cm limit for proper clamping.
- **Difficulty tilting the rack:** Check for any obstructions or debris in the tilting mechanism. Ensure the locking clips are fully disengaged before attempting to tilt.
- **Rods appear bent or damaged:** While highly resistant, excessive force or overloading beyond 15 kg can cause damage. Inspect for physical damage and ensure weight is evenly distributed.

If you encounter issues not covered here, please refer to the support section.

SPECIFICATIONS

Attribute	Detail
Brand	foxydry
Model Number	Foxydry Duo
Color	White
Product Dimensions (L x W x H)	162 cm x 60 cm x 5 cm (63.78 in x 23.62 in x 1.97 in)
Item Weight	3 Kilograms (6.6 lbs)
Maximum Weight Capacity	15 Kilograms (33 lbs)
Material	Stainless Steel, Aluminum
Special Features	Detachable, Foldable, Lightweight, UV Resistant, Rust Resistant
Country of Origin	Italy




Image: Dimensional overview of the Foxydry Duo, indicating its length and depth.

WARRANTY AND SUPPORT

For warranty information or technical support regarding your Foxydry Duo drying rack, please contact the manufacturer directly. You can typically find contact details on the product packaging or the official foxydry website. Please have your model number (Foxydry Duo) and purchase details ready when contacting support.

For more information, visit the official foxydry store: [Foxydry Store on Amazon](#)

© 2024 foxydry. All rights reserved.

Related Documents - Foxydry Duo

 <p>FOXYDRY PRO L'essiccatore per la biancheria più avanzato</p> <p>foxydry®</p>	<p>Foxydry Pro: Installation and Operation Manual</p> <p>Comprehensive guide for the Foxydry Pro, a space-saving, remote-controlled clothes drying rack. Includes assembly instructions, safety warnings, operating procedures, and troubleshooting.</p>
 <p>foxydry® vivo IRONING BOARD</p> <p>• Manual d'utilisation • Instructions Manual • Manual de instrucciones • Manual de instrucciones</p> <p>• Mode d'emploi et instructions d'utilisation</p>	<p>Foxydry vivo Active Ironing Board - Instruction Manual</p> <p>Comprehensive instruction manual for the Foxydry vivo active ironing board, detailing setup, operation, safety precautions, and maintenance for optimal ironing performance.</p>
 <p>CONFIGURATION CHOOSE YOUR SHUFFLEBOARD</p> <p>• Numerous options for customization</p>	<p>Canada Billard Shuffleboard Configuration Guide</p> <p>Configure your Canada Billard shuffleboard by selecting model, wood type, dimensions, playing surface design, and additional options. This guide details available choices for customization.</p>
 <p>6. Water Heaters and Storage Vessels</p> <p>Flamco offers a range of high-quality water heating and storage vessels. Our products are suitable for various applications, including residential, commercial, and industrial. They are designed to be used with solar panels and secondary heat sources. Flamco water heaters and storage vessels are designed to meet the most stringent environmental guidelines; they have a high heat output and are energy efficient.</p>	<p>Flamco Water Heaters and Storage Vessels: Product Catalog</p> <p>Explore the comprehensive Flamco catalog of water heaters, storage vessels, and calorifiers. This document details product specifications, features, and applications for indirect, direct, combi, and buffer models, emphasizing high-quality materials and energy efficiency.</p>
 <p>MENABO The Best Choice</p> <p>SATELLITE DUO</p> <p>• Installation instructions • Assembly instructions • Technical drawings • Product description • Safety information • Declaration of Conformity • Declaration of Performance • Declaration of Energy Efficiency • Declaration of Environmental Performance • Declaration of Product Safety</p>	<p>Menabo Satellite Duo Roof Carrier Assembly Instructions</p> <p>Comprehensive guide for assembling and fitting the Menabo Satellite Duo roof carrier system. Includes detailed parts list, step-by-step visual instructions translated into text, dimensions, and safety loading information.</p>

