

[Manuals.plus](#) /

› [BEAR FLAG EDITION](#) /

› BEAR FLAG EDITION Carburetor for Craftsman II Snowblower (Model c950-52119-3) Instruction Manual

BEAR FLAG EDITION c950-52119-3

BEAR FLAG EDITION Carburetor for Craftsman II Snowblower (Model c950-52119-3) Instruction Manual

1. PRODUCT OVERVIEW

This manual provides essential information for the proper installation, maintenance, and troubleshooting of your BEAR FLAG EDITION replacement carburetor. This carburetor is specifically designed for Craftsman II 27-inch 9 HP snowblowers, compatible with model c950-52119-3.

The carburetor is a critical component for engine function, ensuring the correct air-fuel mixture for optimal performance during snow removal operations. Replacing a worn or faulty carburetor can restore your snowblower's efficiency and power.



Image 1.1: The complete replacement carburetor kit, including the main carburetor unit, a red primer bulb, a red inline fuel filter, a black fuel line, and a mounting gasket. These components are essential for a full carburetor replacement.

2. INSTALLATION GUIDELINES

Proper installation is crucial for the correct function of the carburetor. If you are unfamiliar with engine component replacement, it is recommended to consult a qualified technician.

2.1 Pre-Installation Checks

- **Compatibility:** Verify that this carburetor is the correct replacement part for your Craftsman II 27-inch 9 HP snowblower, model c950-52119-3. Refer to your snowblower's original manual for part numbers.
- **Component Inspection:** Before installation, thoroughly inspect all components of the replacement kit (carburetor, gaskets, fuel filter, primer bulb, fuel line) for any signs of damage or manufacturing defects.
- **Safety Precautions:** Ensure the snowblower engine is cool and disconnected from any power source (e.g., spark plug wire removed) before beginning work. Work in a well-ventilated area.

2.2 General Installation Steps (Consult your snowblower's service manual for specific instructions)

1. **Drain Fuel:** Safely drain all fuel from the snowblower's fuel tank and fuel lines.
2. **Remove Air Filter Assembly:** Carefully remove the air filter housing and air filter to access the carburetor.
3. **Disconnect Fuel Lines and Linkages:** Disconnect the fuel line, throttle linkage, and choke linkage from the old carburetor. Note their positions for reassembly.
4. **Remove Old Carburetor:** Unbolt and remove the old carburetor and any old gaskets.
5. **Install New Gaskets:** Place new gaskets in their correct positions between the engine, insulator, and new carburetor.

6. **Mount New Carburetor:** Install the new BEAR FLAG EDITION carburetor, ensuring it is seated correctly and securely bolted. Do not overtighten.
7. **Reconnect Components:** Reconnect the throttle linkage, choke linkage, and new fuel line to the new carburetor. Install the new fuel filter and primer bulb if included and applicable.
8. **Reassemble Air Filter:** Reinstall the air filter and air filter housing.
9. **Refill Fuel:** Refill the fuel tank with fresh, appropriate fuel.
10. **Test:** Start the snowblower and check for proper operation, fuel leaks, and smooth engine performance. Adjust idle speed if necessary.

3. MAINTENANCE

Regular maintenance of your snowblower's engine components, including the carburetor and air filter, is essential for extending the lifespan and ensuring optimal performance of your equipment.

3.1 Air Filter Maintenance

A clean air filter is vital for your snowblower's engine performance and efficiency. Regular maintenance helps the engine run smoothly, conserves fuel, and extends its operational life. It is recommended to clean the air filter every 25 hours of use and replace it once per season or after 300 hours to prevent engine issues.

Watch for the following signs that indicate your air filter may need cleaning or replacement:

- Reduced engine power
- Higher fuel consumption
- Difficulty starting the engine
- Engine overheating
- Emission of black smoke
- Visible dirt buildup on the filter element

When to Clean or Replace the Air Filter

A clean air filter is essential for your lawn mower's performance and efficiency. Regular maintenance helps your mower run smoothly, saves fuel, and extends its lifespan. Clean the filter every 25 hours of use and replace it once per season or after 300 hours to avoid engine issues.

Watch for these signs:



If it's time to replace your air filter, choose a reliable option from our store. We offer durable, high-quality filters that fit perfectly with your mower, ensuring it continues to perform at its best without interruptions.



The Right Parts, the Right Fit, Every Time.

Image 3.1: This image highlights the critical role of a clean air filter in maintaining engine performance and efficiency. It visually lists symptoms of a dirty filter, such as reduced power, higher fuel consumption, starting issues, overheating, black smoke, and dirt

buildup, emphasizing the need for timely cleaning or replacement.

3.2 Fuel System Care

To prevent carburetor issues, always use fresh, clean fuel. Consider using a fuel stabilizer if the snowblower will be stored for extended periods. Regularly inspect fuel lines for cracks or leaks and replace the fuel filter as part of routine maintenance.

4. TROUBLESHOOTING

If your snowblower experiences performance issues after carburetor replacement, consider the following common troubleshooting steps:

Symptom	Possible Cause	Solution
Engine difficult to start or won't start	Clogged fuel filter, old fuel, improperly connected fuel line, incorrect choke setting, carburetor adjustment needed.	Replace fuel filter, drain and refill with fresh fuel, check fuel line connections, verify choke operation, consult service manual for carburetor adjustment.
Engine runs rough or stalls	Dirty air filter, clogged carburetor jet, fuel contamination, vacuum leak.	Clean or replace air filter, clean carburetor (professional service recommended), use fresh fuel, check for loose connections around carburetor.
Reduced engine power	Dirty air filter, partially clogged carburetor, incorrect fuel mixture.	Clean or replace air filter, inspect and clean carburetor, ensure proper fuel type.
Excessive fuel consumption	Improper carburetor adjustment, leaking fuel line.	Adjust carburetor settings (consult service manual), inspect and replace any leaking fuel lines.
Black smoke from exhaust	Engine running too rich (too much fuel), dirty air filter.	Adjust carburetor mixture (consult service manual), clean or replace air filter.

For complex issues or if troubleshooting steps do not resolve the problem, it is advisable to seek assistance from a certified service technician.

5. SPECIFICATIONS

- **Brand:** BEAR FLAG EDITION
- **Product Type:** Replacement Carburetor
- **Compatible Snowblower Model:** Craftsman II c950-52119-3
- **Snowblower Engine HP:** 9 HP
- **Snowblower Clearing Width:** 27 inches
- **UPC:** 669980852216
- **ASIN:** B0D8PVN76L
- **Manufacturer:** BEAR FLAG EDITION

6. WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical support, please refer to the specific terms provided by the seller or contact BEAR FLAG EDITION directly. Keep your purchase receipt as proof of purchase.

BEAR FLAG EDITION - The Right Parts, The Right Fit, Every Time.
Manual Version: 1.0 | Date: November 2024

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question