

MSJS-BVB09148BCT

Generic 48-Inch Floating Bathroom Vanity with Sink

Model: MSJS-BVB09148BCT

Brand: Generic

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Generic 48-Inch Floating Bathroom Vanity with Sink. Please read all instructions carefully before beginning installation and retain this manual for future reference. Proper installation and care will ensure the longevity and optimal performance of your vanity.

SAFETY INFORMATION

- Always wear appropriate personal protective equipment (PPE) during installation, including safety glasses and gloves.
- Ensure all water and electrical supplies are turned off before beginning any installation work.
- This vanity is designed for wall-mounted installation. Ensure the mounting surface is structurally sound and capable of supporting the weight of the vanity and its contents.
- Seek professional assistance if you are unsure about any part of the installation process, especially plumbing or electrical connections.
- Keep small parts and packaging materials away from children to prevent choking hazards.

PRODUCT OVERVIEW

The Generic 48-Inch Floating Bathroom Vanity is a modern, wall-mounted cabinet set featuring a single sink. It is constructed from high-quality hardwood plywood and includes soft-closing doors and drawers for quiet operation. The vanity is designed to enhance bathroom aesthetics while providing efficient storage.

SIZE:INCH



Try to find it at install time
product installation instructions



Figure 1: Overall dimensions of the 48-inch floating bathroom vanity. The vanity measures approximately 47.25 inches wide, 18.13 inches deep, and 22.44 inches high.



Figure 2: Front view of the 48-inch black floating bathroom vanity, showcasing the integrated sink and cabinet doors.

COMPONENTS LIST

Verify that all components are present and undamaged before beginning assembly. If any parts are missing or damaged, contact customer support.

- Vanity Cabinet (Hardwood Plywood)
- Resin Sink Top with Pre-drilled Faucet Hole and Overflow Preventer
- Soft-Close Hinges for Doors
- Golden Handles
- Shelves (Included Components)
- Mounting Hardware (for wall installation)
- Instruction Manual

Note: Essential plumbing components such as the faucet, pop-up drain, drain assembly, P-trap, and backsplash are **not included** and must be acquired and installed separately by a qualified professional.

SETUP & INSTALLATION

This vanity is designed for user-friendly assembly. Follow these steps for proper installation:

1. **Prepare the Installation Area:** Ensure the wall is clean, dry, and structurally capable of supporting the vanity. Locate wall studs for secure mounting.
2. **Assemble the Cabinet:** Follow the detailed assembly instructions provided in the separate instruction sheet. This typically involves attaching the side panels, back panel, and internal shelves.
3. **Install Mounting Hardware:** Mark the desired height and position for the vanity on the wall. Use the supplied template (if provided) or measure carefully. Drill pilot holes into wall studs and install the mounting brackets securely.
4. **Mount the Cabinet:** Carefully lift the assembled cabinet and align it with the wall mounting brackets. Secure the cabinet to the wall using the provided hardware. Ensure it is level and firmly attached.
5. **Install the Sink Top:** Place the resin sink top onto the cabinet. Apply a bead of silicone sealant along the edges where the sink meets the cabinet and the wall to create a watertight seal.
6. **Connect Plumbing:** Install the faucet, pop-up drain, drain assembly, and P-trap according to their respective manufacturer's instructions. Connect the water supply lines. Ensure all connections are tight and leak-free.
7. **Install Doors and Handles:** Attach the soft-close hinges to the cabinet doors and then to the cabinet frame. Adjust the hinges for proper alignment and smooth operation. Install the golden handles on the doors and drawers.



Figure 3: Rear view of the vanity cabinet, illustrating the pre-drilled holes and structural support for wall mounting.

Your browser does not support the video tag.

Video 1: A visual guide demonstrating the installation process for the GLORAFIN 48 Inch Floating Bathroom Vanity with Sink. This video provides a general overview of mounting and assembly steps.

OPERATING INSTRUCTIONS

Your floating bathroom vanity is designed for daily use with convenient features.

- **Soft-Close Doors and Drawers:** The vanity is equipped with soft-closing hinges and drawer slides. To close, gently push the door or drawer until the soft-close mechanism engages. Avoid forcing them shut.
- **Storage:** Utilize the ample storage space within the cabinet and drawers for organizing bathroom essentials such as toiletries, towels, and cleaning supplies.
- **Sink Usage:** The resin sink features a pre-drilled faucet hole and an overflow preventer. Ensure the faucet is properly installed and functioning before regular use.

Ample storage space

It provides spacious storage space so that you can place your bathroom supplies as you like.

- ✓  shower lotion
- ✓  shampoo
- ✓  towels
- ✓  basket
- ✓  tissue
- ✓  soaps



Figure 4: Interior view of the vanity with doors open, demonstrating the spacious storage compartments suitable for various bathroom items.



Figure 5: Detailed view highlighting the elegant handle design, anti-rust hardware, soft-close door mechanism, and paint-free board construction.

Your browser does not support the video tag.

Video 2: A demonstration of the Black 48 Inch Floating Bathroom Vanity with Sink, showcasing its design and functional aspects.

MAINTENANCE

Regular cleaning and proper care will help maintain the appearance and functionality of your vanity.

- **Cleaning the Sink:** The resin basin is stain and scratch-resistant. Clean with a soft cloth and mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive pads that could damage the surface.
- **Cleaning the Cabinet:** Wipe the cabinet surfaces with a soft, damp cloth. For stubborn marks, use a mild soap solution and dry immediately. Avoid excessive moisture.
- **Hardware Care:** Periodically check and tighten any loose screws on hinges or handles. Clean golden handles with a soft, dry cloth to maintain their finish.
- **Preventing Water Damage:** Always wipe up water spills immediately to prevent moisture from seeping into the wood or causing damage to the cabinet. Ensure proper ventilation in the bathroom.



Pre-drilling

Supporting single hole faucet



Easy to Clean

Overflow Preventer

Figure 6: Close-up view of the resin sink, highlighting its pre-drilled faucet hole, overflow preventer, and easy-to-clean surface.

TROUBLESHOOTING

If you encounter issues with your vanity, refer to the following common solutions:

- **Leaking Faucet/Drain:** Check all plumbing connections for tightness. Ensure O-rings and gaskets are properly seated. If leaks persist, consult a plumber.
- **Doors/Drawers Not Closing Smoothly:** Inspect hinges and drawer slides for obstructions. Adjust hinge screws to realign doors or drawers. Ensure the soft-close mechanism is not damaged.
- **Vanity Appears Unstable:** Recheck all wall mounting hardware to ensure it is securely fastened to wall studs. If necessary, reinforce the wall or consult a professional installer.
- **Stains on Sink Surface:** For minor stains, use a mild abrasive cleaner specifically designed for resin or solid surface materials. Follow product instructions carefully.

SPECIFICATIONS

Brand	Generic
-------	---------

Model Number	MSJS-BVB09148BCT
Color	48-black (deep brown-to-black with reddish-brown streaks)
Product Dimensions	18.13"D x 47.25"W x 22.44"H
Mounting Type	Wall Mount
Material	Hardwood Plywood (Engineered Wood)
Top Material Type	Engineered Wood (Resin Sink)
Special Features	Stain Resistant, Scratch Resistant, Quiet Closure Doors
Included Components	Shelves
Assembly Required	Yes
Item Weight	51 pounds

REGARDING THE COLOR DETAILS

The overall color is primarily deep brown to black, exhibiting a gradient effect that transitions from a deeper black to a lighter brown, adding a sense of depth and dimensionality to the image.




Figure 7: Illustration of the vanity's color, which is a deep brown-to-black with subtle reddish-brown streaks, not a solid black.

HIGH QUALITY WOOD

We hope you are satisfied with our products every day

OURS		VS	OTHERS	
	PLYWOOD Longer Product Lifetime			CHIPBOARD Similar to hardwood, short service life
	HARD TO CRACK Plywood will not bend or crack when exposed to temperature or humidity			EASY TO CRACK These boards are prone to bending or cracking
	PAINT-FREE BOARD Protect the earth's environment			PAINTING The taste is heavy and irritating, causing pollution to the environment

Figure 8: Comparison highlighting the use of high-quality plywood for durability and resistance to temperature and humidity, as opposed to chipboard.

WARRANTY INFORMATION

This product comes with a standard manufacturer's warranty. For specific details regarding warranty coverage, duration, and claims process, please refer to the warranty card included with your purchase or contact customer support. Keep your proof of purchase for warranty validation.

CUSTOMER SUPPORT

For any questions, assistance with installation, or to report missing/damaged parts, please contact JSBathAndKitchen customer service. You can typically find contact information on the product packaging or through the retailer where the product was purchased.

Seller: JSBathAndKitchen

Return Policy: 30-day easy returns

