Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

BWE 8015-Anti

BWE Antique Brass Shower Fixtures Instruction Manual

Model: 8015-Anti

1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your BWE Antique Brass Shower Fixtures. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product. Keep this manual for future reference.

2. Safety Information

- Always turn off the main water supply before beginning any installation or maintenance.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- Ensure all connections are secure and watertight to prevent leaks.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Do not use abrasive cleaners or harsh chemicals on the fixture's finish, as this may cause damage.

3. Package Contents

Verify that all components listed below are present in your package before starting installation:

- 8-inch Rainfall Shower Head
- Handheld Shower
- Shower Hose
- Hand Sprayer Holder
- Shower Faucet Body
- Brass Diverter
- All necessary mounting hardware
- Installation Manual (this document)



Figure 3.1: All Parts in the Package. This image displays all components included with the BWE Antique Brass Shower Fixtures, laid out for easy identification.

4. Setup and Installation

Follow these general steps for installing your wall-mounted shower system. Refer to the video for visual guidance.

1. **Prepare the Installation Area:** Ensure the wall surface is clean and suitable for mounting. Turn off the main water supply.
2. **Mount the Faucet Body:** Secure the main faucet body to the wall using the provided mounting hardware. Ensure it is level and all connections for hot and cold water are properly sealed with rubber gaskets to prevent leaks.
3. **Install the Shower Bar:** Attach the vertical shower bar to the faucet body and secure it to the wall at the top mounting point.
4. **Attach Shower Heads:** Connect the 8-inch rainfall shower head to the top arm of the shower bar. Connect the handheld shower to the shower hose, and then attach the hose to the designated outlet on the faucet body.
5. **Adjust Handheld Bracket:** Position the handheld sprayer holder on the shower bar at a comfortable height.

6. **Test for Leaks:** Slowly turn on the main water supply and check all connections for any leaks. Tighten as necessary.

Your browser does not support the video tag.

Video 4.1: Installation Guide for BWE Bathroom Shower Fixtures. This video demonstrates the step-by-step process for installing the BWE 8-inch Rain Shower Fixtures, including mounting the main unit and connecting the shower heads.




Figure 4.2: Product Dimensions. This diagram provides detailed measurements of the shower system components, useful for planning installation space.

5. Operating Instructions

Your BWE shower system offers two functions and adjustable features for a customized showering experience.

5.1 Water Flow and Temperature Control

The shower system features two cross handles to control water flow and temperature:

- The handle marked 'H' controls hot water.
- The handle marked 'C' controls cold water.

Turn both handles to achieve your desired water temperature and flow rate.




Figure 5.1: Water Control and Diverter. This image illustrates the hot and cold water handles and the diverter mechanism for switching between the rain shower and handheld spray.

5.2 Switching Between Shower Functions

The system includes a 2-way water diverter to switch between the rainfall shower head and the handheld spray:

- Rotate the diverter knob to direct water flow to either the 8-inch rain shower head or the handheld shower.
- You can easily switch between these modes to suit your preference.



Figure 5.2: Rain Shower Head. This image highlights the 8-inch rain shower head and its 360-degree rotation capability.



Figure 5.3: Handheld Shower Sprayer. This image shows the handheld shower sprayer and its adjustable bracket on the shower bar.

5.3 Height Adjustment

The shower height is adjustable to accommodate different user preferences:

- The overall shower height can be adjusted between approximately 38.97 inches (99 cm) and 53.1 inches (135 cm).
- To adjust, unscrew the knob on the pipe, slide the upper section to the desired height, and then re-tighten the knob.
- The handheld bracket can also be adjusted independently along the shower bar.



Figure 5.4: Easily Adjust Shower Height. This image demonstrates the height adjustment mechanism for the main shower column.

6. Maintenance

Regular maintenance ensures the longevity and optimal performance of your shower fixtures.

6.1 Cleaning the Finish

- Clean the antique brass finish with a soft, damp cloth.
- Use only mild soap and water if necessary.
- Avoid abrasive cleaners, scouring pads, or chemicals containing ammonia, bleach, or alcohol, as these can damage the finish.

6.2 Preventing Clogging

- The shower head includes a filter to prevent clogging from debris in the water. Periodically inspect and clean this filter.

- For shower heads with rubber nozzles, gently rub the nozzles with your finger to dislodge mineral deposits and maintain consistent spray patterns.

7. Troubleshooting

Refer to the following table for common issues and their solutions.

Problem	Possible Cause	Solution
Water leaks from connections	Loose connections or improperly seated rubber gaskets.	Ensure all connections are tightened securely. Check that rubber gaskets are correctly placed and not damaged. Turn off water supply before tightening.
Low water pressure	Clogged shower head filter or mineral buildup in nozzles.	Clean the shower head filter. For nozzles, gently rub them to remove deposits. Ensure main water supply is fully open.
Water not switching between functions	Diverter valve issue or obstruction.	Ensure the diverter knob is fully rotated to the desired position. Check for any debris obstructing the diverter mechanism.
Difficulty adjusting shower height	Adjustment knob not loosened sufficiently or internal friction.	Ensure the height adjustment knob is fully unscrewed before attempting to slide the pipe. A slight force may be needed, which is normal.

8. Specifications

Key specifications for the BWE Antique Brass Shower Fixtures (Model 8015-Anti):

- **Brand:** BWE
- **Model Number:** 8015-Anti
- **Color:** Antique Brass
- **Material:** Brass
- **Finish Type:** Antique
- **Number of Handles:** 2
- **Mounting Type:** Wall Mount
- **Item Weight:** 4.06 Kilograms
- **Rainfall Shower Head Size:** 8 inches
- **Adjustable Shower Height:** 38.97 inches - 53.1 inches (99 cm - 135 cm)

9. Warranty Information

BWE products typically come with a manufacturer's warranty. For specific details regarding the warranty period and coverage for your Model 8015-Anti shower fixtures, please refer to the warranty card included in your original packaging or visit the official BWE website. Keep your proof of purchase for warranty claims.

10. Support

If you encounter any issues not covered in this manual or require further assistance, please contact BWE customer support. You can typically find contact information on the BWE official website or through the retailer where you purchased the product. When contacting support, please have your model number (8015-Anti) and proof of purchase readily available.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0D926FPJQ

More documents and user manuals: **https://manuals.plus/**