



---

[Manuals.plus](#) /

> [DeerValley](#) /

> DeerValley 32"x78" Fixed Glass Shower Panel Instruction Manual (Model DV-1SD0221)

## DeerValley DV-1SD0221

# DeerValley 32"x78" Fixed Glass Shower Panel

Instruction Manual - Model DV-1SD0221

---

## 1. PRODUCT OVERVIEW

---

The DeerValley Fixed Glass Shower Panel is designed to create a modern, frameless shower enclosure, effectively separating wet and dry areas in your bathroom. Constructed from 10mm (3/8 inch) thick tempered safety glass, this panel offers durability and a sleek aesthetic. Its versatile design allows for installation on either the left or right side, adapting to various bathroom layouts.



Image 1: DeerValley Fixed Glass Shower Panel in a contemporary bathroom setting.

## 2. SAFETY INFORMATION

---

- Always handle glass panels with care. Tempered glass is strong but can break if struck forcefully on the edges.
- Wear appropriate personal protective equipment (PPE), including safety glasses and gloves, during installation.
- Ensure the installation surface is level and structurally sound to support the weight of the glass panel.
- Do not apply excessive force when tightening screws to avoid damaging the glass or hardware.
- Keep children and pets away from the installation area.

## 3. PACKAGE CONTENTS

---

Verify that all components are present and undamaged before beginning installation.

- 2 x H-shaped protective strips (NO:A)
- 1 x Fixed glass panel (NO:B)
- 4 x Glass fixing clips (NO:C)

- 8 x Fixing screws (NO:D)
- 8 x Wall entry plugs (NO:E)

## 4. TOOLS REQUIRED (NOT INCLUDED)

---

- Tape measure
- Spirit level
- Marker pen
- 6mm drill bit
- Utility knife
- Electric drill
- Hammer
- Screwdriver
- Allen wrench
- Silicone sealant

## 5. INSTALLATION GUIDE

---

For a visual guide, please refer to the official DeerValley Shower Glass Panel Installation Guide video below.

Your browser does not support the video tag.

Video 1: Official DeerValley Shower Glass Panel Installation Guide. This video demonstrates the step-by-step process for installing the fixed glass shower panel, including marking, drilling, and securing the components.

### Step-by-Step Instructions:


1. **Mark Installation Positions:** Use the waterproof strip (NO:A) to confirm the desired installation position on your shower wall and floor. Mark the four bracket installation locations precisely with a marker pen. This panel can be installed for left or right wall mounting.



## Reversible Installation

Designed and constructed to accommodate left or right side mounting

LEFT WALL INSTALLATION



RIGHT WALL INSTALLATION




Image 2: Reversible installation options for the shower panel.

- Drill Holes:** Remove the waterproof strip. Using an electric drill and a 1/4 inch (6mm) drill bit, carefully drill holes at the marked screw hole positions.
- Insert Wall Plugs and Install Brackets:** Insert the 8 wall entry plugs (NO:E) into the drilled holes. Position the 4 glass fixing clips (NO:C) over the holes and secure them to the wall using the 8 fixing screws (NO:D) and a screwdriver. Do not overtighten at this stage.



## Quality Glass Clamps

Solidly bearing the weight of the glass door without shaking, it is exceptionally sturdy.



Image 3: Detail of a quality glass clamp.

- 4. Install Glass Panel:** Carefully place the fixed glass panel (NO:B) into the installed glass fixing clips. Ensure the panel is level and properly seated within the clips.
- 5. Secure Brackets:** Use an Allen wrench to securely tighten each glass fixing clip. Be careful not to apply excessive force to avoid breaking the glass.
- 6. Apply Silicone Sealant:** Apply a bead of silicone sealant along the edges where the glass panel meets the wall and floor to ensure a watertight seal. Allow adequate time for the sealant to cure before using the shower.

## 6. PRODUCT FEATURES

### 6.1. Dimensions and Design

DV-1SD0221

## MODEL INFORMATION


77.95 in. H x 32.01 in. W

SHOWER DOOR

## CONFIGURATION DIMENSIONS

A: 77.95 in.  
MODEL HEIGHT

B: 32.01 in.  
MODEL WIDTH



All dimensions are manually measured with a certain degree of error, the specific size please refer to the received item.

Image 4: Model information and configuration dimensions.

The shower panel measures approximately 32 inches in width and 78 inches in height, providing ample coverage for a walk-in shower. Its frameless design contributes to a spacious and open feel in the bathroom.

### 6.2. Tempered Safety Glass

# DeerValley®



## HIGH STRENGTH

4-5 times stronger than ordinary glass



## SAFETY

Safe and explosion-proof



## HEAT-ENDURING

Suitable for high temperature and sudden temperature changes



## 3/8" Tempered Glass

High strength and excellent safety features



If breakage occurs, it will shatter in a granular form, minimizing the risk of injury and ensuring a safe environment.

Image 5: Features of 3/8 inch tempered glass, including safety in case of breakage.

The panel is made from 3/8 inch (10mm) thick tempered glass, which is 4-5 times stronger than ordinary glass. In the event of breakage, it shatters into small, blunt pieces, significantly reducing the risk of injury.

### 6.3. Waterproof Design



## Waterproof Design

To achieve dry and wet separation



Image 6: Illustration of the waterproof design for wet/dry separation.

Equipped with a side seal strip and a lower water bar, the design effectively contains water within the shower area, preventing leaks and keeping the rest of your bathroom dry.

## 7. CARE AND MAINTENANCE

- **Regular Cleaning:** Clean the glass panel regularly with a soft cloth and a non-abrasive glass cleaner. Avoid harsh chemicals or abrasive pads that can scratch the glass or damage the hardware finish.
- **Water Spot Prevention:** To minimize water spots, wipe down the glass panel after each use with a squeegee or microfiber cloth.
- **Hardware Care:** Clean the stainless steel hardware with a damp cloth and mild soap. Dry thoroughly to prevent water marks and maintain its finish.
- **Sealant Inspection:** Periodically inspect the silicone sealant for any signs of wear or damage. Reapply sealant as needed to maintain a watertight seal.

## 8. TROUBLESHOOTING

- **Water Leakage:** If water leaks from the bottom or sides of the panel, check the silicone sealant for gaps or cracks. Reapply sealant if necessary. Ensure the waterproof strip is correctly installed and intact.
- **Panel Wobbling:** If the glass panel feels unstable, check that all glass fixing clips are securely tightened. Ensure the wall plugs are firmly seated in the drilled holes and the screws are properly engaged.
- **Scratches on Glass:** Avoid using abrasive cleaning tools or harsh chemicals. Minor scratches may be reduced with specialized glass repair kits, but deep scratches may require professional attention or panel replacement.

## 9. SPECIFICATIONS

Attribute	Specification
Brand	DeerValley
Model	DV-1SD0221
Color	Black
Material	Glass
Style	Modern
Item Weight	87 Pounds
Product Dimensions	0.39 x 32 x 78 inches
Assembly Required	No (referring to complex assembly, installation is required)
Glass Thickness	10mm (3/8 inches)

## 10. CUSTOMER SUPPORT

For any questions, concerns, or assistance with your DeerValley Fixed Glass Shower Panel, please contact our customer service team. We are committed to providing fast and reliable support.

Contact information can typically be found on the product packaging or the official DeerValley website.