

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [TETOTE](#) /

› [TETOTE Pivot Mirror for Bathroom 20 x 24 Black Pivoting Tilt Rectangle Beveled Mirror, Farmhouse Rounded Corner Metal Framed Bathroom Vanity Mirror for Wall, Horizontal/Vertical, Stable Halt-and-Hold 24"L x 20"W Matte Black User Manual](#)

TETOTE B0D92XZXVQ

TETOTE Pivot Mirror User Manual

Model: B0D92XZXVQ - 24"L x 20"W Matte Black

PRODUCT OVERVIEW

The TETOTE Pivot Mirror is designed to enhance your space with its elegant aesthetic and practical functionality. This 24"L x 20"W matte black mirror features a beveled edge, rounded corners, and a refined curved frame, making it suitable for various interior styles including minimalist, modern farmhouse, industrial, and commercial aesthetics. Its unique pivoting mechanism allows for adjustable tilt, providing convenience for users of all heights and adaptability for uneven wall surfaces.



Image: The TETOTE Pivot Mirror installed above a bathroom vanity, showcasing its design and functionality.

KEY FEATURES

- **Elegant Aesthetic Design:** Features an exquisite beveled mirror, elegant rounded corners, and a refined curved frame with an advanced matte finish.
- **Versatile Adjustable Tilt Angle:** Allows the mirror to tilt up or down, ideal for various user heights and accommodating uneven walls with wainscoting or outlets.
- **Stable Halt-and-Hold Mechanism:** Upgraded damping design ensures long-term stable positioning with a simple one-hand push, eliminating the need for re-tightening.
- **Enhanced Safety:** Reinforced dual-screw attachment securely connects the mirror to the brackets, preventing slipping or falling. Features a shatterproof film to prevent shards from splashing in case of breakage.
- **Durable Construction:** Boasts a robust aluminum frame with perfectly joined corners, anodizing finish for moisture-proof, waterproof, and rust-resistant properties, making it ideal for bathroom environments.
- **Flexible Mounting:** Can be mounted both horizontally and vertically to fit various spaces.

- **Crystal-Clear Reflections:** Offers crisp, true-to-life reflections with no distortion.



Image: Detailed view highlighting the beveled mirror and elegant rounded corners.

TETOTE

Stable, Safe, Simple to Use

Ours



- ✓ Adjustable tilt for precision
- ✓ Stable halt-and-hold
- ✓ Easy one-handed operation
- ✓ Safety brackets prevent falling


The rest



- ✗ Easily loose and unstable
- ✗ Prone to slip out and unsafe
- ✗ Difficult use involving loosening and re-tightening

Image: Illustration demonstrating the stable halt-and-hold feature compared to other mirrors.

TETOTE



Clear & True Reflections

- Crisp Imaging
- No Distortion
- Shatterproof

Image: Visual representation of the mirror's crisp imaging and lack of distortion.




Image: Explanation of the shatter-proof film for safety.

SETUP AND INSTALLATION

The TETOTE Pivot Mirror is designed for effortless installation. Please follow these steps carefully to ensure secure mounting.

Effortless Installation



Mount the 2 brackets to the mirror



Outline the bracket on the positioning paper and mark the holes.



Confirm locations, drill at the marked spots and apply wall anchors



Lift up the mirror to the drill holes and secure the brackets to the wall

Image: Visual guide for the four-step installation process.

1. **Mount Brackets:** Mount the two pivot brackets securely to the mirror frame.
2. **Outline and Mark:** Use the provided positioning paper to outline the bracket locations on your wall and mark the drill holes precisely.
3. **Drill and Anchor:** Confirm the marked locations, then drill at these spots and insert the appropriate wall anchors.
4. **Secure Mirror:** Lift the mirror and align the brackets with the drilled holes, then secure the brackets to the wall using the provided screws.

Choosing the Right Wall Anchors

Selecting the correct wall anchor is crucial for secure installation. Refer to the table below based on your wall thickness:



Image: Guide for selecting appropriate wall anchors and drill bits.

Thickness of Wall	Recommended Wall Anchor	Recommended Drill Bit
≥5/8" (16mm)	Expansion Anchors	1/4" (6mm) drill bit, drilling depth in 31/32" (50mm)
5/16"-5/8" (8-16mm)	Butterfly Anchors	25/64" (10mm) drill bit
≤5/16" (8mm)	Unapplicable	

Notice: Please check the wall thickness and ensure you select the correct anchors for mirror installation.

OPERATING INSTRUCTIONS

The TETOTE Pivot Mirror is designed for ease of use with its adjustable tilt feature. The upgraded damping technology ensures the mirror remains securely in your desired position.

- **Adjusting Tilt:** Simply apply gentle pressure with one hand to the top or bottom edge of the mirror to tilt it up or down. The damping mechanism will hold the mirror firmly in place at the chosen angle.
- **Optimal Viewing:** Adjust the tilt to suit your height or viewing preference. This feature is particularly useful for families with varying heights or for viewing more of your body, similar to a full-length mirror.
- **Horizontal/Vertical Orientation:** The mirror can be installed in either horizontal or vertical orientation, providing flexibility to best suit your space and needs.

TETOTE

Suitable for Your Whole Family



Suitable for Uneven Walls



Image: The mirror's versatility for different family members and wall types.

TETOTE



Flexible Mounting to Meet Various Space Needs

Image: Demonstrating the flexible horizontal and vertical mounting options.

MAINTENANCE

To ensure the longevity and pristine appearance of your TETOTE Pivot Mirror, follow these simple maintenance guidelines:

- **Cleaning the Mirror Surface:** Use a soft, lint-free cloth and a non-abrasive glass cleaner. Spray the cleaner onto the cloth, not directly onto the mirror, to avoid liquid seeping into the frame edges. Wipe gently until clean and streak-free.
- **Cleaning the Frame:** The aluminum frame is moisture-proof, waterproof, and rust-resistant. Wipe the frame with a soft, damp cloth. For stubborn spots, a mild soap solution can be used, followed by drying with a clean, dry cloth. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- **Inspecting Components:** Periodically check the pivot mechanisms and mounting brackets to ensure they remain secure. While the damping design ensures long-term stability, a quick visual inspection can help identify any potential issues early.
- **Avoid Excessive Force:** When adjusting the mirror's tilt, use gentle, even pressure. Avoid sudden or excessive force, which is unnecessary due to the smooth damping mechanism.

TROUBLESHOOTING

While the TETOTE Pivot Mirror is designed for reliable performance, should you encounter any issues, please consider the following:

- **Mirror Not Holding Tilt:** Ensure the pivot mechanisms are clean and free of debris. The upgraded damping design should provide stable hold. If the issue persists, re-check the tightness of the screws connecting the mirror to the brackets, ensuring they are snug but not overtightened.
- **Mirror Appears Loose on Wall:** This indicates that the wall anchors or screws may not be fully secure. Refer to the "Setup and Installation" section to re-verify the installation steps, especially the selection of appropriate wall anchors for your wall type and thickness.
- **Distorted Reflection:** Ensure the mirror surface is clean. If distortion persists, it is highly unlikely for a TETOTE mirror due to its crisp imaging quality. Contact customer support if you suspect a manufacturing defect.
- **Damage During Shipping:** Our product packaging has passed impact, drop, and heavy pressure tests. However, in the rare event of a damaged or chipped mirror upon arrival, please refer to the Warranty and Support section for replacement service.

For any issues not covered here, or if troubleshooting steps do not resolve the problem, please contact TETOTE customer support for assistance.

SPECIFICATIONS

Specification	Detail
Brand	TETOTE
Model	B0D92XZXVQ
Product Dimensions	24"L x 20"W
Color	Matte Black
Shape	Rectangular
Frame Material	Aluminum
Mounting Type	Wall Mount
Style	Modern
Special Features	Adjustable, Beveled, Moisture Resistant, Rustproof, Shatterproof
Item Weight	12 Pounds
Assembly Required	No

Specification	Detail
Date First Available	July 8, 2024

WARRANTY AND SUPPORT

TETOTE is committed to providing consumers with premium mirrors and excellent customer experience. We believe that mirrors capture the essence of your daily moments and inspire an elevated life.

- **Warranty:** TETOTE offers a 2-year warranty on this product.
- **Technical Support:** Enjoy 5-year technical support for any product-related inquiries or assistance.
- **Replacements:** We offer a full replacement service for any damaged or chipped mirrors. Our product packaging has passed rigorous impact, drop, and heavy pressure tests to ensure safe delivery.
- **Customer Service:** Our dedicated customer support team is available 24/7 to assist you whenever you need help.

How to Contact Support

If you have any questions about our products or your order, please find us on Amazon by following these steps:

1. Open the product page and click 'Sold by "TETOTE"'.
2. Click 'Ask a question' and you will get a reply from Seller Messaging Assistant, then click 'An item for sale'.
3. Click 'something else' from the reply and continue to click 'Product details'. You will see a message box after that.

Please leave us a message, and you will receive our reply within 24 hours.

THE RIGHT WALL ANCHORS TO APPLY

Thickness of Wall	Recommended Wall Anchor	Recommended Drill Bit
>5/8" (16mm)	 Expansion Anchors	1/4" (6mm) drill bit, drilling depth in 31/32" (50mm)
5/16"-5/8" (8-16mm)	 Butterfly Anchors	25/64" (10mm) drill bit
<5/16" (8mm)	Unapplicable	

Notice: Please check the wall thickness and ensure you select the correct anchors for mirror installation.

Image: TETOTE's commitment to reliable support and customer satisfaction.

