

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Anautin](#) /

> [Anautin 60 LED Ring Light User Manual](#)

## Anautin D6

# Anautin 60 LED Ring Light

**Model:** D6

User Instruction Manual

## 1. INTRODUCTION

---

Thank you for choosing the Anautin 60 LED Ring Light. This portable and versatile lighting solution is designed to enhance your photos, videos, and online presence by providing optimal illumination. With adjustable brightness, three distinct light modes, and a high Color Rendering Index (CRI), it ensures you always look your best. This manual provides detailed instructions for setup, operation, maintenance, and troubleshooting to help you get the most out of your device.

## 2. SAFETY INFORMATION

---

- Do not expose the device to water or excessive moisture.
- Avoid dropping or subjecting the device to strong impacts.
- Keep out of reach of children.
- Do not attempt to disassemble or repair the device yourself. Contact customer support for assistance.
- Use only the provided USB Type-C cable for charging.
- Do not look directly into the LED lights for extended periods, as it may cause eye strain.

## 3. PACKAGE CONTENTS

---

- Anautin 60 LED Ring Light
- Front & Back Clip Mount
- Hot Shoe Mount Adapter
- USB Type-C Charging Cable
- User Manual (this document)



Image: The Anautin 60 LED Ring Light, showing the main light unit, the versatile clip mount, and the hot shoe adapter for camera attachment.

## 4. SETUP

### 4.1 Charging the Device

Before first use, fully charge the Anautin 60 LED Ring Light. The device features a 2500mAh rechargeable battery.

1. Locate the USB Type-C charging port on the side of the ring light.
2. Connect the provided USB Type-C cable to the charging port.
3. Plug the other end of the USB cable into a compatible USB power source (e.g., laptop, PC, power bank, or wall adapter).
4. The charging indicator lights will illuminate, showing the charging status. A full charge takes approximately 3 hours.
5. The device can be used while charging for continuous lighting output.

## 2500 mAh high capacity batter

3 hours fast charging and last 15 hours continuous lighting



Type-C



15Hrs  
Standby Time



Fast Charging



2500 mAh



Image: The Anautin 60 LED Ring Light connected to a power adapter via its USB Type-C port, illustrating the charging process.

### 4.2 Attaching the Clip/Mount

The Anautin 60 LED Ring Light comes with a versatile clip mount and a hot shoe adapter for various applications.

1. **For Clip Attachment:** Align the base of the ring light with the slot on the clip mount. Slide the light onto the clip until it clicks securely into place. The clip can then be attached to smartphones, tablets, laptops, or other thin surfaces.
2. **For Hot Shoe Attachment (Cameras):** If using with a camera, detach the clip mount by pressing the release button (if applicable) and sliding it off. Then, slide the hot shoe adapter onto the base of the ring light. Secure the hot shoe adapter into your camera's hot shoe mount.




Image: Visual guide demonstrating the detachable nature of the clip mount and how it slides onto the light unit.

## Adjustable Angle & Wide Application

Detachable for portability  
Silicone pads are non-slip and don't hurt the machine



left-right adjustment



4.5\*4.5\*2.2 in



Removable



Silicone Mat

Image: Illustrations detailing the installation and removal process, along with the up-down adjustment and 360-degree revolve capability when mounted.

## 5. OPERATING INSTRUCTIONS

### 5.1 Power On/Off

- Press and hold the power button (usually marked with a circle and a vertical line) on the back of the light for 2-3 seconds to turn it on or off.

### 5.2 Adjusting Brightness

- Once powered on, short press the '+' button to increase brightness.
- Short press the '-' button to decrease brightness.
- The light offers 10 levels of brightness adjustment.

### 5.3 Changing Light Modes (Color Temperature)

- Short press the mode button (usually marked with a sun or light bulb icon) to cycle through the three available light modes: Cool Light, Warm Light, and Cold-Warm Light.
- The color temperature ranges from 2500K (Warm) to 6500K (Cool).



## 3 Lightning Modes

Provide the desired lightning for selfies/videos



fluorescent light



10 LECELS



incandescent lamp



10 LECELS



fluorescent light



10 LECELS

Image: Illustration of the three distinct lighting modes (cool, warm, and mixed) and their respective brightness levels, demonstrating the versatility of the light.



Image: A visual representation of the adjustable color temperature from 2500K to 6500K and the 10 brightness levels, highlighting the light's customization options.

### 5.4 Universal Application

The Anautin 60 LED Ring Light is designed for broad compatibility:

- **Smartphones & Tablets:** Use the clip mount to attach the light directly to your device for improved selfies, video calls, or content creation.
- **Laptops:** Clip the light onto your laptop screen for better lighting during video conferences, online classes, or streaming.
- **Cameras:** Utilize the hot shoe adapter to mount the light on your DSLR or mirrorless camera for enhanced photography and videography.



Image: Examples of the Anautin ring light in various applications, including attached to a laptop for video calls, mounted on a camera, used for makeup illumination, and clipped onto a smartphone for mobile content creation.




Image: A side-by-side comparison showing the significant improvement in lighting when using the Anautin ring light with a laptop in a dimly lit environment.

## 6. MAINTENANCE

### 6.1 Cleaning

- Ensure the device is turned off and unplugged before cleaning.
- Wipe the surface of the light and clip with a soft, dry, lint-free cloth.
- Do not use abrasive cleaners, solvents, or harsh chemicals.

### 6.2 Storage

- Store the device in a cool, dry place away from direct sunlight and extreme temperatures.
- If storing for an extended period, charge the battery to approximately 50% every 3-6 months to maintain battery health.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	Battery is depleted.	Charge the device using the provided USB Type-C cable.
Light is dim or flickers.	Low battery.	Recharge the device.
Cannot change brightness or mode.	Buttons not responding.	Ensure the device is powered on. Try turning it off and on again.
Device not charging.	Faulty cable or power source.	Try a different USB Type-C cable or a different USB power adapter. Ensure connections are secure.
Clip does not hold securely.	Surface is too thick or too thin.	Ensure the surface thickness is within the clip's capacity. The clip is designed for most standard phone, tablet, and laptop screens.

## 8. SPECIFICATIONS

- **Model:** D6
- **Brand:** Anautin
- **LED Count:** 60
- **Battery Capacity:** 2500mAh Lithium Polymer (included)
- **Charging Port:** USB Type-C
- **Color Temperature:** 2500K - 6500K (Adjustable)
- **Light Modes:** 3 (Cool, Warm, Cold-Warm)
- **Brightness Levels:** 10
- **Color Rendering Index (CRI):** 97+
- **Weight:** Approximately 90 grams (0.2 lb)
- **Dimensions (Light Unit):** Approximately 4.5 x 4.5 x 2.2 inches (11.4 x 11.4 x 5.6 cm)
- **Connectivity Technology:** USB
- **Water Resistance Level:** Not Water Resistant



### Adjustable Scheduling & Removable for Easy Portability

1. Net Weight 3.5oz
2. Individual product weight 7.8oz



Image: Detailed dimensions of the Anautin ring light, highlighting its compact and lightweight design, making it easily

portable in a small bag.



Image: A visual demonstration of the Color Rendering Index (CRI) feature, showing how a higher CRI (97+) accurately restores true colors, illustrated with a vibrant image of strawberries.

## 9. WARRANTY & SUPPORT

Anautin provides comprehensive 12-month support and top-tier after-sales service for this product. If you encounter any issues or have questions regarding your Anautin 60 LED Ring Light, please do not hesitate to contact our customer support team. We are committed to ensuring your smooth experience and satisfaction.

Please refer to your purchase documentation for specific contact details or visit the official Anautin website for support information.