

Xelleyte ZQ02357

Xelleyte 230W Eternalblade Stage Lights User Manual

Model: ZQ02357

Brand: Xelleyte

1. INTRODUCTION AND OVERVIEW

The Xelleyte 230W Eternalblade Stage Lights are advanced 7R beam moving head fixtures designed to produce powerful and versatile lighting effects for various indoor stage and venue applications. These lights incorporate sophisticated optics and a robust design to ensure high performance and reliability. With a wide array of color, gobo, and prism effects, they offer extensive creative possibilities for lighting professionals and enthusiasts.

2. WHAT'S IN THE BOX

Upon opening your Xelleyte 230W Eternalblade Stage Lights package, you should find the following components:

- Xelleyte 230W Eternalblade Stage Light Unit(s) (Quantity: 6)
- Power Cord(s)
- XLR Cable(s) (for DMX connection)
- Quick-lock Lamp Hook Brackets (2 per unit)
- User Manual (this document)



Figure 2.1: Contents of the Xelleye 230W Eternalblade Stage Lights package (6-pack shown).

3. SPECIFICATIONS

Feature	Description
Model Number	ZQ02357
Color	Black
Shape	Rectangular
Material	Acrylonitrile Butadiene Styrene (ABS), Plastic
Finish Type	Painted
Light Source Type	Light Emitting Diode (27x0.5W RGB 3-in-1 LEDs)
Power Source	Corded Electric

Voltage	230 Volts (DC)
Light Source Wattage	230 Watts
Mounting Type	Floor Mount or Stand Mount
Product Dimensions	11.4"L x 9.4"W x 17.7"H
Control Channels	18 standard DMX512 channels, RDM protocol
Color Effects	13 kinds of color and rainbow effects
Gobo Effects	14 kinds of linear color mixing gobos
Prism Effects	48-Facet Prism and scaling effects
Lamp Life	2000 hours



Figure 3.1: Product Dimensions.




Figure 3.2: Optical Specifications.

4. SETUP

The Xelletye Eternalblade Stage Lights are designed for easy installation and flexible placement. Each unit is equipped with two quick-lock lamp hook brackets for rapid setup and removal, enhancing mobility for various events.

4.1 Mounting Options

- **Floor Mount:** The fixture can be placed directly on the floor using its stable base.
- **Stand Mount:** Utilize the quick-lock lamp hook brackets to securely attach the light to a compatible lighting stand or truss system. Ensure the mounting surface or stand can safely support the weight of the unit(s).



NO DEAD ANGLE ADJUSTMENT

Figure 4.1: Mounting and Movement Capabilities (540° Pan, 270° Tilt).

5. OPERATING MODES

The Xelleye Eternalblade Stage Lights offer a variety of operating modes to suit different event requirements and control preferences.

5.1 Control Interface

The unit features an LCD display with adjustable controls (Up, Down, Menu, Enter/OK) for direct configuration. It supports 18 standard DMX512 channels and RDM protocol for advanced control, including two-way addressing functionality.

5.2 Light Effects and Features

- **Color Effects:** Produces 13 distinct colors and various rainbow effects.
- **Gobo Effects:** Features 14 kinds of linear color mixing gobos for diverse pattern projections.
- **Prism Effects:** Equipped with a 48-facet prism and scaling effects to create dynamic visual displays.
- **Strobe Function:** The 27x0.5W LED apertures can strobe simultaneously or individually, offering multiple built-in operating effects.
- **Sound Activated Mode:** A built-in microphone enables voice control effects, allowing the light to react to sound.
- **Master-Slave Mode:** Multiple units can be linked for synchronized operation.



Figure 5.1: Key Features and Control Options.

BETTER IN STAGE EFFECT

- Richer in Colors
- 14 Gobos




Figure 5.2: Color and Gobo Options.



Figure 5.3: Examples of Light Effects.

6. MAINTENANCE

To ensure the longevity and optimal performance of your Xelletye Eternalblade Stage Lights, regular maintenance is recommended.

- **Cleaning:** Periodically clean the exterior of the unit with a soft, dry cloth. Ensure the lens is free from dust and smudges to maintain beam clarity.
- **Ventilation:** The unit features a unique heat dissipation design. Ensure that the ventilation openings are not obstructed to prevent overheating.
- **Storage:** When not in use, store the lights in a dry, dust-free environment, preferably in their original packaging or a protective case.

7. TROUBLESHOOTING

This section provides guidance for common issues you might encounter with your stage lights.

- **ERR Indicator:** If the ERR indicator light is continuously on, check the status message displayed on the LCD for specific fault information. This feature is designed for convenient and timely handling of issues.
- **No Power:** Ensure the power cord is securely connected to both the unit and a working power outlet. Check the fuse on the unit's back panel.
- **No Light Output:** Verify that the unit is powered on and in an active operating mode. Check DMX connections if using external control.
- **Movement Issues:** Ensure the unit is placed on a stable surface or securely mounted. Check for any physical obstructions to the moving head.

For more complex issues or if troubleshooting steps do not resolve the problem, please refer to the 'Warranty and Support' section.

8. WARRANTY AND SUPPORT

Xelleye is committed to providing high-quality products and excellent customer service. Your Xelleye 230W Eternalblade Stage Lights are designed for high efficiency and low energy consumption, with a unique heat dissipation system to ensure equipment life and stability.

This product includes professional guidance instructions. While specific warranty terms are not detailed in this manual, Xelleye offers customer support to assist with any issues or questions you may have.

If you require assistance, please contact Xelleye customer support. We aim to reply within 24 hours and help you resolve any problem.

Contact Information:

Please refer to the contact details provided on the product packaging or the official Xelleye website for the most current support information.

9. OFFICIAL PRODUCT VIDEOS

No official product videos from the seller are available for embedding based on the provided criteria.

