Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

PKPOWER NF10V-0.75C-DC

PKPower 10V AC/DC Adapter Instruction Manual

For PetSafe Healthy Pet Simply Feed Dog Cat Auto Feeders

1. Introduction

This manual provides essential information for the safe and effective use of your PKPower 10V AC/DC Adapter. Please read these instructions carefully before use and retain them for future reference. This adapter is designed to provide reliable power to compatible PetSafe Healthy Pet Simply Feed automatic pet feeders.

2. Product Overview

The PKPower 10V AC/DC Adapter is a power supply unit designed to convert standard AC wall power to the 10V DC required by specific PetSafe automatic pet feeders. It features a durable design and a 6.6-foot cable for flexible placement.

2.1 Compatibility

This adapter is compatible with the following PetSafe Healthy Pet Simply Feed models:

- PetSafe Healthy Pet Simply Feed Dog Cat Auto Feeder
- PAC00-15478
- 16023
- PFD00-14574
- 15788
- PFD19-15521
- NF10V-0.75C-DC
- 650-190-3
- SPS-03C10-0.75C-US



This image displays the PKPower 10V AC/DC adapter, a compact black unit with a standard US two-prong plug, connected to a long black power cord.

3. Safety Information

Your safety is paramount. This PKPower adapter incorporates multiple safety features to ensure reliable and secure operation.

- **Overcharge Protection:** Prevents damage from excessive charging.
- **Overvoltage Protection:** Safeguards against voltage spikes.

- **Short-circuit Protection:** Automatically cuts power in case of a short circuit.
- **Overcurrent Protection:** Protects against excessive current flow.
- **Over Temperature Protection:** Prevents overheating of the adapter.

Always ensure the adapter is used in a dry environment and avoid exposing it to water or excessive moisture. Do not attempt to open or repair the adapter yourself. If the adapter appears damaged, discontinue use immediately.



This graphic highlights the safety features of the PKPower adapter, including protection against overcharge, overvoltage, short-circuit, overcurrent, and over-temperature.

4. Setup

1. **Unpack:** Carefully remove the PKPower 10V AC/DC Adapter from its packaging.
2. **Connect to Feeder:** Locate the power input port on your PetSafe Healthy Pet Simply Feed automatic feeder. Insert the barrel connector of the PKPower adapter firmly into this port.
3. **Connect to Power Outlet:** Plug the two-prong end of the adapter into a standard 100-240V AC wall outlet. Ensure the outlet is easily accessible and not overloaded.

4. **Verify Power:** Once connected, your pet feeder should receive power. Refer to your feeder's manual for specific power indicator lights or startup procedures.

5. Operation

The PKPower 10V AC/DC Adapter operates continuously once connected to a power source and a compatible device. It provides a stable 10V DC output to power your PetSafe feeder. No user interaction is required for the adapter's operation beyond initial setup.

Ensure the adapter is always plugged into a functional wall outlet to maintain continuous power to your pet feeder, especially if the feeder relies solely on AC power for its functions.

6. Maintenance

- **Cleaning:** Disconnect the adapter from the wall outlet and the feeder before cleaning. Use a soft, dry cloth to wipe the exterior of the adapter. Do not use liquid cleaners or abrasive materials.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Inspection:** Periodically inspect the adapter and its cable for any signs of damage, such as cuts, frayed wires, or bent prongs. If damage is observed, discontinue use and replace the adapter.

7. Troubleshooting

If your pet feeder is not receiving power, consider the following:

- **Check Connections:** Ensure the adapter's barrel connector is fully inserted into the feeder's power port and the adapter is securely plugged into the wall outlet.
- **Test Outlet:** Plug another device into the wall outlet to confirm it is functional.
- **Inspect Adapter:** Examine the adapter and its cable for any visible damage. If damaged, replace the adapter.
- **Feeder Issues:** If the adapter appears functional, consult your PetSafe feeder's instruction manual for troubleshooting steps related to the feeder itself.

8. Specifications

Model	NF10V-0.75C-DC
Input Voltage	100-240V AC, 50/60Hz
Output Voltage	10V DC
Cable Length	6.6 feet (approximately 2 meters)
Product Dimensions	5 x 2.5 x 1.2 inches (approximate)
Item Weight	3 ounces (approximate)
Connector Type	Standard DC Barrel Connector



This image shows the physical dimensions of the PKPower adapter: 2.76 inches in length, 1.18 inches in width, and 1.57 inches in height.

9. Warranty and Support

PKPower provides a 12-month warranty for this AC/DC adapter, ensuring protection for your purchase. This warranty covers manufacturing defects and ensures reliable operation under normal use conditions.

For any questions, concerns, or support needs regarding your PKPower adapter, please contact the seller or PKPower customer service. Contact information can typically be found on the product packaging or the retailer's website where the product was purchased.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0D94213YD

More documents and user manuals: **https://manuals.plus/**