

Zarker XD35

Zarker XD35 3-Digit Combination Lock User Manual

Model: XD35

INTRODUCTION

The Zarker XD35 is a durable 3-digit combination padlock designed for various security needs. Its robust construction of zinc alloy and plated steel ensures reliable protection for your belongings. This manual provides detailed instructions on how to set up, operate, and maintain your lock.

Key Features:

- **Enhanced Security:** Features 4 internal security pins, offering superior protection compared to standard locks with only one pin.
- **3-Digit Resettable Combination:** Easily set and reset your personal 3-digit code without the need for additional tools.
- **Frontal Alignment Dial:** Designed for convenient use, allowing easy combination setting and viewing even in confined spaces.
- **Durable Construction:** Made from zinc alloy and plated steel for long-lasting performance.
- **Versatile Use:** Ideal for school lockers, gym lockers, cabinet lockers, fences, and toolboxes.

SETUP: SETTING YOUR COMBINATION

Your Zarker XD35 combination lock comes with a factory-set combination, typically found on a sticker on the back of the lock. Follow these steps to set your personalized 3-digit combination:

1. **Open the Shackle:** Align the initial password (factory-set combination) with the red line on the front of the lock. Pull the shackle upwards to open the lock.
2. **Rotate the Shackle:** With the shackle open, turn it 90 degrees counter-clockwise. There is a small groove on the lock body where the shackle will align.
3. **Set New Combination:** While holding the shackle pressed down into the lock body (in the 90-degree rotated position), rotate the dials to your desired 3-digit combination. Ensure the numbers are clearly aligned with the red line.
4. **Complete Setting:** Lift the shackle back up, then rotate it back to its original open position (0 degrees). Scramble the dials to lock the new combination. Your new combination is now set.

EXISTING DIAL LOCKS :

INCONVENIENT BECAUSE OF HAVING TO TWIST LOCKS FOR CHECKING IN A NARROW SPACE
DUE TO A SIDE ALIGNMENT METHOD
EASY TO RELEASE BECAUSE INTERNAL LOCK SECURITY PINS ARE SMALL AND EASY TO SEE



SECURITY PIN

SECURITY PIN EXPOSED



FRONT ALIGNMENT

PASSWORD FRONT
ALIGNMENT METHOD

MATERAIL

ZINC ALLOY AND
PLATED STEEL



Image: Step-by-step guide for setting your personal 3-digit combination on the Zarker XD35 lock.

OPERATING THE LOCK

Using your Zarker XD35 combination lock is straightforward:

- **To Unlock:** Rotate the dials to your set 3-digit combination, ensuring each number is precisely aligned with the red indicator line. Pull the shackle upwards to open the lock.
- **To Lock:** Close the shackle by pushing it down into the lock body. Once the shackle is fully seated, scramble the dials to a random set of numbers. This secures the lock.

FRONTAL ALIGNMENT DIAL:

CONVENIENT TO USE EVEN IN A NARROW SPACE THANKS TO THE FRONTAL ALIGNMENT DIAL.



 **ZARKER®**

Image: The frontal alignment dial design of the Zarker XD35 for convenient use.

MAINTENANCE

To ensure the longevity and smooth operation of your Zarker XD35 combination lock, follow these simple maintenance guidelines:

- **Keep Clean:** Periodically wipe the lock body and dials with a soft, dry cloth to remove dust and grime.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, solvents, or harsh chemicals, as these can damage the finish or internal mechanisms.
- **Lubrication (Optional):** If the dials become stiff over time, a small amount of graphite lubricant (powdered graphite) can be applied to the moving parts. Avoid oil-based lubricants as they can attract dirt.
- **Storage:** When not in use, store the lock in a dry environment to prevent corrosion.

TROUBLESHOOTING

If you encounter issues with your Zarker XD35 lock, consider the following:

- **Lock Will Not Open:**
 - Ensure the combination is correctly aligned with the red indicator line. Even a slight misalignment can prevent opening.
 - Verify you are using the correct combination. If you recently changed it, ensure you are using the new code.
 - Try rotating the dials back and forth a few times to ensure all internal components are free.
- **Difficulty Changing Combination:**
 - Confirm the shackle is fully pulled up and rotated 90 degrees into the groove before pressing it down to set the new code.
 - Ensure the shackle remains pressed down firmly while setting the new numbers.
- **Stiff Dials:**
 - Clean the dials as described in the Maintenance section.
 - Apply a small amount of graphite lubricant if cleaning does not resolve the issue.

Note: If the combination is forgotten, there is no master key or override function. The lock will need to be cut or replaced.

SPECIFICATIONS

Brand	Zarker
Model Name	XD35
Lock Type	Combination Lock
Special Feature	3-Digit Resettable Combination, Frontal Alignment Dial, 4 Security Pins
Material	Zinc Alloy, Plated Steel
Dimensions (L x W x H)	1.4 x 2.5 x 0.7 inches (approximately)
Item Weight	4.6 ounces (0.13 Kilograms)
Recommended Uses	Storage units, lockers, fences, tool boxes




Image: Zarker XD35 Product Size and Weight Diagram.

WARRANTY AND SUPPORT

Specific warranty information for the Zarker XD35 combination lock is not provided in this manual. For details regarding warranty coverage or to contact customer support, please refer to the product packaging or visit the official Zarker website.

For further assistance, you may also contact the seller directly through the platform where the product was purchased.

© 2026 Zarker. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question