Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- KISLOT /
- > KISLOT Wood Bed Frame with Headboard User Manual

KISLOT M003

KISLOT Wood Bed Frame with Headboard User Manual

Model: M003

1. PRODUCT OVERVIEW

The KISLOT Wood Bed Frame with Headboard is designed to provide a comfortable and stylish foundation for your mattress. Featuring a sturdy wooden frame, upholstered headboard, and robust slat support system, this bed frame eliminates the need for a box spring. It is crafted with attention to detail, ensuring durability and ease of assembly.



Figure 1.1: Full view of the assembled KISLOT Wood Bed Frame with Headboard in Oat color.

2. SAFETY INFORMATION

- Ensure all components are present and undamaged before beginning assembly.
- Assemble the bed frame on a soft, clean surface to prevent scratches.
- Do not overtighten screws during assembly to avoid damaging the wood.
- Regularly check all bolts and screws to ensure they remain tight.
- Do not exceed the maximum weight limit of 800 pounds.
- Keep small parts away from children during assembly.

3. SETUP AND ASSEMBLY

Assembly of the KISLOT bed frame is designed to be straightforward, typically taking about 30 minutes with the included mini ratchet wrenches. Follow the steps below for proper setup.

3.1. Unpacking and Component Identification

Carefully unpack all components and lay them out on a clean, soft surface. Verify that all parts listed in the instruction manual are present and undamaged.

UNDER BED STORAGE



9.8 inches off the ground, idea storage space.



Sweeping robot can clean easily.



Figure 3.1: Overview of bed frame components and hardware.

3.2. Frame Assembly

Begin by assembling the main frame components. Connect the side rails to the headboard and footboard using the provided hardware. Ensure all connections are secure but do not fully tighten until all major components are in place.

3.3. Slat Installation

Once the main frame is assembled, install the wooden slats. The bed frame features 16 internal slats for optimal support.

Lay each slat across the support beams and secure them as indicated in the detailed instructions. The thickened hardwood slats offer extra stability and eliminate the need for a box spring.

No Box Spring Needed

Thickened hardwood slats system offers extra stability and it doesn't require a box spring.



Metal Screw

Additional screws are used to fix the frame, ensuring that the bed does not move during use, providing more security..

Durable frame

Featuring a real wood (not MDFI) frame, our bed offers the durable support for you and your mattress need.



Figure 3.2: Close-up view of wooden slats being installed into the bed frame.



Figure 3.3: Detail of the thickened hardwood slats providing mattress support.

Attach the solid wood cone-shaped legs to the frame. Ensure the extra 4 central support legs are also securely attached. Once all components are in place, go back and fully tighten all screws and bolts using the mini ratchet wrenches. Felt sponge pads are pre-applied to the legs to protect your floors and reduce noise.




Figure 3.4: Detail of a bed leg attachment point.



Figure 3.5: Close-up of the felt sponge pads on the bed legs, designed to protect floors and reduce noise.

4. OPERATING AND USAGE

The KISLOT bed frame is designed for optimal comfort and support. Place your mattress directly onto the wooden slats; no box spring is required. The embedded design of the bed frame helps prevent the mattress from slipping out.

4.1. Mattress Compatibility

This bed frame is compatible with full-size mattresses. For optimal support and aesthetic, a mattress thickness between 8 and 14 inches is recommended.

MATTRESS GUARD

Fix Your Mattress- The bed end embedded design prevents the mattress from slipping out.



Figure 4.1: Diagram illustrating the recommended mattress thickness range (8-14 inches) for the bed frame.

4.2. Under-Bed Storage

The bed frame offers 9.8 inches of clearance underneath, providing convenient storage space. This height also allows for easy cleaning, including the use of robot vacuums.




Figure 4.2: Image demonstrating the 9.8-inch under-bed clearance, ideal for storage and cleaning.

5. MAINTENANCE

Proper maintenance will ensure the longevity and appearance of your KISLOT bed frame.

5.1. Cleaning the Upholstered Headboard

The upholstered headboard is made from cotton and linen fabric. For cleaning, **dry clean only** is recommended to maintain its quality and appearance.



Figure 5.1: Close-up of the upholstered headboard fabric texture.

5.2. Cleaning the Wooden Frame

Wipe the wooden frame with a soft, damp cloth. Avoid using harsh chemicals or abrasive cleaners, as these can damage the wood finish.

5.3. Regular Checks

Periodically inspect all connections, including bolts and screws, to ensure they are tight. Retighten if necessary to maintain the bed frame's stability and prevent squeaking.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your bed frame.

6.1. Squeaking Noises

- Cause: Loose connections or friction between parts.
- **Solution:** Check and tighten all bolts and screws. Ensure the felt sponge pads on the legs are intact and properly positioned to minimize noise.

6.2. Mattress Slipping

- Cause: Mattress not properly seated or bed frame not level.
- **Solution:** Ensure the mattress is centered on the slats. The bed end embedded design is intended to prevent slipping. Verify the bed frame is on a flat, level surface.

6.3. Parts Not Fitting During Assembly

- Cause: Misalignment, damaged parts, or incorrect orientation.
- **Solution:** Double-check the assembly instructions and diagrams to ensure parts are oriented correctly. If a part appears bent or damaged, contact customer support for assistance. Do not force parts together.

7. SPECIFICATIONS

Feature	Description
Brand	KISLOT
Model Number	M003

Size	Full
Color	Oat
Product Dimensions	80.12"L x 58.27"W x 47.24"H
Upholstery Fabric Type	Cotton, Linen
Weight Limit	800 Pounds
Item Weight	73.7 Pounds
Assembly Required	Yes
Special Feature	Upholstered Headboard, No Box Spring Needed
Included Components	Headboard, Frame, Slats, Hardware




Figure 7.1: Detailed dimensions for the Full Size KISLOT Bed Frame.

8. WARRANTY AND SUPPORT

with your purchase or contact KISLOT customer support directly. Protection plans may also be available for purchase. For further assistance, troubleshooting, or to inquire about replacement parts, please visit the official KISLOT Store or contact their customer service department.

Visit the KISLOT Store

Related Documents - M003



TeckNet M003 Cordless Mouse User Manual

This document provides instructions and specifications for the TeckNet M003 Cordless Mouse, including material details, printing information, and compliance notes.



Eco Guard M003 Instruction Manual - Installation and Operation Guide

Comprehensive instruction manual for the Eco Guard M003, covering installation, operation, maintenance, and troubleshooting. Learn how to effectively use and care for your Eco Guard product.



RENPHO R-M003 Air Purifier User Manual

This user manual provides comprehensive instructions for the RENPHO R-M003 Air Purifier, covering safe operation, installation, product specifications, control panel functions, and maintenance for optimal indoor air quality.



Skullcandy Sesh True Wireless In-Ear Earbuds User Guide and Warranty

Comprehensive user guide for Skullcandy Sesh True Wireless In-Ear Earbuds, covering setup, controls, charging, and important safety and warranty information.



Frifri MULTEX Waffle Maker Operating Instructions

Comprehensive operating instructions for the Frifri MULTEX waffle maker, covering safety, usage, maintenance, and warranty information. Includes details on adjustable thermostat and available waffle irons.



TECKNET M003 Cordless Mouse User Manual - Setup, Specifications, and Troubleshooting

Comprehensive user manual for the TECKNET M003 Cordless Mouse. Includes setup instructions, technical specifications, troubleshooting guide, safety information, and warranty details.