



[Manuals.plus](#) /

› [LOEFME](#) /

› LOEFME 1000ml Mini Dehumidifier User Manual

LOEFME Loefme-MD307A

LOEFME 1000ml Mini Dehumidifier User Manual

Model: Loefme-MD307A

1. INTRODUCTION

Thank you for choosing the LOEFME 1000ml Mini Dehumidifier. This compact and portable dehumidifier is designed to efficiently remove excess moisture from small spaces, helping to prevent dampness, mold, and musty odors. It features ultra-quiet operation and a 7-color LED light function for enhanced ambiance. Please read this manual thoroughly before operation to ensure proper use and maintenance.



Image 1.1: The LOEFME 1000ml Mini Dehumidifier, showing its compact design and top air outlet.

2. SAFETY INSTRUCTIONS

To ensure safe operation and prevent damage, please adhere to the following safety guidelines:

- Ensure the device is properly grounded.
- Do not use the device if the power cord or plug is damaged.
- Always unplug the device before cleaning or maintenance.

- Keep the device out of reach of children and pets.
- Do not allow children to play with the device.
- Do not use the dehumidifier outdoors.
- Do not use this device for purposes other than intended.

WARNING:

1. Electrical Safety:

- Ensure the device is properly grounded.
- Do not use the device if the power cord or plug is damaged.
- Always unplug the device before cleaning or maintenance.

2. Children and Pets:

- Keep the device out of reach of children and pets.
- Do not allow children to play with the device.

3. Usage Restrictions:

- Do not use the dehumidifier outdoors.
- Do not use the device for purposes other than intended.

NOTE: Read the user manual carefully before using the device.

Model: MD307A
Output Voltage Current: 9V/2.5A
Output Power: 22.5W
Production Batch No.: 20240630001

Manufacturer/Exporter: Shen Zhen Xin Sheng Shang Technology Co., LTD.
Production Site: 701 7th Floor, Building E, Huihong Industrial Park,
Fenggang Town, Dongguan City,
Guangdong Province, China
Zip Code: 523697
Phone: +86 13312941702
E-mail: support@icefme.com

UK

REP

Company: APEX CE SPECIALISTS LIMITED
Address: 89 Princess Street, Manchester, M1 4HT, UK
Contact: Wells
Tel: +441616371080
E-Mail: info@apex-ce.com

EC

REP

Company: Apex CE Specialists GmbH
Address: Habichtweg 1, 41468 Neuss, Germany
Contact: Wells Yan
Tel: +353212066339
E-Mail: info@apex-ce.com



MADE IN CHINA



Image 2.1: Important safety warnings printed on the product packaging, emphasizing electrical safety and proper usage.

3. PRODUCT COMPONENTS

The LOEFME Mini Dehumidifier consists of the main unit, a removable water tank, and a power adapter.

- **Main Unit:** Houses the dehumidifying mechanism, control panel, and air vents.
- **Water Tank:** Collects condensed moisture. It has a 1000ml capacity.
- **Power Adapter:** Connects the dehumidifier to an electrical outlet.

4. SETUP

Follow these steps to set up your dehumidifier for the first time:

1. Unpack the dehumidifier and all its components from the packaging.
2. Place the dehumidifier on a flat, stable surface in the desired location. Ensure there is adequate space around the unit (at least 10 cm) for proper airflow.
3. Ensure the water tank is correctly inserted into the main unit.
4. Connect the power adapter to the dehumidifier's power input port, then plug the adapter into a suitable electrical outlet.

5. OPERATION

The LOEFME Mini Dehumidifier is designed for easy operation.

5.1 Power On/Off

To turn the unit on, press the power button on the control panel. Press it again to turn off the unit.

Easy Operation

Easy to use, just plug it in and turn on the power.



Image 5.1: The top control panel of the dehumidifier, showing the power button and other function controls.

5.2 Dehumidification Modes

The dehumidifier operates continuously to remove moisture. It is capable of extracting up to 350ml of water per day in an environment of 30°C and 80% relative humidity.



Image 5.2: Visual representation of the dehumidifier's high efficiency, indicating a reduction from 80% humidity to 45%.

5.3 Quiet Operation

The dehumidifier is designed for ultra-quiet operation, with noise levels below 35dB, making it suitable for bedrooms and other quiet environments.

No Burden on Sleep

With a unique technology, the noise is lower during the dehumidification process.



26dB
fallen leaves

Below 35dB
Our dehumidifier

46dB
Library



Image 5.3: The dehumidifier positioned in a bedroom, illustrating its low noise level for undisturbed sleep.

5.4 7-Color LED Light Function

The dehumidifier features an integrated 7-color LED ambient light. This function can be toggled on or off independently of the dehumidification process, providing a customizable lighting experience.

Not Only A Dehumidifier

LOEFME dehumidifier comes with 7 color LED ambient light, giving you a sense of ritual.



Image 5.4: The dehumidifier displaying its multi-color LED ambient light feature in a room setting.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your dehumidifier.

6.1 Emptying the Water Tank


When the water tank is full, the dehumidifier will automatically shut off and the indicator light may turn red. Empty the tank as follows:

1. Gently pull out the water tank from the back of the unit.
2. Carefully take off the lid of the water tank.
3. Dump the collected water.
4. Replace the lid and slide the empty water tank back into the dehumidifier until it clicks into place.

1000ML

Large Water Capacity

Up to 350ml/day in 30°C and 80%RH environment



Pull out the water tank, take off the lid



Take off the lid carefully



Dump water and put back the tank

Image 6.1: A visual guide demonstrating the three steps to remove, empty, and reinsert the 1000ml water tank.

6.2 Cleaning the Unit

Wipe the exterior of the dehumidifier with a soft, damp cloth. Do not use abrasive cleaners or solvents. Ensure the unit is unplugged before cleaning.

7. PLACEMENT AND USAGE AREAS

The LOEFME Mini Dehumidifier is ideal for small spaces where excess moisture is a concern. Proper placement enhances its effectiveness.

- **Suitable Areas:** Bedrooms, bathrooms, wardrobes, cloakrooms, studies, and small kitchens.
- **Benefits:** Helps prevent wet walls, reduces musty odors, and protects appliances from moisture damage.



Image 7.1: Illustration showing the LOEFME dehumidifier's suitability for various small indoor environments such as bedrooms, bathrooms, and cloakrooms.



Image 7.2: Visual representation of how the dehumidifier contributes to a better living environment by addressing issues like wet walls, musty odors, and protecting appliances.

8. TROUBLESHOOTING

If you encounter issues with your dehumidifier, refer to the table below for common problems and solutions.

Problem	Possible Cause	Solution
Dehumidifier not turning on	No power supply; Power cord or adapter damaged; Water tank full or not properly inserted.	Check power connection; Inspect power cord/adaptor for damage; Empty and reinsert water tank correctly.
No water collected	Humidity level too low; Room temperature too low; Air vents blocked.	Ensure humidity is above 45% RH; Operate in temperatures above 15°C; Clear any obstructions from air vents.

Problem	Possible Cause	Solution
Unit is noisy	Unit not on a flat surface; Obstruction in fan.	Place on a stable, flat surface; Check for and remove any obstructions.
LED lights not working	Light function turned off.	Press the light button on the control panel to activate.

If the problem persists after trying these solutions, please contact customer support.

9. SPECIFICATIONS

Feature	Detail
Brand	LOEFME
Model Number	Loefme-MD307A
Color	Ivory
Capacity (Water Tank)	1000 Milliliters
Dehumidification Capacity	Up to 350ml/day (at 30°C, 80% RH)
Product Dimensions	10.04"D x 7.48"W x 6.3"H (approx. 25.5cm D x 19cm W x 16cm H)
Item Weight	1.1 Kilograms (2.42 pounds)
Wattage	22.5 watts
Operation Mode	Sleep (Quiet Operation)
Special Features	Portable, Quiet Operation, 7-Color LED lights

More Suitable for Small Spaces

LOEFME dehumidifier, easy to move, convenient to use, dehumidification without pressure.



Image 9.1: The LOEFME dehumidifier with its dimensions (130mm, 160mm, 219mm) clearly marked, highlighting its compact size.

10. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the product packaging or contact LOEFME customer service through your point of purchase. Keep your purchase receipt as proof of purchase.