

[Manuals.plus](#) /

› [JATERSERN](#) /

› JATERSERN 12V AC Adapter for Acoustic Research AWSF9R/AWSF9RBK Wireless Speakers User Manual

JATERSERN AWSF9R

JATERSERN 12V AC Adapter for Acoustic Research AWSF9R/AWSF9RBK Wireless Speakers User Manual

Model: AWSF9R

1. PRODUCT OVERVIEW

The JATERSERN 12V AC Adapter is designed as a reliable power supply and charger for compatible Acoustic Research wireless speakers. This adapter ensures efficient and safe charging, featuring a durable design and multiple built-in safety protections.



Image: JATERSERN 12V AC Adapter connected to an Acoustic Research wireless speaker.

2. COMPATIBILITY

This charger is specifically designed for the following Acoustic Research Portable Outdoor Wireless Speaker models:

- Acoustic Research AWSF9R
- Acoustic Research AWSF9RBK
- Acoustic Research VIXAWSF9R

Please verify your speaker's model number to ensure compatibility before use.

Replacement for Acoustic Research Portable Wireless Speaker



Image: Compatible Acoustic Research speaker models (AWSF9RBK, AWSF9R) and the charger with connectors.

3. SETUP INSTRUCTIONS

Follow these steps to set up and begin charging your speaker:

1. **Connect to Speaker:** Insert the DC connector of the adapter into the charging port of your Acoustic Research wireless speaker. Ensure a secure connection.
2. **Connect to Power Outlet:** Plug the AC adapter into a standard 100V-240V wall outlet.
3. **Verify Connection:** The indicator light on the adapter will illuminate green, indicating a successful power connection and charging status.

Power Supply for Acoustic Research Outdoor Wireless Speaker



Image: Speaker connected to the charger and power outlet.

4. OPERATING INSTRUCTIONS

Once connected, the adapter will automatically begin charging your speaker. The green indicator light on the adapter signifies that it is receiving power and actively charging the device. No further user interaction is required during the charging process.

- **Green light stays on when plugged in**



Image: Green indicator light on the adapter when plugged in.


5. SAFETY INFORMATION AND PROTECTION

The JATERSERN 12V AC Adapter is equipped with multiple international certifications (FCC, CE) and built-in safety features to protect your device and ensure safe operation:

- **Over Voltage Protection:** Prevents damage from excessive voltage input.
- **Over Current Protection:** Safeguards against current surges.
- **Over Charge Protection:** Protects the battery from overcharging.
- **Over Temperature Protection:** Prevents overheating during operation.
- **Short Circuit Protection:** Automatically cuts power in case of a short circuit.
- **Over Load Protection:** Manages power delivery to prevent overloading.

Multiple Protection

Multiple international certifications,
safe charging without damage to the device.



Over Voltage
Protection



Over Current
Protection



Over Charge
Protection



Over Temperature
Protection



Short Circuit
Protection

Image: Visual representation of the adapter's multiple protection features.

6. SPECIFICATIONS

Feature	Specification
Input Voltage	100V-240V AC, 50/60Hz
Output Voltage	Max 12V DC
Output Current	1 Amp
Wattage	12 Watts
Power Cord Length	5 ft (1.5 meters)
Item Weight	3.52 ounces
Package Dimensions	3.98 x 2.76 x 1.85 inches
Certifications	FCC, CE

Compact Size

1.5M/5FT Extra Long Enough Power Cord



Image: Compact size and dimensions of the adapter.

Durable Wire and Connector

PVC cables are more durable, flexible, and stronger.



Cable Durable



Pure Copper Core

10000+

Our Cable

5000+

Other Cables



Image: Durable wire and pure copper core construction.

7. MAINTENANCE

To ensure the longevity and optimal performance of your JATERSERN AC Adapter, please observe the following maintenance guidelines:

- **Keep Dry:** Avoid exposing the adapter to water, moisture, or high humidity.
- **Clean Gently:** Use a soft, dry cloth to clean the adapter. Do not use liquid cleaners or aerosols.
- **Avoid Extreme Temperatures:** Do not operate or store the adapter in excessively hot or cold environments.
- **Handle with Care:** Avoid dropping or subjecting the adapter to strong impacts. Do not pull the cable forcefully when unplugging.
- **Proper Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight.

8. TROUBLESHOOTING

If you encounter issues with your JATERSERN AC Adapter, please refer to the following common troubleshooting steps:

- **No Power/Not Charging:**

- Ensure the adapter is securely plugged into both the speaker and a functional wall outlet.
- Test the wall outlet with another device to confirm it is supplying power.
- Verify that your speaker model is listed as compatible with this adapter.
- **Adapter Overheating:**
 - Unplug the adapter immediately.
 - Ensure the adapter is not covered or placed in an area with poor ventilation.
 - If overheating persists after cooling, discontinue use and contact customer support.
- **Loose Connection:**
 - Check the DC connector for any damage or debris.
 - Ensure the connector is fully inserted into the speaker's charging port.

If these steps do not resolve the issue, please contact JATERSERN customer service for further assistance.

9. WARRANTY AND SUPPORT

JATERSERN provides the following support for this product:

- **Exchange Policy:** 365 days exchange for product defects.
- **Refund Policy:** 30 days refund from the date of purchase.
- **Customer Service:** 24-hour customer service is available to assist with any questions regarding your order or the product.

For support, please refer to the contact information provided with your purchase or visit the official JATERSERN store page.