

[manuals.plus](#) /

› [Lexicon](#) /

› [Lexicon LP-1000-W-SO 32x19 Quartz Kitchen Sink User Manual](#)

Lexicon LP-1000-W-SO

Lexicon LP-1000-W-SO 32x19 Quartz Kitchen Sink User Manual

Model: LP-1000-W-SO

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Lexicon LP-1000-W-SO 32x19 Quartz Kitchen Sink. Please read this manual thoroughly before beginning installation or use to ensure proper function and longevity of your product. Retain this manual for future reference.



Figure 1: Lexicon LP-1000-W-SO Quartz Kitchen Sink (Front View)

2. SAFETY INFORMATION

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves during installation.
- Ensure the countertop material and cabinet structure can support the weight of the sink and its

contents.

- Turn off the water supply before beginning any plumbing work.
- If you are unsure about any installation steps, consult a qualified plumber or professional installer.
- Do not use abrasive cleaners or harsh chemicals on the sink surface, as this may damage the finish.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation.

- Lexicon LP-1000-W-SO Quartz Kitchen Sink
- Mounting Clips
- Sink Cut-Out Template
- Instruction Manual (This document)

Note: Drain assembly (basket strainer or disposal flange) is not included and must be purchased separately. Recommended accessories include LG-SB-W (basket drain strainer) and LG-DF-W (disposal flange).

4. PRODUCT OVERVIEW AND FEATURES

The Lexicon LP-1000-W-SO is a single-bowl kitchen sink crafted from 80% natural quartz and acrylic resin, providing a durable, smooth, and non-porous surface. Its design allows for both drop-in and undermount installation.



80% Quartz Composition



Heat & Impact Resistant



Sleek Corners



Scratch & Stain Resistant



**Non-Porous
Easy to Clean**



Sound Insulation



Figure 2: Key Features of Lexicon Quartz Sink

Key Features:

- 80% Quartz Composition:** Made from premium natural quartz for exceptional durability.
- Scratch and Stain Resistant:** Maintains its appearance over time.
- Heat and Impact Resistant:** Designed to withstand daily kitchen use.
- Non-Porous and Easy to Clean:** Smooth surface prevents food particles from sticking and resists bacterial growth.
- Sleek Corners:** Modern design with gently curved corners for easier cleaning.
- Sound Insulation:** Reduces noise from dishes and running water.

5. SPECIFICATIONS


Specification	Detail
Model Number	LP-1000-W-SO
Brand	Lexicon

Specification	Detail
Material	Granite, Quartz (80% Quartz Composite)
Overall Dimensions (L x W x H)	32" L x 19" W x 9.75" H
Bowl Depth	9 inches
Minimum Cabinet Size	35 inches
Installation Type	Drop-in and Undermount (Dual Mount)
Drain Type	Standard 3-1/2 inch rear drain (drain not included)
Finish Type	Matte
Shape	Rectangular
Item Weight	59 Pounds
UPC	860012342839

Sink Dimension

LP-1000-W-SO

LEXICON™



Model #: LP-1000-W-SO
Length: 32"
Width: 19"
Depth: 9"
Min Cabinet Size: 35"

9" Deep Bowl

Single bowl with spacious depth, providing ample workspace to manage your day-to-day dish load efficiently.

Figure 3: Sink Dimensions

Sink Specification

LP-1000-W-SO

LEXICON™

Specifications and dimensions are not guaranteed and are subject to change without notice.

OVERALL
32" x 19"

BOWL
DEPTH
9"

DRAIN
DIAMETER
3-1/2"






Figure 4: Sink Specification Diagram

6. INSTALLATION INSTRUCTIONS

This sink supports both drop-in (topmount) and undermount installation. Ensure your cabinet is at least 35 inches wide to accommodate the sink.




Figure 5: Dual Mount Options (Topmount and Undermount)

6.1. Pre-Installation Steps

1. **Review Local Codes:** Consult local plumbing and building codes before installation.
2. **Inspect Sink:** Carefully inspect the sink for any damage prior to installation. Do not install a damaged sink.
3. **Gather Tools:** Ensure you have all necessary tools, including a jigsaw, drill, sealant, measuring tape, and safety equipment.
4. **Prepare Countertop:** Use the provided cut-out template to mark the opening on your countertop. For undermount installation, ensure the cut-out is slightly smaller than the sink rim. For drop-in, the cut-out should match the inner rim of the sink.
5. **Cut Countertop:** Carefully cut the opening in the countertop using a jigsaw. Smooth any rough edges.

6.2. Undermount Installation

1. Apply a continuous bead of silicone sealant around the perimeter of the sink's top edge where it will contact the countertop.
2. Carefully lift the sink into position from underneath the countertop, aligning it with the cut-out.
3. Secure the sink using the provided mounting clips. Attach the clips to the underside of the countertop

and tighten them evenly until the sink is firmly held in place. Do not overtighten.

4. Wipe away any excess sealant immediately.

6.3. Drop-in (Topmount) Installation

1. Apply a continuous bead of silicone sealant around the perimeter of the countertop cut-out.
 2. Carefully lower the sink into the opening, ensuring it is properly aligned.
 3. From underneath the countertop, attach the provided mounting clips to the sink rim and tighten them evenly until the sink is firmly seated. Do not overtighten.
 4. Wipe away any excess sealant immediately.

6.4. Drain and Faucet Installation

1. Install your chosen drain assembly (basket strainer or disposal flange) according to its manufacturer's instructions. Ensure a watertight seal.
 2. Install your kitchen faucet into the pre-drilled faucet hole(s) on your countertop or directly into the sink if applicable, following the faucet manufacturer's instructions.
 3. Connect all plumbing lines and check for leaks.




Figure 6: Optional Drain Accessories (Sold Separately)

7. OPERATION

Your Lexicon quartz kitchen sink is designed for everyday use in food preparation and dishwashing. Ensure the drain is clear before filling the sink with water. Avoid dropping heavy or sharp objects into the sink, which could cause damage.

8. MAINTENANCE AND CARE

Proper care will help maintain the beauty and longevity of your quartz sink.

- **Regular Cleaning:** Clean your quartz sink regularly using a non-abrasive sponge or soft cloth and

mild dishwashing soap. Rinse thoroughly with water and dry completely with a clean, soft cloth to prevent water spots and mineral buildup.

- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, steel wool, scouring pads, or harsh chemicals such as oven cleaners, paint removers, or strong acids/alkalis, as these can damage the sink's surface.
- **Prevent Stains:** Rinse the sink immediately after contact with highly pigmented foods (e.g., coffee, tea, red wine) or strong dyes to prevent potential staining.
- **Heat Resistance:** While the sink is heat resistant, it is recommended to use a trivet or hot pad for extremely hot pots and pans to prevent thermal shock or discoloration over time.
- **Hard Water Areas:** In areas with hard water, mineral deposits may accumulate. Use a diluted vinegar solution or a specialized quartz sink cleaner to remove these deposits, then rinse thoroughly.

9. TROUBLESHOOTING

Problem	Possible Cause	Solution
Water Leaks Around Drain	Improperly sealed drain assembly.	Ensure drain assembly is installed correctly with plumber's putty or silicone sealant. Tighten all connections.
Water Spots/Mineral Buildup	Hard water deposits.	Clean regularly with a mild detergent. For stubborn spots, use a diluted vinegar solution or a specialized quartz cleaner, then rinse and dry.
Slow Drainage	Drain partially clogged.	Remove the drain stopper and clear any debris. Use a drain cleaner safe for plumbing if necessary.
Surface Discoloration	Exposure to strong dyes or harsh chemicals.	For minor discoloration, try a non-abrasive cleaner. Avoid contact with strong chemicals. Contact manufacturer if severe.

10. WARRANTY INFORMATION

For specific warranty details regarding your Lexicon LP-1000-W-SO Quartz Kitchen Sink, please refer to the warranty documentation provided at the time of purchase or contact Lexicon customer support directly. Protection plans may be available for extended coverage.

11. CUSTOMER SUPPORT

If you have any questions, require assistance, or need to report an issue with your Lexicon product, please contact Lexicon customer support. Visit the official Lexicon website for contact information or refer to your purchase documentation.

Online Support: [Visit the Lexicon Store on Amazon](#)