

[Manuals.plus](#) /

> [Dasbecan](#) /

> Dasbecan LED Tail Light Assembly User Manual for 2022-2024 Chevrolet Traverse (Left Driver Side), Model 86785340

Dasbecan 86785340

Dasbecan LED Tail Light Assembly User Manual

FOR 2022-2024 CHEVROLET TRAVERSE (LEFT DRIVER SIDE) - MODEL 86785340

1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your new Dasbecan LED Tail Light Assembly. This product is designed as a direct replacement for the left (driver side) rear lamp on specific Chevrolet Traverse models, ensuring optimal performance and safety.

2. Compatibility

This Dasbecan LED Tail Light Assembly is compatible with the following vehicle models and years:

- 2022 Chevrolet Traverse
- 2023 Chevrolet Traverse
- 2024 Chevrolet Traverse

It replaces OEM part numbers **86785340** and **2574100**.

VEHICLE FITMENT

Compatible with **Chevrolet/Chevy**:

- 2022-2023 Chevrolet/Chevy Traverse

Manufacturer Part Number:

- 86785340
- 2574100




Image 2.1: Vehicle Fitment for Dasbecan Tail Light Assembly. This image illustrates the compatible vehicle model, a Chevrolet Traverse, and lists the compatible years (2022-2023) along with the manufacturer part numbers (86785340, 2574100).

3. Features

The Dasbecan LED Tail Light Assembly offers several key features designed for performance and durability:

- **LED Light Source:** Provides brighter illumination compared to traditional bulbs, enhancing visibility in various weather conditions.
- **Multi-functionality:** Combines running, braking, reversing, and turn signal functions.
- **OEM Standard:** Manufactured to meet or exceed original equipment manufacturer specifications for fit and function.
- **Durable Construction:** Made from high-quality, waterproof, dustproof, and anti-fog materials for extended lifespan.
- **Direct Installation:** Includes necessary bulbs and wiring harness for a plug-and-play setup.




Image 3.1: Product Features. This image visually lists the key features of the tail light assembly, including its combined functions (running, braking, reversing, turn signal), ease of roadside assistance, pre-shipping testing, high performance, and OEM standard plug-and-play design.

4. Package Contents

Upon opening the package, verify that all components are present and undamaged:

- 1 x Left Driver Side Tail Light Assembly (with integrated bulbs and wiring harness)

5. Safety Information

Always prioritize safety when working on your vehicle. Failure to follow these guidelines may result in injury or damage to the vehicle.

- Ensure the vehicle is turned off and the parking brake is engaged before beginning any work.
- Disconnect the vehicle's battery to prevent electrical shorts or accidental activation of electrical components.
- Wear appropriate personal protective equipment, such as gloves and eye protection.
- If you are unsure about any step, consult a qualified automotive technician.

6. Installation Instructions

The following steps outline the general procedure for replacing the tail light assembly. Specific vehicle trim may vary slightly.

1. **Prepare the Vehicle:** Park the vehicle on a level surface, engage the parking brake, and turn off the engine. Open the rear hatch or trunk to access the tail light area.
2. **Access Mounting Bolts:** Locate the access panel or trim pieces that cover the tail light mounting bolts from inside the trunk/hatch area. Carefully remove these panels using appropriate trim removal tools.
3. **Remove Mounting Bolts:** Identify and remove the bolts or nuts securing the tail light assembly to the vehicle body. There are typically 2-3 bolts.
4. **Detach Tail Light Assembly:** Gently pull the old tail light assembly straight out from the vehicle. It may be held in place by alignment pins or clips. Avoid excessive force.
5. **Disconnect Electrical Connector:** Once the assembly is loose, carefully disconnect the electrical wiring harness connector by pressing the release tab and pulling apart.
6. **Inspect New Assembly:** Before installation, visually inspect the new Dasbecan tail light assembly for any damage and ensure the electrical connector matches your vehicle's harness.
7. **Connect New Assembly:** Plug the vehicle's electrical wiring harness into the new tail light assembly's connector. Ensure it clicks securely into place.
8. **Test Functionality:** Before fully securing, temporarily re-connect the vehicle's battery (if disconnected) and test all tail light functions (running lights, brake lights, turn signals, reverse lights) to ensure proper operation. Disconnect the battery again after testing.
9. **Mount New Assembly:** Align the new tail light assembly with the mounting holes and alignment pins on the vehicle body. Push it firmly into place.
10. **Secure Mounting Bolts:** Reinstall the mounting bolts or nuts and tighten them securely, but do not overtighten.
11. **Reinstall Trim Panels:** Reattach any removed access panels or trim pieces.
12. **Final Check:** Reconnect the vehicle's battery, close the rear hatch/trunk, and perform a final check of all tail light functions.

OEM MANUFACTURER STANDARDS

TAIL LIGHT ASSEMBLY



Image 6.1: Rear View of Tail Light Assembly. This image provides a detailed view of the back of the tail light, highlighting the high-quality plastic construction and the precise plug design for secure and correct installation.



EASY INSTALLATION

Chevy Traverse taillight With bulb and wiring harness, direct installation



RELIABLE QUALITY

Chevrolet Traverse tail light is made of high quality materials, Waterproof, dustproof, anti-fog and Reliable



OEM STANDARD

This taillight is an LED light source as bright as your original taillight.

Image 6.2: Installation and Quality Features. This image shows various aspects of the tail light, emphasizing easy installation, reliable quality, and adherence to OEM standards, including a bright LED light source.

7. Operating Instructions

The Dasbecan LED Tail Light Assembly operates automatically in conjunction with your vehicle's electrical system. No manual operation is required for the tail light itself.

- **Running Lights:** Activate when the vehicle's headlights or parking lights are turned on.
- **Brake Lights:** Illuminate when the brake pedal is pressed.
- **Turn Signals:** Flash when the turn signal lever is activated.
- **Reverse Lights:** Illuminate when the vehicle is shifted into reverse gear.

8. Maintenance

To ensure the longevity and optimal performance of your tail light assembly, follow these simple maintenance guidelines:

- **Regular Cleaning:** Clean the lens periodically with a soft cloth and mild automotive soap to remove dirt, dust, and road grime. Avoid abrasive cleaners or harsh chemicals that could damage the plastic lens.
- **Visual Inspection:** Periodically check the tail light for any signs of damage, cracks, or moisture intrusion. Ensure all lights are functioning correctly.
- **Wiring Check:** Occasionally inspect the wiring harness connection to ensure it remains secure and free from corrosion.

9. Troubleshooting

If you encounter issues with your tail light assembly, consider the following common troubleshooting steps:

- **Light Not Functioning:**
 - Check the electrical connection to ensure it is fully seated and secure.
 - Inspect the vehicle's fuse box for a blown fuse related to the tail lights. Replace if necessary.
 - Verify that the vehicle's battery has sufficient charge.
- **Flickering Light:**
 - Ensure the electrical connector is clean and free of corrosion.
 - Check for any loose wiring connections.
- **Moisture Inside Lens:**
 - Small amounts of condensation can occur due to temperature changes and usually dissipate.
 - If significant water accumulation or persistent moisture is present, inspect the seal around the assembly and contact customer support.

If these steps do not resolve the issue, please contact Dasbecan customer support for further assistance.

10. Specifications

Attribute	Detail
Brand	Dasbecan

Attribute	Detail
Model Number	86785340
Compatible Vehicles	2022-2024 Chevrolet Traverse
Side	Left Driver Side
Light Source Type	LED
Lens Color	Red
Lens Material	Plastic
Special Features	Waterproof, Dustproof, Anti-fog
Item Weight	4.59 pounds
Package Dimensions	22.25 x 9.75 x 7.6 inches

11. Warranty and Support

Dasbecan products are manufactured to high-quality standards. For specific warranty information regarding your tail light assembly, please refer to the warranty card included with your purchase or visit the official Dasbecan website.

For technical support, installation assistance, or warranty claims, please contact Dasbecan customer service through the retailer where the product was purchased or via the contact information provided on the Dasbecan brand website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question