

[Manuals.plus](#) /

> [ARIEL](#) /

> ARIEL 43 inch Bathroom Vanity Top User Manual

ARIEL ARL1-WQ-43L-CT-OS

ARIEL 43 Inch Bathroom Vanity Top User Manual

Model: ARL1-WQ-43L-CT-OS

1. INTRODUCTION

Thank you for choosing the ARIEL 43 inch bathroom vanity top with sink. This manual provides essential information for the safe installation, operation, and maintenance of your new vanity top. Please read it thoroughly before beginning installation and keep it for future reference.

2. SAFETY INFORMATION

Always follow basic safety precautions when installing or maintaining this product to reduce the risk of injury or damage.

- Ensure all local plumbing and building codes are met.
- Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves during installation.
- The vanity top is heavy. Use proper lifting techniques or seek assistance to prevent injury.
- Turn off the main water supply before beginning any plumbing work.
- Handle the quartz top with care to avoid chipping or cracking.
- This product contains materials known to the State of California to cause cancer and birth defects or other reproductive harm (Proposition 65 warning).

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation. If any parts are missing or damaged, contact ARIEL customer service immediately.

- ARIEL 43 inch Quartz Vanity Top with integrated sink
- Matching 4-inch Backsplash
- Porcelain UPC Certified Sink (pre-attached to vanity top)

Note: Faucet and sidesplash are *not* included. Sidesplash is available separately from the ARIEL store.

4. SETUP AND INSTALLATION

This section outlines the general steps for installing your ARIEL vanity top. Professional installation is recommended.

4.1 Tools and Materials Required (Not Included)

- Silicone sealant (mildew-resistant)
- Adjustable wrench
- Plumber's putty
- Level
- Measuring tape
- Safety glasses and gloves

4.2 Pre-Installation Checklist

1. Ensure the vanity cabinet is properly installed, level, and securely fastened to the wall.
2. Verify that the plumbing rough-ins (water supply lines and drain) are correctly positioned and accessible.
3. Clean the top surface of the vanity cabinet where the new top will rest.

4.3 Installation Steps

1. **Position the Vanity Top:** Carefully lift the vanity top and place it onto the vanity cabinet. Ensure it is centered and aligned with the cabinet edges.
2. **Check for Level:** Use a level to confirm the vanity top is perfectly level. Make any necessary adjustments to the cabinet or use shims if required.
3. **Secure the Top:** Apply a continuous bead of silicone sealant along the top edges of the vanity cabinet where the vanity top will sit. Carefully lower the vanity top into place. Apply pressure to ensure good adhesion.
4. **Install Faucet and Drain Assembly:** Install your chosen faucet and drain assembly according to their respective manufacturer's instructions. The vanity top is pre-drilled for 8-inch widespread faucets.
5. **Connect Plumbing:** Connect the water supply lines to the faucet and the drain assembly to the P-trap. Ensure all connections are tight to prevent leaks.
6. **Install Backsplash:** Apply a bead of silicone sealant to the back edge of the vanity top where the backsplash will sit. Press the backsplash firmly into place. Apply a thin bead of silicone along the seam where the backsplash meets the wall and the vanity top for a watertight seal.
7. **Test for Leaks:** Turn on the main water supply and check all plumbing connections for leaks. Run water through the faucet and into the sink to ensure proper drainage.
8. **Cure Time:** Allow the silicone sealant to cure completely as per the manufacturer's instructions before heavy use.




Image: Detailed dimensions of the ARIEL 43 inch vanity top, showing length, width, sink dimensions, and backsplash height.



Image: A close-up view of the ARIEL vanity top installed with a faucet, soap dispenser, and other bathroom accessories, highlighting the 1.5-inch thick miter edge and 4-inch backsplash.

5. OPERATING INSTRUCTIONS

The ARIEL vanity top is designed for daily use in a bathroom environment. Once properly installed, operate your faucet and drain as per their individual manufacturer's instructions. The quartz surface is highly durable and resistant to stains and scratches, making it ideal for regular bathroom activities.

6. MAINTENANCE AND CARE

Proper care will ensure the longevity and beauty of your ARIEL Quartz vanity top.

6.1 Daily Cleaning

- Wipe with a dry cloth after each use to prevent water spots and mineral buildup.

- For general cleaning, use a soft cloth or sponge with mild soap and warm water.
- Rinse thoroughly with clean water and dry the surface to prevent streaking.

6.2 Stain Removal

- For stubborn stains, use a non-abrasive household cleaner specifically designed for quartz or stone surfaces.
- Avoid harsh chemicals, abrasive cleaners, scouring pads, or strong acids/alkalines, as these can damage the polished surface.
- Immediately wipe up spills, especially those from highly pigmented liquids like nail polish, hair dye, or strong cleaning agents.

6.3 General Tips

- Do not place hot items directly on the surface without protection.
- Avoid dropping heavy or sharp objects on the vanity top, as this can cause chipping or cracking.
- The quartz surface is double-polished and sealed for longevity, preventing discoloration and fading. No additional sealing is typically required.




Image: A detailed view of the smooth, polished surface of the ARIEL quartz vanity top, emphasizing its clean white appearance.

7. TROUBLESHOOTING

This section addresses common issues you might encounter. For problems not listed here, please contact customer support.

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Water leaks around sink or faucet	Loose plumbing connections; insufficient sealant	Tighten all connections. Apply additional silicone sealant where necessary.
Slow drainage	Partial clog in drain pipe or P-trap	Clear any obstructions from the drain assembly or P-trap.
Surface appears dull or stained	Residue buildup; improper cleaning agents	Clean with mild soap and water. For stubborn marks, use a quartz-safe cleaner. Avoid abrasive materials.
Vanity top not level	Cabinet not level; improper shimming	Adjust the vanity cabinet or use shims underneath the vanity top to achieve a level surface.

8. SPECIFICATIONS

Feature	Detail
Brand	ARIEL
Model Number	ARL1-WQ-43L-CT-OS
Product Dimensions	22"D x 43"W x 12.95"H
Material	Pure White Quartz (polished)
Sink Type	Oval Porcelain (UPC Certified, Undermount)
Faucet Hole Drilling	Pre-drilled for 8-inch widespread faucets
Edge Type	1.5 Inch Thick Miter Edge
Backsplash Included	Yes, 4-inch matching backsplash
Item Weight	120 Pounds
Country of Origin	Vietnam

ARIEL  ★★★★★		OTHER ONE  ★★	
Quartz Stone		vs	Cultured Stone
	Elegant 1.5 inch thick miter edg		Countertop thickness 0.75 inch
	High hardness and Stains resistance		Easy to appear scratches
	Don't turn yellow for long time		Afraid of strong acid alkaline liquid
	Overflow UPC Porcelain Certified sink		

Image: A comparison chart highlighting the superior properties of ARIEL Quartz Stone (1.5 inch thick miter edge, high hardness, stain resistance, long-term color stability, UPC certified sink) against generic Cultured Stone (0.75 inch thickness, easy scratches, yellowing, sensitive to acids).

9. WARRANTY AND SUPPORT

ARIEL products are manufactured to the highest quality standards. For specific warranty details, please refer to the warranty card included with your product or visit the official ARIEL website. ARIEL offers excellent customer service with a dedicated team available to assist you with any problems.

For assistance, please contact ARIEL customer service through the retailer where you purchased the product or visit the ARIEL store online: [ARIEL Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0D9GLQ4K7>

More documents and user manuals: <https://manuals.plus/>