

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Parryware](#) /

› [Parryware Linea Plus Concealed Flush Tank E812099 User Manual](#)

Parryware E812099



Parryware Linea Plus Concealed Flush Tank E812099 User Manual

Model: E812099

1. PRODUCT OVERVIEW

The Parryware Linea Plus Concealed Flush Tank E812099 is an in-wall toilet flush tank designed for modern bathrooms, specifically for use with wall-hung commodes. Its compact and space-saving design integrates seamlessly into your bathroom architecture, providing a clean and contemporary aesthetic.

Key features include a durable construction, water-saving dual flush mechanism, and noiseless operation.



Image 1.1: The Parryware Linea Plus Concealed Flush Tank E812099, showcasing its compact design and integrated flush plate.



Image 1.2: Overview of the Linea Plus Concealed Cistern highlighting features such as 80mm slim tank, leak-proof design, noiseless operation, water-saving capabilities, easy installation, and maintenance.

2. INSTALLATION GUIDE

The Linea Plus Concealed Flush Tank is designed for straightforward installation behind a wall, making it ideal for wall-mounted toilets. Professional installation is recommended to ensure proper function and compliance with local plumbing codes.

2.1 Components

- Concealed Cistern (HDPE)
- Galvanized Iron (GI) Frame (if applicable to specific variant)
- Flush Plate Mechanism
- Brass Angle Valve

2.2 Installation Steps (General)

1. **Prepare Wall Cavity:** Ensure the wall cavity meets the required dimensions for the concealed tank

(approximately 40 x 10 x 40 cm).

2. **Mount the Frame:** Securely mount the galvanized iron frame (if included) within the wall cavity according to the provided template.
3. **Install Cistern:** Position the HDPE cistern within the frame or directly into the cavity, ensuring it is level and stable.
4. **Connect Water Supply:** Connect the water inlet to the brass angle valve on the cistern. Ensure all connections are watertight.
5. **Connect Outlet Pipe:** Connect the cistern's outlet pipe to the wall-hung commode's inlet.
6. **Test for Leaks:** Before closing the wall, fill the tank and check for any leaks.
7. **Install Flush Plate:** Once the wall is finished, install the flush plate onto the access panel.



Image 2.1: Diagram illustrating the concealed flush tank installed behind a wall, connected to a wall-hung toilet.

3. OPERATING INSTRUCTIONS

The Linea Plus Concealed Flush Tank features a water-saving dual flush mechanism, allowing you to choose between a partial or full flush based on your needs.

3.1 Dual Flush Mechanism

- **Half Flush (3 Liters):** Press the smaller button on the flush plate for liquid waste. This option conserves water.
- **Full Flush (6 Liters):** Press the larger button on the flush plate for solid waste. This option provides a more thorough clean.

The tank is designed for silent filling and noiseless operation, ensuring a quiet bathroom environment.




Image 3.1: Illustration explaining the dual flushing mechanism, showing the smaller button for half flush (3 liters) and the larger button for full flush (6 liters).



Image 3.2: The concealed tank in operation, highlighting its silent filling feature for quiet performance.

4. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your Parryware Linea Plus Concealed Flush Tank.

4.1 Cleaning

- Clean the visible flush plate regularly with a soft cloth and mild, non-abrasive cleaner.
- Avoid using harsh chemicals or abrasive materials that could damage the multilayer chrome plating.

4.2 Durability and Leak Prevention

The tank is constructed from high-density polyethylene (HDPE) and features a galvanized iron (GI) frame, ensuring high strength and leak-proof performance. The flush plate is designed with multilayer chrome plating for corrosion resistance.



Image 4.1: Features of the flush plate, including multilayer chrome plating, sleek design, and corrosion resistance.

5. TROUBLESHOOTING

If you encounter any issues with your concealed flush tank, consider the following general troubleshooting steps. For complex problems, it is advisable to contact a qualified plumber or Parryware customer support.

- **Weak Flush:** Check if the water supply valve is fully open. Ensure there are no obstructions in the flush mechanism.
- **Continuous Water Flow:** This may indicate an issue with the fill valve or flush valve seal. Access the tank through the flush plate opening to inspect.
- **Noisy Operation:** While designed for quiet operation, unusual noises might indicate loose components or water pressure issues.
- **Leaks:** Immediately shut off the water supply. Leaks can occur at connection points or due to damaged seals. Professional inspection is recommended.

6. SPECIFICATIONS

Detailed specifications for the Parryware Linea Plus Concealed Flush Tank E812099.

Feature	Specification
Model Number	E812099
Brand	Parryware
Material (Tank)	High-Density Polyethylene (HDPE)
Material (Frame)	Galvanized Iron (GI)
Dimensions (L x W x H)	40 x 10 x 40 Centimeters
Total Tank Capacity	8 Liters
Dual Flush Volume	Half Flush: 3 Liters, Full Flush: 6 Liters
Exterior Finish (Flush Plate)	Stainless Steel (Multilayer Chrome Plating)
Inlet Connection Type	Flange
Outlet Connection Type	Flange
Item Weight	9 kg
Country of Origin	India

7. WARRANTY AND SUPPORT

Parryware is committed to providing quality products and excellent customer service.

7.1 Warranty Information

The Parryware Linea Plus Concealed Flush Tank E812099 comes with a **10-year warranty**. This warranty is valid across India through the extensive Parryware service network. Please retain your purchase receipt for warranty claims.

7.2 Customer Support

For any queries, installation assistance, or service requests, please contact Parryware customer support:

- **Customer Care Number:** 7301 274 274
- **Service Network:** Pan India service team covering over 19,000+ pincodes.

Buy with the trust of *Parryware*



Pan India service team
covering 19,000+ pincodes



Pan India warranty through
Parryware service network



Customer friendly helpline

1M

Trusted by over 1 million
customers over 72 years




International design and
quality standards

Roca


Part of Roca (Spain)
World's No.1 Sanitaryware brand

Image 7.1: Information regarding Parryware's Pan India service, warranty, customer helpline, and association with Roca (Spain).



[Parryware Euclid 3 Inlet Diverter Upper Trim - Product Specification](#)

Product specification for the Parryware Euclid 3 Inlet Diverter Upper Trim, featuring chrome finish, wall-mounted installation, and 3-way diverter functionality. Reference T9966A1.



[Parryware HAWK E TAP DC - CHROME \(T7182A1\) - Sensor Tap Specifications](#)

Detailed specifications for the Parryware HAWK E TAP DC - CHROME sensor tap (Model T7182A1), featuring electronic technology, vandal-proof design, and water/energy saving features for basin installation.