Findepot FD-US-SD1-SD6059T

Findepot Frameless Bathtub Shower Doors Instruction Manual

Model: FD-US-SD1-SD6059T | Brand: Findepot

1. Product Overview

The Findepot Frameless Bathtub Shower Doors are designed to enhance your bathroom with a modern aesthetic and functional convenience. This model features a frameless design with 5/16" (8mm) clear tempered glass, suitable for bathtub openings ranging from 56 to 60 inches in width and 59 inches in height. The design incorporates a silent soft-close mechanism for smooth and quiet operation.



This image shows the Findepot Frameless Bathtub Shower Doors installed in a bathroom setting, demonstrating its appearance over a standard bathtub.

Key Features:


- **Adjustable Width:** Designed for convenience, the adjustable width accommodates various spaces, fitting openings from 56 to 60 inches.
- **Silent Soft-Close Design:** Features large mute pulleys for noiseless opening and closing, preventing impact and extending product life.
- **Easy to Clean Glass:** The glass is treated for easy cleaning, resisting soapy water stains and limescale buildup.
- **Enhanced Safety:** Constructed with 5/16" (8mm) ANSI-certified tempered glass, featuring an explosion-proof film to prevent shattering.
- **Dry and Wet Separation:** Equipped with bottom and side seal strips to effectively prevent water splashes and leaks.
- **Durable Components:** Premium stainless steel components ensure corrosion resistance and long-lasting performance.
- **Integrated Towel Rack:** The stainless steel handle doubles as a convenient towel rack.

2. Safety Information

Your safety is paramount. Please adhere to all safety guidelines during installation and use.

Tempered Glass Safety:

The shower door utilizes 5/16" (8mm) ANSI-certified tempered glass, which is significantly stronger than regular glass. In the rare event of breakage, tempered glass shatters into small, blunt pieces, reducing the risk of injury. Additionally, the glass panel is covered with an explosion-proof film, providing an extra layer of safety by containing glass fragments if the panel breaks.



This image illustrates the robust 5/16 inch (8mm) ANSI-certified tempered glass, emphasizing its strength and the added safety of the explosion-proof film that prevents shattering.

General Safety Precautions:

- Always wear appropriate personal protective equipment (PPE) during installation, including safety glasses and gloves.
- Ensure the installation area is clear of obstructions and well-lit.

- Handle glass panels with extreme care to prevent chipping or breakage.
- Verify that all mounting surfaces are structurally sound and capable of supporting the weight of the shower door.
- Do not overtighten screws, as this can damage components or glass.

3. Components Included

Before beginning installation, ensure all components listed below are present and undamaged:

- Anti-Splash Guard
- Guide Block
- Anti-Fluctuator
- Rollers
- Guide Rail
- Anti-Water Strips
- Upper Guide Rail
- Bumper Strip
- Door Glass
- Glass Brackets
- Stationary Glass
- Wall Jamb
- Roller Guards
- Handle

4. Installation Guide

The Findepot shower door is designed for straightforward installation. Detailed step-by-step instructions and all necessary hardware are included with your product. An installation video is also available to guide you through the process.




This image depicts a person engaged in the installation of the shower door, highlighting the availability of detailed, easy-to-understand instructions provided with the product.

4.1. Preparation

- Carefully unpack all components and verify against the included parts list.
- Measure your bathtub opening precisely to ensure proper fit. The adjustable width allows for a range of 56-60 inches.
- Ensure the installation surface (walls, tub rim) is clean, level, and structurally sound.

4.2. Mounting and Assembly

Follow the step-by-step instructions provided in the manual for drilling, mounting the guide rails, and assembling the glass panels. Pay close attention to the orientation of components.



This diagram explains the reversible mounting feature, allowing the door to be installed for left or right-side opening, and provides overall height, width, walk-in width, and single door width measurements.

The shower door features **reversible mounting**, meaning it can be configured for either left or right-side opening to best suit your bathroom layout.

4.3. Soft-Close System Integration

The soft-close system is integrated with the large mute pulleys, ensuring the door glides smoothly and closes gently without slamming. Ensure these components are aligned correctly during installation for optimal performance.



This image highlights the silent soft-close design, showing the large mute pulleys that ensure quiet and smooth operation, preventing impact against the wall.



This image illustrates the modern bezel-less design and the large solid stainless steel rollers, which allow for a smoother and safer closure and offer 4 inches of width adjustability.

4.4. Sealing for Dry/Wet Separation

Proper installation of the bottom and side seal strips is crucial for preventing water from escaping the shower enclosure. Ensure these strips are securely in place to maintain a dry bathroom floor.



This image shows the bottom and side seal strips, which are designed to prevent water splashes and leaks from escaping the enclosure, keeping the bathroom floor dry.

5. Operation

Operating your Findepot Frameless Bathtub Shower Doors is simple and intuitive.

Sliding Door Operation:

The frameless bathtub shower door slides smoothly to the right or left, depending on your installation preference. The integrated soft-close design ensures the door glides quietly and gently into its closed position, preventing abrupt stops or noise.

Maintaining Dry/Wet Separation:


The design, including the bottom and side seal strips, is engineered to keep water contained within the shower area. Always ensure the door is fully closed during showering to maintain effective dry and wet separation.

6. Maintenance and Care

Proper care will ensure the longevity and pristine appearance of your shower doors.

Glass Cleaning:

The glass features an advanced easy-clean nano-coating, which helps repel water and minimize the buildup of soap scum and limescale. For routine cleaning, simply wipe the glass with a soft cloth and a mild, non-abrasive glass cleaner. Avoid harsh chemicals or abrasive pads that could damage the coating or glass surface.



This image demonstrates the effectiveness of the advanced easy-clean nano-coating on the glass, showing how it repels water and prevents soap scum and limescale buildup compared to untreated glass.

Hardware Maintenance:

The stainless steel components are designed for durability and corrosion resistance. Clean metal parts with a soft, damp cloth. Avoid using abrasive cleaners or steel wool, which can scratch the finish. Regularly check that all screws and fittings are secure, and tighten them if necessary.

7. Troubleshooting

This section addresses common issues you might encounter with your shower door.

Issue: Soft-Close Mechanism Malfunction

Symptom: The door does not close softly, or the mechanism appears to be broken or jammed.

Possible Cause: Internal spring or component within the soft-close mechanism may be damaged or misaligned.

Solution:

1. First, gently inspect the rollers and the track for any obstructions or debris that might be impeding smooth movement. Clean if necessary.
2. Check if the door is properly aligned on the track. Minor adjustments to the rollers or guide rail might resolve alignment issues.
3. If a component of the soft-close mechanism itself is visibly broken (e.g., a spring), replacement parts may be required. Contact Findepot customer support for assistance and potential replacement parts. Note that replacing internal mechanism parts may require professional assistance and temporary removal of the door assembly.

Issue: Water Leaks from Enclosure

Symptom: Water escapes from the shower area onto the bathroom floor.

Possible Cause: Improperly installed or damaged seal strips, or the door is not fully closed.

Solution:

1. Ensure the door is completely closed during showering.
2. Inspect the bottom and side seal strips for any gaps, tears, or signs of wear. Replace any damaged strips.
3. Verify that the seal strips are correctly seated and creating a tight barrier against water.

8. Product Specifications

Detailed specifications for your Findepot Frameless Bathtub Shower Doors:

Specification	Detail
Brand	Findepot
Model Number	FD-US-SD1-SD6059T
Color	Brushed Nickel
Material	Aluminum, Glass
Style	Modern
Item Weight	121 Pounds
Product Dimensions	2.8 x 60 x 59 inches
Size	60x59 For Tub (Adjustable Width 56-60 inches)
Glass Thickness	5/16" (8mm) Tempered Glass
Assembly Required	Yes



This image displays the three available finishes for the shower door's metal components: Matte Black, Brushed Gold, and Brushed Nickel.

9. Warranty and Support

Findepot is committed to customer satisfaction.

Return Policy:

This product is eligible for a 30-day easy return policy. Please refer to the retailer's specific return guidelines for detailed information.

Customer Support:

For any questions regarding installation, operation, maintenance, or if you require replacement parts, please contact Findepot customer support. Our team is available to provide assistance and resolve any issues you may encounter.

Contact information can typically be found on the product packaging or through the retailer's customer service portal.

© 2025 Findepot. All rights reserved.