Findepot FD-US-SD1-GD6059T

Findepot Frameless Bathtub Shower Doors

Model: FD-US-SD1-GD6059T

1. Important Safety Information

Please read all instructions carefully before installation and use. Failure to follow these instructions may result in injury or product damage.

- **Tempered Glass:** This product features 5/16" (8mm) ANSI-certified clear tempered glass, designed for safety. In the rare event of breakage, it shatters into small, blunt pieces to reduce injury risk.
- **Explosion-Proof Film:** The glass panel is covered with an explosion-proof film to prevent debris from scattering if the glass breaks.
- **Heavy Product:** The shower door weighs approximately 121 pounds. Due to its weight and the nature of glass, professional installation is highly recommended. A minimum of two people is required for safe handling and installation.
- **Proper Tools:** Ensure you have all necessary tools and safety equipment before beginning installation.
- **Wall Integrity:** Ensure the wall where the shower door will be installed is structurally sound and capable of supporting the product's weight.




Figure 1: Toughened Explosion-Proof Glass for enhanced safety.

2. Product Components

Before beginning installation, verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

Component	Description
Upper Guide Rail	Main support rail for sliding door.
Anti-Splash Guard	Prevents water from escaping the enclosure.
Wall Jamb	Vertical frame component fixed to the wall.
Handle	Door handle, also functions as a towel rack.

Component	Description
Guide Block	Secures the bottom of the glass panels.
Rollers	Enable smooth sliding of the door panel.
Glass Brackets	Secure glass panels to the guide rail.
Anti-Water Strips	Seals to prevent water leakage.
Bumper Strip	Protects glass edges and ensures quiet closing.
Anti-Fluctuator	Stabilizes the sliding door.
Door Glass	The movable glass panel.
Stationary Glass	The fixed glass panel.
Wall Anchors & Screws	Hardware for securing components to the wall.



Figure 2: Key components of the Findepot shower door system.

3. Installation Instructions

This section provides a general overview of the installation process. For detailed, step-by-step visual guidance, please refer to the official installation video and the included paper manual.

Your browser does not support the video tag.

Video 1: Official Findepot Shower Door Installation Guide. This video provides a visual walkthrough of the entire installation process, from measuring to final adjustments.

3.1 Pre-Installation & Measurement

- Measure the width of your bathtub or shower opening accurately.
- Determine the required length for the Upper Guide Rail. The rail can be cut to fit your specific dimensions. Ensure edges are sanded smooth after cutting.



Figure 3: Easy installation with detailed instructions and video support.

3.2 Wall Jamb and Fixed Glass Installation

1. Position the Wall Jamb on the interior wall of the bathroom. Mark the hole locations.
2. Use an electric drill to create the holes.
3. Insert wall anchors and secure the Wall Jamb to the wall with screws.
4. Fit the fixed glass panel into the secured Wall Jamb.

3.3 Upper Guide Rail and Sliding Glass Preparation

1. Install the Glass Brackets onto the Upper Guide Rail.
2. Fix the rollers to the sliding glass panel above the punched holes.
3. Carefully fit the Upper Guide Rail for support and positioning, ensuring it is level.

3.4 Securing and Adjustments

1. Mark the location for the Guide Rail Brackets on the bathroom wall. Drill holes and secure the fixture with wall anchors and screws.
2. Attach the other part of the Glass Brackets to the upper rail and secure the upper rail.
3. Fit the front half of the Guide Block underneath the glass plate and tighten the screws. Insert the other part of the Guide Block and tighten screws to secure it.
4. Attach the sliding glass panels to the upper rails and adjust the Glass Brackets to the horizontal position.
5. Adjust the Anti-Fluctuator position to align the holes and secure the Roller Guards to the glass plate.

3.5 Final Touches

1. Install the bathroom door handles. The stainless steel handle also doubles as a towel rack.
2. Use glue to stick the Anti-Splash Guard under the glass panel to the bathroom floor.
3. Glue the Anti-Water Strips on the glass plate in place.

4. Finish by sealing glue around the edges of the bathroom for a watertight seal.




Figure 4: Reversible installation allows for left or right opening to suit your bathroom layout.



Figure 5: High-quality stainless steel rail and flush bottom rail design.

4. Operating Instructions

Your Findepot shower door is designed for smooth and quiet operation.

- **Soft-Close Design:** The door features large mute pulleys and a cushioned opening/closing mechanism to prevent banging against the wall and ensure silent operation.
- **Sliding Operation:** Gently push or pull the door handle to slide the door open or closed. The rollers ensure effortless movement along the track.
- **Towel Rack:** The stainless steel handle on the sliding door also serves as a convenient towel rack.




Figure 6: The Findepot soft-close system ensures smooth and quiet door movement.

5. Maintenance

Regular cleaning and maintenance will keep your shower door looking new and functioning properly.

- **Glass Cleaning:** The glass is treated with an advanced easy-clean nano-coating, making it resistant to soapy water stains and limescale buildup. Clean regularly with a soft cloth and mild, non-abrasive glass cleaner. Avoid harsh chemicals or abrasive pads.
- **Hardware Care:** The brushed gold stainless steel hardware is corrosion-resistant. Clean with a soft, damp cloth. Do not use abrasive cleaners or scouring pads, as these can damage the finish.
- **Seals:** Periodically check the bottom and side seal strips for wear and tear. Replace if necessary to maintain dry and wet separation.




Figure 7: Easy-clean nano-coating on the glass reduces water stains and buildup.



Figure 8: Effective sealing prevents water splashes, keeping your bathroom dry.

6. Troubleshooting

If you encounter any issues with your shower door, please refer to the following common solutions. If the problem persists, contact customer support.

- **Door Not Sliding Smoothly:** Check the upper guide rail and rollers for any obstructions or debris. Ensure the rollers are clean and properly aligned. Lubricate the track if necessary with a silicone-based lubricant.
- **Water Leakage:** Inspect all seal strips (bottom and side) for proper placement and condition. Ensure all screws and fixtures are tightened. Re-apply silicone sealant if any gaps are visible around the frame or wall jamb.
- **Door Alignment Issues:** Verify that the wall jamb and guide rail brackets are securely fastened and level. Minor adjustments to the glass brackets or anti-fluctuator may be needed (refer to installation steps).

7. Specifications

Feature	Detail
Brand	Findepot
Model Number	FD-US-SD1-GD6059T
Dimensions	56-60" Width x 59" Height
Glass Thickness	5/16" (8mm) Clear Tempered Glass
Glass Certification	ANSI-certified
Material	Aluminum, Glass
Color	Brushed Gold
Item Weight	121 Pounds
Design Feature	Silent Soft-Close
Installation Type	Frameless, Sliding, Reversible

8. Warranty and Support

Findepot is committed to providing high-quality products and excellent customer service.

- **Return Policy:** Enjoy a 30-day easy return policy.
- **After-Sales Support:** We offer lifetime dedicated after-sales support for your product.
- **Response Time:** Our customer support team aims to reply to inquiries within 24 hours.
- **Contact:** For any questions, assistance, or warranty claims, please contact us atAfter-sale-service-QA@outlook.com.




Figure 9: Findepot customer support information.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question