VASAGLE URCR040K01

VASAGLE URCR040K01 Free Standing Coat Rack Instruction Manual

Model: URCR040K01 | Brand: VASAGLE

1. INTRODUCTION

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your new VASAGLE URCR040K01 Free Standing Coat Rack. Please read this manual thoroughly before assembly and use to ensure safe and correct operation. Keep this manual for future reference.

2. SAFETY INFORMATION

- Keep all small parts and packaging materials away from children and pets to prevent choking hazards.
- Ensure all screws and connections are securely tightened before and during use. Periodically check for looseness.
- Do not exceed the maximum load capacity: 8.8 lb (4 kg) per hook and 22 lb (10 kg) for the shelf. The total load capacity is 92 lb (41.7 kg).
- Do not stand or climb on the coat rack.
- Place the coat rack on a flat, stable, and level surface to prevent tipping.
- Avoid exposing the product to direct sunlight, high humidity, or extreme temperature changes to prevent damage to the wood.

3. PACKAGE CONTENTS

Verify that all parts are present and undamaged before beginning assembly. If any parts are missing or damaged, please contact customer service.

- 1 x Coat Rack (disassembled parts)
- 1 x Accessory Kit (includes screws, pegs, Allen key, and screwdriver)
- 1 x Instructions Manual

4. Setup and Assembly

Follow these steps to assemble your VASAGLE URCR040K01 Coat Rack. An Allen key and screwdriver are included in the accessory kit.

Step 1: Prepare the Base

Connect the two base pieces (A and B) using the provided metal plates and screws. Insert the wooden pegs into the corresponding holes for added stability. If desired, apply wood glue to the pegs for a stronger connection (glue not included).

Your browser does not support the video tag.

Video demonstrating the initial steps of connecting the base pieces and inserting pegs.

Step 2: Attach the Lower Support Legs

Secure the lower support legs (labeled D and B) to the assembled base using the provided bolts and washers. Ensure they are firmly attached.

Your browser does not support the video tag.

Video showing how to attach the lower support legs to the base.

Step 3: Install the Storage Shelf

Place the rectangular storage shelf (E) onto the top of the lower support legs. The central pole (F) will pass through the designated hole in the shelf. Ensure it sits flush.

8 Sturdy Hooks

Each hook supports up to 8.8 lb (4 kg) for daily use

Rounded Ends

Solid Wood Pole

The image illustrates the placement of the storage shelf.

Step 4: Assemble the Main Pole and Hooks

Connect the main pole sections (F, G, H) by screwing them together. Then, screw the 8 individual hooks (I) into the pre-drilled holes along the main pole. Ensure each hook is tightened securely.

This diagram provides a visual guide for assembling the main pole and attaching the hooks.

Your browser does not support the video tag.

This video segment demonstrates the process of screwing in the hooks.

Step 5: Final Tightening

Once all parts are assembled, gently tighten all screws and connections using the provided tools to ensure the coat rack is stable and secure.

5. OPERATING INSTRUCTIONS

Hanging Items

Utilize the 8 rounded hooks to hang coats, hats, scarves, and bags. Distribute weight evenly across the hooks to maintain stability and prevent tipping. The rounded design of the hooks helps protect your garments from damage.

Robust, Practical Shelf

Functions as a side table for easy access to your items

The image shows the coat rack in use, holding multiple items.

Using the Storage Shelf

The rectangular shelf provides a convenient surface for smaller items such as keys, wallets, sunglasses, or decorative objects. Ensure items placed on the shelf do not exceed the maximum load capacity of 22 lb (10 kg).

This image highlights the functionality of the storage shelf.

6. MAINTENANCE

- **Cleaning:** Clean the wooden surfaces with a soft, slightly damp cloth. Avoid using abrasive cleaners, harsh chemicals, or excessive moisture, as these can damage the finish.

- **Spills:** Wipe up any spills immediately to prevent water damage or staining.

- **Tightness:** Regularly check all screws and connections for tightness and re-tighten if necessary to maintain stability.

- **Environment:** Keep the product away from extreme temperatures, direct sunlight, and high humidity to preserve the wood's integrity and finish.

7. Troubleshooting

Instability / Wobbling

- **Surface:** Ensure the coat rack is placed on a flat, level, and stable surface. Uneven flooring can cause wobbling.
- **Connections:** Check all assembly screws and connections. Tighten any loose fasteners using the provided tools.
- **Weight Distribution:** Redistribute items on the hooks to balance the weight. Overloading one side can cause instability.

Damaged or Missing Parts

- If any parts are damaged or missing upon arrival, or if you encounter issues during assembly, please contact VASAGLE customer support immediately for assistance. Do not attempt to modify or repair the product with non-original parts.

8. Specifications

Feature	Detail
Model	URCR040K01
Brand	VASAGLE
Material	Rubberwood, MDF (Medium Density Fiberboard)
Color	Caramel Brown
Product Dimensions	11.8"D x 19.7"W x 67.2"H (30cm D x 50cm W x 170.7cm H)
Hook Load Capacity	8.8 lb (4 kg) per hook
Shelf Load Capacity	22 lb (10 kg)
Total Load Capacity	92 lb (41.7 kg)
Assembly Required	Yes

9. Warranty and Support

For warranty information, product support, or to report damaged/missing parts, please contact VASAGLE customer service. Refer to your purchase documentation or the official VASAGLE website for specific warranty terms and contact details. Do not return the product to the retailer without first contacting customer support.