

[Manuals.plus](#) /

› [Aeitto](#) /

› Aeitto Juice Extractor Cold Pressed Light Grey User Manual

Aeitto HSJ1908

Aeitto Juice Extractor Cold Pressed User Manual

Model: **HSJ1908**

1. INTRODUCTION

Thank you for choosing the Aeitto Cold Pressed Juice Extractor. This appliance is designed to efficiently extract juice from various fruits and vegetables, preserving nutrients through its slow masticating process. Please read this manual thoroughly before operation to ensure proper use, maintenance, and safety.



Image 1.1: The Aeitto Cold Pressed Juice Extractor in Light Grey, shown with a glass of freshly extracted green juice and a container for pulp. The juicer features a large feed chute and a control dial.

2. IMPORTANT SAFETY INFORMATION

To reduce the risk of fire, electric shock, or injury, always follow basic safety precautions when using electrical appliances. This includes:

- Read all instructions before operating the appliance.
- Do not immerse the motor base in water or other liquids.

- Ensure the appliance is properly assembled before use.
- Keep hands and utensils out of the feed chute during operation to prevent injury.
- Always unplug the juicer from the power outlet before assembling, disassembling, or cleaning.
- Do not operate the appliance if the cord or plug is damaged.
- This appliance is for household use only.
- The juicer machine will automatically stop working when the hopper cover is opened, ensuring user safety and preventing accidental injury.

3. PARTS AND COMPONENTS

Familiarize yourself with the various parts of your Aeitto Juice Extractor:

- **Hopper Cover with Large Feed Chute:** Allows for whole fruits and vegetables up to 4.9 inches.
- **Auger/Squeezing Screw:** Masticates produce to extract juice.
- **Filter/Strainer:** Separates juice from pulp.
- **Juice Bowl:** Collects the extracted juice.
- **Pulp Outlet:** Discharges dry pulp.
- **Juice Outlet:** Dispenses fresh juice.
- **Motor Base:** Contains the motor and control dial.
- **Pulp Container:** Collects discarded pulp.
- **Juice Container:** Collects extracted juice.
- **Cleaning Brush:** For easy cleaning of components.

4. SETUP AND ASSEMBLY

Before first use, wash all detachable parts with warm, soapy water. Rinse thoroughly and dry. Assemble the juicer by following these steps:

1. Place the motor base on a stable, flat surface.
2. Insert the juice bowl onto the motor base, aligning the marks.
3. Place the filter/strainer into the juice bowl.
4. Insert the auger/squeezing screw into the center of the filter.
5. Attach the hopper cover, twisting it clockwise until it locks securely into place. The juicer will not operate if the cover is not properly locked.
6. Position the pulp container under the pulp outlet and the juice container under the juice outlet.

5. OPERATING INSTRUCTIONS

Follow these steps to operate your Aeitto Juice Extractor:

1. Prepare your fruits and vegetables. Thanks to the 4.9-inch large feed chute, most whole fruits and vegetables like apples, carrots, and oranges can be added without pre-cutting, saving preparation time.
2. Plug the power cord into a grounded electrical outlet.

3. Turn the control dial to the "ON" position to start the juicer. The upgraded blade pre-cutting technology will begin to process the produce.
4. Slowly feed the prepared ingredients into the feed chute. Do not force ingredients down.
5. Allow the juicer to process the ingredients. Fresh juice will flow into the juice container, and pulp will be discharged into the pulp container.
6. If ingredients become clogged, turn the dial to the "Rev" (Reverse) position for a few seconds to clear the blockage, then return to "ON".
7. Once juicing is complete, turn the control dial to the "OFF" position and unplug the appliance.

6. MAINTENANCE AND CLEANING

Regular cleaning ensures optimal performance and extends the lifespan of your juicer. The hopper and screen integrated design simplifies cleaning.

1. Unplug the juicer from the power outlet.
2. Disassemble the juicer by twisting the hopper cover counter-clockwise and removing all detachable parts.
3. Rinse all detachable parts under running water. Use the provided cleaning brush to remove any residual pulp from the filter and other components.
4. For thorough cleaning, wash parts with warm, soapy water.
5. Wipe the motor base with a damp cloth. Never immerse the motor base in water.
6. Dry all parts completely before reassembling or storing.

7. TROUBLESHOOTING

If you encounter issues with your juicer, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Juicer does not turn on.	Not plugged in; hopper cover not securely locked; power outage.	Ensure plug is firmly in outlet; twist hopper cover until it clicks into place; check power supply.
Ingredients are stuck or jammed.	Overfeeding; fibrous ingredients.	Use the "Rev" (Reverse) function to clear blockage; feed ingredients slowly; cut fibrous items into smaller pieces.
Low juice yield or wet pulp.	Filter clogged; improper assembly.	Clean the filter thoroughly; ensure all parts are assembled correctly.
Loud noise during operation.	Hard ingredients; improper assembly.	This is normal for hard ingredients; ensure all parts are securely assembled.

8. SPECIFICATIONS

- **Model Name:** HSJ1908

- **Brand:** Aeitto
- **Color:** Light Grey
- **Product Dimensions:** 8 x 7 x 16 inches (D x W x H)
- **Item Weight:** 8 pounds
- **Feed Chute Size:** 4.9 inches
- **Technology:** Cold Pressed Masticating with Upgraded Blade Pre-cutting

9. WARRANTY AND SUPPORT

Aeitto provides comprehensive after-sale service for your product:

- **Warranty:** 12 months repair and replacement services.
- **Customer Support:** 7*24 hours online consultation services.

For any problems or inquiries, please reach out to Aeitto customer service. Contact information can typically be found on the product packaging or the official Aeitto website.