

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Moni](#) /

› [Moni Kids Trio i-Size Car Seat \(40-87 cm\) Instruction Manual](#)

Moni 111347

Moni Kids Trio i-Size Car Seat (40-87 cm) Instruction Manual

1. INTRODUCTION

This instruction manual provides essential information for the correct installation, use, and maintenance of your Moni Kids Trio i-Size Car Seat. This car seat is designed for infants with a body height between 40 and 87 cm and a maximum weight of 13 kg. Please read this manual thoroughly before using the car seat to ensure the safety and comfort of your child.



Image 1: An overview of the Moni Kids Trio i-Size Car Seat, showcasing its design, integrated canopy, and compatibility with a stroller system.

2. SAFETY INFORMATION

- Always install the car seat in a rear-facing direction. This is the safest way for infants to travel.
- Ensure the car seat is securely fastened using the vehicle's 3-point safety belt as described in the installation section.
- The child must be secured in the car seat using the integrated 3-point safety harness. Ensure the harness straps are snug against the child's body and not twisted.
- Never leave your child unattended in the car seat.
- Do not use the car seat if it has been involved in an accident, even if there is no visible damage. Internal damage may compromise its safety.
- Regularly check all components for wear and tear. Replace damaged parts immediately.
- This car seat is suitable for children from birth up to 13 kg and 40-87 cm in height. Do not use for children outside these specifications.

3. PRODUCT COMPONENTS

The Moni Kids Trio i-Size Car Seat includes the following main components:

- Car Seat Shell with integrated 3-point safety harness
- Adjustable Headrest
- Adjustable Canopy
- Ergonomic and Adjustable Carry Handle
- Soft Full-Body Support Cushion
- Comfortable Footmuff
- Shoulder Pads and Lower Buckle Pads
- Car Seat Adapters (for compatibility with Polly and Florence strollers, sold separately)

4. SETUP AND INSTALLATION

4.1. Car Seat Installation in Vehicle

The Moni Kids Trio i-Size Car Seat is installed using the vehicle's 3-point safety belt. Always install the car seat in a rear-facing position.

1. Place the car seat on the vehicle seat in a rear-facing orientation. Ensure the car seat base is flat against the vehicle seat.
2. Route the lap portion of the vehicle's 3-point safety belt through the designated blue belt guides on the car seat base.
3. Buckle the vehicle's safety belt.
4. Pull the shoulder portion of the vehicle's safety belt firmly to remove any slack. Route the shoulder belt through the blue belt guide at the back of the car seat.
5. Press down firmly on the car seat while tightening the vehicle's safety belt to ensure a secure fit. The car seat should not move more than 2.5 cm (1 inch) from side to side or front to back at the belt path.
6. Ensure the carry handle is in the upright or designated anti-rebound position as per the vehicle's manual or car seat instructions.



Image 2: Rear-facing installation of the Moni Kids Trio i-Size Car Seat using the vehicle's 3-point safety belt. The image shows the car seat securely positioned on a vehicle seat, with the seat belt correctly routed through the blue guides.

4.2. Attaching to Stroller (with Adapters)

The Moni Kids Trio i-Size Car Seat is compatible with Polly and Florence strollers (sold separately) using the included car seat adapters.

1. Attach the car seat adapters to the stroller frame according to the stroller's instruction manual.
2. Align the car seat with the adapters on the stroller frame.
3. Lower the car seat onto the adapters until it clicks securely into place. Verify that the car seat is firmly attached by gently pulling upwards.
4. To remove, press the release buttons on the car seat (or adapters, depending on the stroller model) and lift the car seat from the stroller frame.



Image 3: The Moni Kids Trio i-Size Car Seat shown attached to a compatible stroller frame. This illustrates the car seat's versatility as part of a travel system.

5. OPERATING INSTRUCTIONS

5.1. Securing Your Child

1. Place your child in the car seat. Ensure their back is flat against the backrest.
2. Bring the two buckle tongues together and insert them into the buckle until you hear a click.
3. Pull the harness adjustment strap located at the front of the car seat to tighten the harness. Ensure the harness is snug against your child's body, and you cannot pinch any slack at the shoulder.
4. Position the shoulder pads over your child's shoulders for comfort and to prevent strap irritation.



Image 4: A child secured in the Moni Kids Trio i-Size Car Seat, demonstrating the proper use of the 3-point safety harness and the full-body support cushion.

5.2. Adjusting the Headrest and Harness

The headrest is adjustable in 5 positions to accommodate your child's growth. The 3-point safety harness length adjusts simultaneously with the headrest.

1. Locate the headrest adjustment lever, typically at the back or top of the headrest.
2. Squeeze the lever and slide the headrest up or down to the desired position. The shoulder straps should be at or just below your child's shoulders when rear-facing.
3. Release the lever to lock the headrest in place.

5.3. Adjusting the Canopy

The wide and adjustable canopy provides protection from sun and wind.

- To extend the canopy, pull it forward from the handle.
- To retract, push it back towards the handle.

5.4. Using the Footmuff and Support Cushion

The soft full-body support cushion and comfortable footmuff are designed for infant comfort, especially in cooler weather.

- The full-body support cushion provides additional padding and support for newborns and smaller infants. It can be removed as your child grows.
- The footmuff attaches to the car seat to keep your child's legs warm. Ensure it does not interfere with the harness system.



Image 5: The Moni Kids Trio i-Size Car Seat featuring the extended canopy and the comfortable footmuff, designed for enhanced child comfort.

6. MAINTENANCE

6.1. Cleaning the Cover

The car seat cover is removable and washable.

- To remove the cover, unfasten all straps and clips securing it to the car seat shell.
- Wash the cover by hand or machine wash at 30°C on a gentle cycle. Do not bleach, tumble dry, or

iron.

- Allow the cover to air dry completely before reattaching it to the car seat.
- Ensure all parts are correctly reassembled before using the car seat.

6.2. Cleaning the Harness and Plastic Parts

- Wipe plastic parts with a damp cloth and mild soap.
- Clean the harness straps with a damp cloth and mild soap. Do not immerse the buckle in water or use harsh detergents, as this can affect its performance.
- Allow all parts to air dry completely.

7. TROUBLESHOOTING

- **Car seat feels loose after installation:** Re-check the vehicle belt routing and ensure the belt is pulled tightly to remove all slack. Press down firmly on the car seat while tightening the vehicle belt.
- **Harness straps are difficult to adjust:** Ensure the harness release button (if present) is fully pressed, or check for any twists in the harness straps.
- **Buckle is difficult to engage:** Ensure both buckle tongues are fully inserted until a clear click is heard. Check for any debris in the buckle mechanism.
- **Child seems uncomfortable:** Verify that the headrest and harness are adjusted to the correct height for your child. Ensure the full-body support cushion is used for smaller infants and removed when they outgrow it.

If you encounter issues not covered here, please contact Moni customer support.



8. SPECIFICATIONS

Model Number	111347
Product Dimensions	55 x 44 x 68 cm
Item Weight	3.44 kg
Color	Black
Recommended Maximum Weight	13 kg
Material Composition	100% Polyester
Safety Features	3-point safety harness
Compliance Standard	i-Size (ECE R129) / Group 0+
Installation Type	Vehicle 3-point belt
Direction	Rear-facing
Manufacturer	Moni
ASIN	B0D9RJC1NW

9. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation provided at the time of purchase or contact your retailer. For technical support, spare parts, or any questions regarding your Moni Kids Trio i-Size Car Seat, please contact Moni customer service through their official website or the contact details provided with your product.

Related Documents - 111347


	<p><u>Moni i-Maxx LSA05AB i-Size Baby Car Seat (40-150 cm)</u> Information about the Moni i-Maxx LSA05AB i-Size baby car seat, approved under ECE R129/03, suitable for children weighing 0-36 kg and heights 40-150 cm. Includes usage guidelines, specifications, and manufacturer details.</p>
	<p><u>Moni Serengeti i-Size Car Seat Instruction Manual</u> Comprehensive instruction manual for the Moni Serengeti i-Size car seat, covering installation, usage, safety features, and maintenance for children from 40-150 cm.</p>
	<p><u>Moni i-Maxx LSA05AB i-Size Baby Car Seat (40-150 cm)</u> Information on the Moni i-Maxx LSA05AB i-Size baby car seat, approved under ECE R129/03 for children 0-36 kg and 40-150 cm height. Features ISOFIX and midnight black color.</p>
	<p><u>Moni ARMOR GJ999 Baby Car Seat Instruction Manual</u> Comprehensive instruction manual for the Moni ARMOR GJ999 baby car seat. Covers installation, safety features, maintenance, and warranty for this child safety restraint system, suitable for Groups 1, 2, and 3 (9-36kg).</p>
	<p><u>Moni Ari Children's Swing - Assembly and User Manual</u> Comprehensive guide for the Moni Ari children's swing, covering assembly, usage, safety instructions, and maintenance. Model PD-B03.</p>



[Moni Rocky Електрическа Бебешка Люлка - Ръководство за Употреба](#)

Подробно ръководство за употреба на електрическата бебешка люлка Moni Rocky (модел BY059). Инструкции за сглобяване, безопасна експлоатация и поддръжка.

Documents - Moni – 111347



[\[pdf\] User Manual Accessories](#)

OPERATING AND SERVICE MANU AL 02114 90399 Volume Two Operation and Maintenance Manual

Oct69 bitsavers org hp 2114 textfiles informatik uni stuttgart de

- OPERATING AND SERVICE MANU AL OPERATION AND MAINTENANCE

MANUAL MODEL 2114B COMPUTER VOLUME TWO IfJ ... 0331 111332 0333

111334 11335 0336 03J7 0338 111339 03-1 0341 93.. 2 1i3 3 1 344 1i3l.. 5 111346

111347 8; 48 1113 9 1iJ359 0351 83 i2 l;;SG3 0354 -55 8356 8357 0358 359 936

8361 il362 0363 B36C...

lang:en **score:9** filesize: 20.23 M page_count: 251 document date: 2012-06-09