

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Momi](#) /

› [MoMi URSo Car Seat User Manual](#)

Momi URSo

MoMi URSo Car Seat

PRODUCT INSTRUCTION MANUAL

IMPORTANT SAFETY INFORMATION

Please read this entire instruction manual carefully before installing and using the MoMi URSo car seat. Failure to follow these instructions can result in serious injury or death to your child.

- This car seat is designed for children from 0 to 12 years, weighing 3 to 36 kg, and with a height of 40 to 150 cm.
- Always ensure the car seat is correctly installed and the child is properly secured in the harness.
- Never leave your child unattended in the car seat.
- Do not modify the car seat in any way. Any modifications can compromise its safety.
- Replace the car seat after any accident, even if there is no visible damage. Internal damage may exist.
- Ensure the car seat is compatible with your vehicle's ISOFIX and Top Tether anchor points.
- The car seat complies with European safety standard ECE R129/03 and I-SIZE.

PRODUCT OVERVIEW

The MoMi URSo car seat is designed for safety and comfort, adapting to your child's growth. Key components include:

- **5-Point Harness:** Securely holds your child in place.
- **SIPS Side Protection:** Enhanced side impact protection.
- **Swivel Base:** Allows for easy rotation between rear-facing and forward-facing positions.
- **Adjustable Headrest:** 10 positions for optimal head and neck support.
- **Recline Adjustment:** 5 positions for comfort during travel.
- **ISOFIX Connectors:** For secure and stable installation in the vehicle.
- **Top Tether:** Provides additional stability and limits forward rotation.
- **Infant Insert:** Special padding for newborns and small children.



Figure 1: Front view of the MoMi URSo car seat, highlighting the harness system.



Figure 2: Angled view of the car seat, illustrating its robust design and side protection.



Figure 3: Side view of the car seat, detailing the recline adjustment and ISOFIX base.

SETUP AND INSTALLATION

Child Weight and Height Guidelines

The MoMi URSo car seat is suitable for various age and weight groups:

- **Rear-Facing Installation:** For children from 3 kg up to 18 kg (approximately 0 to 15 months). This position offers maximum safety for infants.
- **Forward-Facing Installation:** For children from 15 months (or over 18 kg) up to 36 kg (approximately 12 years).

ISOFIX and Top Tether Installation

Follow these steps for secure installation using ISOFIX and Top Tether:

1. Locate the ISOFIX anchor points in your vehicle.
2. Extend the ISOFIX connectors from the car seat base by pressing the release buttons.

3. Push the ISOFIX connectors onto the vehicle's anchor points until you hear a click and the indicators turn green.
4. Push the car seat firmly against the vehicle seat back to ensure a tight fit.
5. Unroll the Top Tether strap from the back of the car seat.
6. Attach the Top Tether hook to the designated Top Tether anchor point in your vehicle (usually on the back of the seat or in the trunk).
7. Tighten the Top Tether strap until the indicator on the strap turns green (if applicable) and there is no slack.
8. Verify that the car seat is securely installed by attempting to move it from side to side and front to back. There should be minimal movement.



Figure 4: Detail of the ISOFIX connectors, showing how they extend from the base.



Figure 5: Visual guide for ISOFIX and Top Tether attachment points.

Swivel Base Operation

The swivel base allows for easy rotation of the car seat. To rotate, locate the rotation release lever (usually at the front of the base), press it, and turn the seat to the desired position (rear-facing or forward-facing). Ensure it clicks securely into place.

Infant Insert Installation

For newborns and smaller infants, use the provided special insert to ensure proper fit and comfort. Place the insert inside the car seat before securing the child. Remove the insert when your child outgrows it, typically around 6-9 months or when they can sit unassisted.

OPERATING THE CAR SEAT

Adjusting the 5-Point Harness

Proper harness adjustment is crucial for your child's safety:

- **Buckling:** Bring the two buckle tongues together and insert them into the central buckle until you hear a click.
- **Tightening:** Pull the harness adjustment strap (located at the front of the seat) until the harness is snug against your child's body. You should not be able to pinch any slack at the shoulder.
- **Loosening:** Press the harness release button (usually under a flap near the adjustment strap) and pull the shoulder straps outwards.
- **Unbuckling:** Press the red button on the central buckle to release the harness.



Figure 6: Detail of the 5-point harness system.

Headrest Height Adjustment

The headrest can be adjusted to 10 different positions to accommodate your child's height. To adjust, locate the headrest adjustment lever (usually at the top of the headrest or behind it), squeeze it, and slide the headrest up or down until it is just above your child's shoulders. Release the lever to lock it in place.



Figure 7: Headrest height adjustment mechanism.

Backrest Recline Adjustment

The car seat offers 5 recline positions for optimal comfort. To recline the seat, locate the recline adjustment handle (usually at the front or side of the base), pull it, and tilt the seat to the desired angle. Ensure it locks securely into the chosen position.



Figure 8: Backrest recline adjustment.

Securing Older Children

For children weighing over 18 kg (typically from 4 years old) and up to 36 kg, the car seat can be used as a high-back booster. In this configuration, the child is secured using the vehicle's 3-point seat belt, routed correctly through the designated guides on the car seat. Ensure the vehicle's seat belt lies flat across the child's shoulder and hips, not on the neck or abdomen.

MAINTENANCE

Cleaning Instructions

- Seat Cover:** The seat cover is removable and machine-washable. Refer to the care label on the fabric for specific washing instructions (typically gentle cycle, cold water). Do not tumble dry.
- Plastic Parts:** Wipe plastic parts with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.

- **Harness Straps:** Clean harness straps with a damp cloth. Do not immerse in water or machine wash, as this can weaken the webbing.

Storage

When not in use, store the car seat in a cool, dry place, away from direct sunlight and extreme temperatures. Do not place heavy objects on top of the car seat.

TROUBLESHOOTING

- **Car Seat Feels Loose After Installation:** Double-check that the ISOFIX connectors are fully engaged (green indicators visible) and the Top Tether is tightened correctly. Push the seat firmly into the vehicle seat.
- **Harness is Difficult to Tighten/Loosen:** Ensure the harness straps are not twisted. Check for any obstructions in the harness adjustment mechanism.
- **Seat Does Not Swivel:** Ensure the seat is not fully reclined or in a position that obstructs the swivel mechanism. Press the swivel release lever firmly.
- **Headrest/Recline Adjustment is Stiff:** Ensure no fabric or debris is caught in the mechanism. Apply gentle, even pressure when adjusting.

SPECIFICATIONS

Feature	Specification
Model	URSO
Dimensions (L x W x H)	55 x 51 x 60 cm
Product Weight	9.2 kg
Recommended Child Weight	3 - 36 kg
Recommended Child Height	40 - 150 cm
Age Group	0 - 12 years
Material Composition	Polyester
Safety Standard	ECE R129/03, I-SIZE
Installation Type	ISOFIX, Top Tether
Harness Type	5-point harness
Headrest Adjustment	10 positions
Backrest Recline	5 positions
Orientation	Rear-facing (up to 18kg), Forward-facing (from 15 months, up to 36kg)



Figure 9: Product dimensions.



WARRANTY AND SUPPORT

The MoMi URSO car seat is manufactured with high-quality materials and undergoes rigorous testing to ensure durability and safety. For information regarding product warranty, please refer to the terms and conditions provided at the point of purchase or contact your retailer.

For any questions, technical support, or assistance with your MoMi URSO car seat, please contact the seller or visit the official MoMi brand store:

[Visit the MoMi Store on Amazon](#)

Related Documents - URSO

 <p>MoMi EMI Car Seat User Manual and Installation Guide Comprehensive user manual and installation guide for the MoMi EMI i-Size car seat, covering safety instructions, features, and maintenance for children from 40-105 cm and 100-150 cm.</p>
 <p>MoMi SMART BED: User Manual and Assembly Guide Comprehensive user manual and assembly guide for the MoMi SMART BED, providing detailed instructions, safety warnings, and maintenance information for this versatile baby cot and bedside sleeper.</p>
 <p>MoMi LIMURU 2in1 Stroller User Manual Comprehensive user manual for the MoMi LIMURU 2in1 stroller, covering assembly, usage, safety instructions, warranty, and maintenance.</p>
 <p>MoMi IRIS Tricycle User Manual and Assembly Guide Comprehensive guide for the MoMi IRIS tricycle, covering assembly instructions, safety precautions, maintenance, and warranty information. Learn how to safely assemble and use your MoMi IRIS tricycle.</p>
 <p>MoMi MIZO Balance Bike - User Manual & Assembly Guide Comprehensive user manual and assembly guide for the MoMi MIZO balance bike. Includes safety warnings, component list, step-by-step assembly instructions, maintenance tips, and warranty information.</p>

MoMi

Simply together



► TRAVEL BED	► TROTTOIR VÄGDÖ
► LIZZEDO TURVAPÄÄDE	► LETTSTÖD VÄGDÖ
► POKETT COT	► JÄLLÄKE VÄLK
► POKETT COT	► JÄLLÄKE VÄLK
► LIZZEDO PÄÄDE	► PÖÖTÖ VÄLK
► LIZZEDO PÄÄDE	► PÖÖTÖ VÄLK
► LIZZEDO PÄÄDE	► PÖÖTÖ VÄLK
► LIZZEDO PÄÄDE	► PÖÖTÖ VÄLK

www.momi.fi/bed

[MoMi BELOVE Baby Travel Bed: Assembly, Folding, and Safety Guide](#)

Comprehensive Instructions for assembling, folding, and safely using the MoMi BELOVE baby travel bed. Includes important safety warnings, maintenance tips, and warranty information.