

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [DWVO](#) /

› **DWVO 36 Inch Bathroom Vanity with Undermount Sink Instruction Manual**

DWVO MADWV4p85f

DWVO 36 Inch Bathroom Vanity with Undermount Sink Instruction Manual

MODEL: MADWV4P85F

Welcome

Thank you for purchasing the DWVO 36 Inch Bathroom Vanity. This manual provides detailed instructions for assembly, operation, and maintenance to ensure safe and proper use of your new vanity. Please read this manual thoroughly before installation and retain it for future reference.

Important Safety Information

Please observe the following safety precautions during installation and use:

- Always use two people to lift and install the cabinet to prevent injury.
- Be cautious of pinch points when opening and closing the doors and drawers.
- Do not overload the cabinet beyond its maximum weight capacity of 150 lbs.
- Ensure all connections are secure and watertight to prevent water damage.

Package Contents

Your DWVO Bathroom Vanity comes in two separate packages: one for the countertop and one for the cabinet. Please verify all components are present before beginning assembly.

- Vanity Cabinet (Multi-layer moisture-proof board with external solid wood frame)
- Ceramic Undermount Sink (High-hardness ceramic with three overflow holes and one pre-drilled faucet hole)
- Adjustable Legs
- Soft-Closing Door Hinges
- Drawer Slides
- Drain
- Hooks (two pairs)
- Assembly Hardware

- Instruction Manual (bound paper version)

Product Specifications

Feature	Detail
Brand	DWVO
Model Name	Bathroom Vanity
Product Dimensions (Overall)	18.3"D x 36"W x 32.6"H
Ceramic Basin Dimensions	11.2"D x 17.5"W x 4.5"H (1.4" pre-drilled holes)
Weight Limit	150 Pounds
Materials	Ceramic, Engineered Wood, Metal, Particle Board
Color	Black
Mounting Type	Floor Mount, Freestanding
Special Features	Adjustable Feet, Moisture Resistant, Soft Closing Door, 2 Drawers
Assembly Required	Yes
Care Instructions	Wipe with Damp Cloth

Assembly Instructions

This 36-inch bathroom vanity with sink is designed for assembly within approximately one hour. Refer to the included bound paper instruction manual or the online electronic version for step-by-step guidance. Always ensure you have adequate space and assistance for assembly.

Step 1: Unpacking and Component Identification

Carefully unpack both packages (countertop and cabinet). Lay out all components and hardware. Compare them against the package contents list to ensure everything is present.

Step 2: Cabinet Assembly

Follow the detailed diagrams in the provided manual to assemble the main cabinet structure. Ensure all connections are secure. The external solid wood frame provides stability and durability.

PRODUCT SIZE

Weight Capacity: 150 lbs



Image showing the assembled DWVO 36 Inch Bathroom Vanity with key dimensions: 36 inches width, 18.3 inches depth, 32.6 inches height, and 5.9 inches leg height. The ceramic sink dimensions are also shown: 17.5 inches width, 11.2 inches depth.

Step 3: Installing Drawers and Doors

Install the drawer slides and assemble the two large storage drawers. Attach the soft-closing door hinges to the cabinet and door, then mount the door. The invisible handle design contributes to the modern aesthetic.



Image displaying the internal storage of the DWVO 36 Inch Bathroom Vanity, including two large drawers and a cabinet compartment, suitable for organizing bathroom necessities.

Step 4: Attaching Adjustable Legs

Securely attach the adjustable legs to the base of the cabinet. These legs provide extra stability and allow for leveling on uneven surfaces.



Soft-Close Doors



Invisible Handle



Adjustable Legs

Extra Complimentary Hooks

Give hangable daily necessities such as towels

Close-up image highlighting the soft-close door mechanism, adjustable legs, and complimentary hooks of the DWVO 36 Inch Bathroom Vanity. The image also shows the invisible handle design.

Step 5: Sink Installation

Carefully place the ceramic undermount sink onto the cabinet. Ensure proper alignment with the pre-drilled faucet hole and drain opening. Apply sealant as recommended in the detailed manual to secure the sink and prevent water leakage.

•Ceramic Basin

(faucet not included)



•Pre-drilled Faucet
(faucet not included)



•Pushdown Drain

Close-up view of the high-hardness ceramic basin of the DWVO 36 Inch Bathroom Vanity, showing the three pre-drilled faucet holes (faucet not included) and the pushdown drain mechanism.

Step 6: Faucet and Drain Connection

Install your chosen faucet (not included) into the pre-drilled holes. Connect the drain to your plumbing system. Ensure all connections are watertight. The ceramic basin is equipped with three overflow holes for safety.

Step 7: Wall Mounting (Optional)

For added stability, the vanity can be mounted to the wall. Use appropriate hardware (not included) to secure the vanity to wall studs. This is recommended for enhanced safety, especially in households with children or pets.

Operating Your Vanity

Drawers and Doors

The vanity features two large storage drawers and a cabinet with soft-closing doors. Gently push the drawers and doors to engage the soft-close mechanism, preventing slamming and reducing wear.

Adjustable Legs

The adjustable legs can be rotated to fine-tune the height and level of the vanity. Turn the bottom of each

leg clockwise or counter-clockwise to raise or lower the corresponding corner until the vanity is stable and level on your bathroom floor.

Hooks

Utilize the two pairs of complimentary hooks for hanging wet towels, hairdryers, or other items that are not suitable for storage inside the cabinet, keeping them easily accessible.

Care and Maintenance

Cleaning the Cabinet

Wipe the multi-layer moisture-proof cabinet surfaces with a damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish. The tightly sealed edges provide good waterproof and moisture-proof measures, but excessive moisture should be avoided.

Cleaning the Ceramic Basin

The high-hardness ceramic basin is wear-resistant, crack-resistant, and easy to clean. Use a mild, non-abrasive bathroom cleaner and a soft cloth or sponge. Rinse thoroughly after cleaning to prevent residue buildup.

General Care

Regularly check all connections and hardware for tightness. Ensure the adjustable legs remain stable and properly leveled. Promptly address any spills to prevent water damage.

Troubleshooting

Drawers or Doors Not Closing Properly

Check for any obstructions in the drawer slides or door hinges. Ensure the soft-closing mechanism is not damaged. Verify that the vanity is level using the adjustable legs, as an uneven surface can affect door and drawer alignment.

Water Leaks

Inspect all plumbing connections, including the faucet and drain. Tighten any loose fittings. If the leak persists, it is recommended to consult a qualified plumber.

Instability

Adjust the leveling feet on the legs to ensure the vanity is stable on the floor. If the floor is significantly uneven or for additional security, consider wall mounting the vanity as described in the assembly instructions.

Warranty and Customer Support

For any questions, missing parts, or assistance with installation, please contact DWVO customer support. Refer to the contact information provided in your purchase documentation or on the official DWVO website. This product is covered by a manufacturer's warranty. Please retain your proof of purchase for warranty claims. Our team is also available online to assist with your installation.

