

[Manuals.plus](#) /

> [METEESER](#) /

> METEESER Double Din Car Radio Stereo Instruction Manual

METEESER 84ca8358-b78c-477e-9ebd-7008822f3487

METEESER Double Din Car Radio Stereo

INSTRUCTION MANUAL

Introduction


This manual provides detailed instructions for the installation, operation, and maintenance of your METEESER Double Din Car Radio Stereo. Featuring a 9-inch HD IPS touchscreen, 4GB RAM, 64GB storage, Wireless CarPlay, Android Auto, GPS, WiFi, Bluetooth 5.0, and a 32-band AI DSP, this unit is designed to enhance your in-car entertainment and navigation experience. Please read this manual thoroughly before use to ensure proper functionality and safety.

Package Contents

Before beginning installation, please verify that all items listed below are included in your package:

- Double Din Car Stereo Unit
- Power Cable
- RCA Cable
- 3.8 Pin Canbus Plug (if applicable)
- USB Cable (2x)
- Rear Camera Input Cable
- Radio Antenna
- GPS Antenna
- Backup Camera
- External Microphone
- Installation Tools/Brackets
- User Manual (this document)

Package List



- 1.Power Cable
- 2.RCA Cable
- 3.8 Pin Canbus Plug(Connect to host)
- 4.USB Cable
- 5.Rear Camera Input Cable
- 6.Radio Antenna
- 7.GPS Antenna



Power Cable



RCA Cable



RCA Cable



Installation Tool



GPS Antenna



User Manual



MIC



Rear Camera



USB Cable

Figure 1: Package Contents and Unit Dimensions

Setup and Installation


Professional installation is recommended. Ensure the vehicle's battery is disconnected before starting any wiring work.

Wiring Diagram

Refer to the wiring diagram below for proper connection of the power, audio, and accessory cables. Ensure all connections are secure to prevent malfunctions.

Stereo Wiring Diagram

Wiring Connection Tips



1. Power Cable
2. RCA Cable
3. 3.8 Pin Canbus Plug (Connect to host)
4. USB Cable
5. Rear Camera Input Cable
6. Radio Antenna
7. GPS Antenna

Friendly reminder: If the original car amplifier cannot be used after installing the car stereo, please connect the original car amplifier wires to the ACC wire to ensure the amplifier functions properly.



Figure 2: Stereo Wiring Diagram

1. **Power Cable:** Connect to the vehicle's power supply (ACC, B+, GND).
2. **RCA Cable:** For audio output to external amplifiers or subwoofers.
3. **3.8 Pin Canbus Plug:** Connect if your vehicle requires CANBUS integration for steering wheel controls or other vehicle data.
4. **USB Cable:** For connecting USB devices, charging, or wired CarPlay/Android Auto.
5. **Rear Camera Input Cable:** Connect the included backup camera.
6. **Radio Antenna:** Connect the vehicle's radio antenna.
7. **GPS Antenna:** Mount in a location with a clear view of the sky for optimal GPS signal reception.

Important Note: If the original car amplifier cannot be used after installing the car stereo, please connect the original car amplifier wires to the ACC wire to ensure the amplifier functions properly.

Physical Installation

Mount the double din unit into your vehicle's dashboard using the provided installation tools and brackets. Ensure it is securely fastened to prevent movement during driving.

Double Din Car Stereo Radio Android 13



Figure 3: Before and After Installation Example

Operating Instructions

Power On/Off and Basic Controls

Press the power button (usually located on the front panel or side) to turn the unit on or off. Adjust volume using the on-screen controls or steering wheel controls.

Wireless CarPlay & Android Auto

This unit supports both Wireless CarPlay and Wireless Android Auto for seamless smartphone integration.

- Ensure Bluetooth and Wi-Fi are enabled on your smartphone.
- On the car stereo, navigate to the CarPlay/Android Auto application.
- Follow the on-screen prompts to pair your phone via Bluetooth. Once paired, the system will automatically establish a Wi-Fi connection for wireless functionality.
- You can now access navigation, music, calls, and messages directly from the car stereo's display.



Figure 4: Wireless CarPlay & Android Auto Interface

GPS Navigation

The built-in GPS module provides accurate navigation. You can use pre-installed maps or download your preferred navigation apps from the Google Play Store via Wi-Fi.

- Ensure the GPS antenna is properly installed and has a clear view of the sky.
- Open the Navigation app from the main menu.
- Enter your destination and follow the voice-guided directions.




Figure 5: GPS Navigation Features

Wi-Fi Connectivity

Connect the unit to a Wi-Fi hotspot (e.g., from your smartphone) to access online features, download apps, and browse the internet.

- Go to Settings > Network & Internet > Wi-Fi.
- Select your desired Wi-Fi network and enter the password.
- Once connected, you can use the Google Play Store to download various applications.



Figure 6: Wi-Fi Connection and App Downloads

Bluetooth 5.0

Bluetooth 5.0 provides fast and stable connections for hands-free calling and audio streaming.

- Enable Bluetooth on your phone and the car stereo.
- Search for available devices on the car stereo and select your phone.
- Confirm the pairing code on both devices.
- Once connected, you can make/receive calls and play music wirelessly.



Figure 7: Bluetooth 5.0 Connectivity

FM/RDS Radio

Enjoy high-quality radio reception with RDS (Radio Data System) support.

- Select the FM/AM application from the main menu.
- Use the scan function to automatically search and save available stations.
- You can manually tune to frequencies or select from saved presets.



Figure 8: FM/RDS Radio Interface

AI DSP with 32-band EQ

Customize your audio experience with the advanced AI DSP and 32-band equalizer.

- Access the DSP/EQ settings from the main menu or audio settings.
- Adjust individual frequency bands to fine-tune the sound output.
- Utilize preset sound effects or create your own custom profiles.



Figure 9: AI DSP and 32-band Equalizer

Steering Wheel Controls (SWC)

If your vehicle supports it, you can map your steering wheel buttons to control the car stereo.

- Go to Settings > Steering Wheel Control.
- Follow the on-screen instructions to program each button (e.g., volume up/down, track skip, mode).



Figure 10: Steering Wheel Control Setup

Backup Camera Functionality

The included HD backup camera automatically displays a clear view when the vehicle is in reverse gear.

- Ensure the backup camera is correctly installed and connected to the "Rear Camera Input" on the stereo.
- When shifting into reverse, the display will automatically switch to the camera view.



Figure 11: Backup Camera View

Customizable Homepage and Wallpaper


Personalize your user interface by changing the homepage layout and wallpaper.

- Long-press on an empty area of the homepage to switch applications or customize widgets.
- Access wallpaper settings to choose from multiple optional wallpapers.

Customizable Homepage and Wallpaper



Long Press to Switch APP



Multiple optional UI wallpapers



Figure 12: Customizable Interface

Maintenance

To ensure the longevity and optimal performance of your car stereo, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to wipe the touchscreen and unit exterior. Avoid abrasive cleaners or solvents.
- **Software Updates:** Periodically check for software updates via the system settings to ensure you have the latest features and bug fixes.
- **Environmental Conditions:** Avoid exposing the unit to extreme temperatures, direct sunlight for prolonged periods, or excessive moisture.

Troubleshooting

If you encounter any issues with your METEESER car stereo, please refer to the common problems and solutions below. If the problem persists, contact technical support.

Problem	Possible Cause	Solution
Unit does not power on.	Incorrect wiring; Blown fuse; Vehicle battery low.	Check power connections (ACC, B+, GND). Inspect vehicle fuses. Ensure battery is charged.
No sound output.	Volume too low; Mute activated; Speaker wires disconnected; Amplifier issue.	Increase volume. Check mute setting. Verify speaker wire connections. Check external amplifier if used.
CarPlay/Android Auto not connecting.	Bluetooth/Wi-Fi off on phone/unit; Incorrect pairing; Software glitch.	Ensure Bluetooth and Wi-Fi are on. Re-pair the device. Restart both phone and car stereo.
GPS signal weak or inaccurate.	GPS antenna obstructed or improperly placed.	Relocate GPS antenna to a clear, unobstructed area (e.g., dashboard, under windshield).
Backup camera not displaying.	Camera not connected; Reverse trigger wire issue.	Check camera input cable connection. Verify reverse trigger wire is connected to vehicle's reverse light signal.

Specifications

Key technical specifications of the METEESER Double Din Car Radio Stereo:

Feature	Detail
Product Dimensions	1.7 x 5.1 x 8.5 inches
Item Weight	2.2 pounds
Item Model Number	84ca8358-b78c-477e-9ebd-7008822f3487
Brand	METEESER
Connectivity Technology	Bluetooth, WiFi, USB, FM/RDS
Controller Type	Android/iOS
Special Features	Built-In Wi-Fi, GPS, IPS Touchscreen, Wireless CarPlay & Android Auto
Compatible Devices	iPhone, Android phone
Total HDMI Ports	2
Connector Type	RCA
Audio Output Mode	APE/FLAC/WAV/MP3/WMA etc.
Surround Sound Channel Configuration	4.0
Video Encoding	MKV/RMVB/AVI/MP4/MDV etc.
Screen Diagonal	9" / 23 cm

Warranty and Support

METEESER is committed to providing excellent customer service and technical support.

- **Warranty:** This product comes with a 2-year warranty.
- **Technical Support:** Professional technical support is available to assist with installation, troubleshooting, and general inquiries.
- **Contact:** For support, you can reach us via email tasd85hk@163.com.

You can also contact us through the Amazon platform:

1. Click on "METEESER Tech" on the product page.
2. Click on "Ask a question" to send a message.




Figure 13: How to Contact Support via Amazon



Figure 14: Warranty and Support Details

