

[Manuals.plus](#) /

› [ACE DECOR](#) /

› ACE DECOR 38-42 inch W x 71 inch H Matte Black Framed Pivot Shower Door Instruction Manual

## ACE DECOR 38-42 inch W x 71 inch H Pivot

# ACE DECOR 38-42 inch W x 71 inch H Matte Black Framed Pivot Shower Door Instruction Manual

Model: 38-42 inch W x 71 inch H Pivot

## INTRODUCTION

This instruction manual provides detailed guidance for the installation, operation, and maintenance of your ACE DECOR 38-42 inch W x 71 inch H Matte Black Framed Pivot Shower Door. Please read all instructions carefully before beginning installation or use to ensure proper function and safety.

The ACE DECOR shower door features 1/4 inch (6mm) SGCC certified clear tempered glass, a durable matte black aluminum frame, and stainless steel hardware. Its design allows for adjustable width and reversible installation to suit various bathroom layouts.



*Image: The ACE DECOR 38-42 inch W x 71 inch H Matte Black Framed Pivot Shower Door in a contemporary bathroom setting.*

## SAFETY INFORMATION

---

**WARNING:** Improper installation or use can lead to serious injury or product damage. Always follow these safety guidelines:

- Always wear safety glasses during installation.
- Handle glass panels with extreme care. Tempered glass, while strong, can shatter if struck at the edges.
- Ensure all mounting surfaces are structurally sound and capable of supporting the weight of the shower door.
- Do not overtighten screws, as this can damage components or glass.
- Professional installation is recommended for optimal results and safety.
- Keep children and pets away from the installation area.

## PACKAGE CONTENTS

---

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, contact customer support immediately.

- Tempered Glass Panel(s)
- Aluminum Frame Components (Wall profiles, top/bottom tracks)
- Stainless Steel Hinges and Handles
- Waterproof Sealing Strips
- Mounting Hardware (Screws, anchors, shims)
- Instruction Manual

## SETUP AND INSTALLATION

---

This section outlines the general steps for installing your pivot shower door. Refer to the detailed instructions included in your product packaging for specific measurements and procedures.

### Tools Required:

- Measuring Tape
- Level
- Drill and Drill Bits (appropriate for wall material)
- Screwdriver (Phillips head)
- Caulking Gun and Silicone Sealant (mildew-resistant)
- Pencil
- Utility Knife

### Key Dimensions:

# SHOWER DOOR DIMENSIONS



Image: A diagram illustrating the key dimensions of the shower door, including overall width (38-42 inches), height (71 inches), walk-in opening width (20 1/16 inches), walk-through opening height (68 15/16 inches), and glass thickness (1/4 inch or 6mm).

- **Shower Door Width:** 38-42 inches
- **Shower Door Height:** 71 inches
- **Walk-in Opening:** 20 1/16 inches
- **Glass Thickness:** 1/4 inch (6mm) SGCC Tempered Glass

## Adjustable Width and Wall Profiles:


The shower door features an adjustable design to accommodate variations in wall dimensions. The width inside the telescopic guide can be adjusted by up to 4 inches. Additionally, specially engineered wall profiles allow for an extra 1/2 inch adjustment on each side to compensate for out-of-plumb or uneven walls, ensuring a precise fit.

# Have a Challenging Installation?

Turn imperfect walls into a perfect shower space. Specially engineered wall profiles offer a total adjustment of up to 3/8 in. on both sides for width or out-of-plumb (uneven walls).




*Image: A detailed view of the wall profile, showing how it allows for adjustment to accommodate uneven or out-of-plumb walls.*



*Image: This diagram highlights the adjustable telescoping track, which offers a maximum adjustment range of 4 inches, and the pivot design for easy door operation.*

### **Reversible Installation:**

The shower door is designed for reversible installation, allowing it to be configured for either a left-hand or right-hand opening layout. This flexibility ensures compatibility with various bathroom designs.



## Open Status

Rotating shaft opening and closing for easy entry and exit.

*Image: A visual representation of the reversible installation, demonstrating how the door can be set up for either left-hand or right-hand opening.*

### Installation Steps (General Overview):

1. **Prepare the Area:** Ensure the shower base or curb is level and clean.
2. **Measure and Mark:** Carefully measure the opening and mark the positions for the wall profiles.
3. **Install Wall Profiles:** Secure the vertical wall profiles to the wall using appropriate fasteners and anchors. Use a level to ensure they are perfectly plumb.
4. **Install Tracks:** Attach the top and bottom tracks to the wall profiles.
5. **Install Fixed Panel (if applicable):** Secure any fixed glass panels according to the instructions.
6. **Hang the Door Panel:** With assistance, carefully lift and position the pivot door panel onto the hinges/pivot points.
7. **Adjust and Secure:** Make any necessary adjustments to ensure smooth operation and proper alignment. Tighten all fasteners.
8. **Install Handle:** Attach the stainless steel handle to the door panel.
9. **Apply Sealant:** Apply a continuous bead of mildew-resistant silicone sealant along the exterior joints of the

frame and wall profiles to prevent leaks. Allow adequate curing time before use.

**Note:** Professional installation is highly recommended to ensure proper fit, function, and safety.

## OPERATING INSTRUCTIONS

Your ACE DECOR Pivot Shower Door is designed for smooth and easy operation.

### Opening and Closing the Door:

The pivot design allows the door to rotate smoothly for entry and exit. Gently push or pull the handle to open or close the door. The door can open up to 130 degrees, providing ample space for access.

# SOFT CLOSE

Magnetinfused Ant-Water Strip Keep The Door Closed And Helps Prevent Water From Splashing Out



*Image: A top-down view illustrating the door's 130-degree rotation capability when in the open position, facilitating easy entry and exit.*

### Soft Close and Magnetic Seal:


The door is equipped with high-sealing waterproof strips and a magnet-infused anti-water strip. This mechanism ensures the door closes securely and helps prevent water from splashing out, keeping your bathroom floor dry and

separating wet and dry areas effectively.

# REVERSIBLE INSTALLATION

LEFT-HAND DOOR

RIGHT-HAND DOOR



Reversible design can adapt Left or Right opening layout

*Image: A detailed view of the soft close mechanism, highlighting the magnet-infused anti-water strip that ensures a secure closure and prevents leaks.*

## Handle:

The door features a durable #304 stainless steel handle, designed for comfortable grip and long-lasting performance in damp environments.



*Image: A close-up of the robust #304 stainless steel handle, emphasizing its quality and design.*

## **MAINTENANCE**

---

Regular cleaning and maintenance will ensure the longevity and pristine appearance of your shower door.

### **Glass Cleaning:**


The 1/4 inch (6mm) clear tempered glass is treated with ACE DECOR's exclusive Nano Shield Glass Coating. This coating resists the buildup of mildew, soap scum, and hard water, making cleaning significantly easier (up to 90% less cleaning than untreated doors).



*Image: An infographic highlighting the key features and benefits of the shower door, including the Nano Shield Glass Coating for water and stain resistance, reversible design, easy installation, and ANSI Z97.1 certified tempered glass.*

## Have a Challenging Installation?

Turn imperfect walls into a perfect shower space. Specially engineered wall profiles offer a total adjustment of up to 3/8 in. on both sides for width or out-of-plumb (uneven walls).



*Image: A visual comparison demonstrating the superior water-repellent properties of Nano Shield coated glass (Nanometer Glass) compared to normal glass, showing water beading up effectively.*

- For daily cleaning, use a soft cloth or squeegee after each shower to remove water spots.
- For deeper cleaning, use a non-abrasive glass cleaner specifically designed for shower doors. Avoid harsh chemicals, abrasive pads, or scouring powders, as these can damage the glass coating or frame finish.

## Frame and Hardware Cleaning:

- Wipe the matte black aluminum frame and stainless steel hardware with a soft, damp cloth.
- For stubborn spots, use a mild, non-abrasive cleaner. Rinse thoroughly and dry immediately to prevent water spots.
- Do not use cleaners containing ammonia, bleach, or abrasive agents on the frame or hardware.

## TROUBLESHOOTING

If you encounter any issues with your shower door, refer to the following common solutions:

- **Water Leaks:**
  - Check that all sealing strips are properly installed and intact.
  - Inspect the silicone sealant along the exterior of the frame. Reapply sealant if any gaps or cracks are found.
  - Ensure the door closes completely and the magnetic seal engages properly.
- **Door Not Closing Properly:**
  - Verify that the wall profiles are plumb and the door is level. Adjust if necessary.
  - Check for any obstructions in the pivot mechanism or along the bottom track.
- **Squeaking or Sticking:**
  - Apply a small amount of silicone-based lubricant to the pivot points if the door is squeaking.
  - Ensure the door is clean and free of debris that might cause sticking.

If these steps do not resolve the issue, please contact ACE DECOR customer support.

## SPECIFICATIONS

Feature	Detail
Brand	ACE DECOR
Model	38-42"W x 71"H Pivot
Color	Matte Black Framed
Material	Stainless Steel (Hardware), Aluminum (Frame)
Glass Type	1/4" (6mm) SGCC Certified Clear Tempered Glass
Style	Modern
Item Weight	76 Pounds
Product Dimensions	0.25 x 42 x 71 inches
Assembly Required	Yes
Finish	Matt
Shape	Straight

## WARRANTY INFORMATION

---

ACE DECOR products are manufactured to high-quality standards. For specific warranty details regarding your shower door, please refer to the warranty card included with your product or visit the official ACE DECOR website. Keep your proof of purchase for warranty claims.

## CUSTOMER SUPPORT

---

If you have any questions, require assistance with installation, or need to report a missing/damaged part, please contact ACE DECOR customer support. You can find contact information on the official ACE DECOR website or through your retailer.

Visit the [ACE DECOR Store](#) for more information and products.

