

EVVO V0318

EVVO CE11 Telescopic Extractor Hood User Manual

Model: V0318

1. PRODUCT OVERVIEW

The EVVO CE11 Telescopic Extractor Hood is designed to keep your kitchen free of smoke and odors with its powerful suction capacity of 650 m³/h. This compact 60 cm model integrates seamlessly into any modern kitchen, efficiently utilizing space thanks to its telescopic design that discreetly hides when not in use. Manufactured from stainless steel, the EVVO CE11 offers durability and corrosion resistance. Its 165W motor provides robust performance, ideal for efficiently removing vapors and contaminants, while the 1.5W LED light ensures clear, low-consumption illumination over the cooking area. With an A energy rating, this extractor hood is a sustainable and economical option, helping to reduce electricity bills without sacrificing performance. It incorporates a 5-layer aluminum filter that traps grease and dust particles, and an activated carbon filter that neutralizes odors, ensuring a clean and healthy environment. The EVVO CE11 is easily operated via control switches, offering two adjustable speeds to select the appropriate suction power for your culinary needs, whether for light ventilation or intensive extraction during demanding cooking.



Figure 1.1: EVVO CE11 Telescopic Extractor Hood in Inox finish.



Figure 1.2: The EVVO CE11 hood seamlessly integrated into a kitchen environment.



Figure 1.3: The EVVO CE11 features an elegant stainless steel design.

2. SAFETY INSTRUCTIONS

Please read all safety instructions carefully before installation and operation. Failure to follow these instructions may result in electric shock, fire, or injury.

- Ensure the power supply voltage matches the rating label on the appliance.
- Installation must be performed by a qualified technician in accordance with local regulations.
- Do not operate the hood without filters properly installed.
- Regularly clean grease filters to prevent fire hazards.
- Do not flambé under the range hood.
- Keep children away from the appliance during operation.
- Disconnect the appliance from the power supply before cleaning or maintenance.

3. PRODUCT COMPONENTS AND DIMENSIONS

The EVVO CE11 Extractor Hood comes with the following main components:

- Extractor Hood Unit
- Aluminum Grease Filters (5-layer)
- Activated Carbon Filters (for recirculation mode)
- Mounting Hardware (not explicitly listed but implied for installation)

Refer to the diagram below for detailed product dimensions:




Figure 3.1: Dimensional drawing of the EVVO CE11 Extractor Hood.

The hood features a compact 60 cm width, with adjustable depth when extended. The ducting diameter is 15 cm.

4. INSTALLATION AND SETUP

The EVVO CE11 is designed for integrated mounting under a cabinet. Installation should be carried out by a qualified professional.

4.1. Pre-installation Checklist

- Verify all components are present and undamaged.
- Ensure adequate space and proper ventilation for installation.
- Confirm electrical supply meets specifications (120V).

4.2. Mounting the Hood

1. Mark the mounting points on the cabinet according to the provided template (if applicable, or based on dimensions).
2. Drill pilot holes for screws.
3. Secure the hood to the cabinet using appropriate fasteners.
4. Connect the ducting (if using ducted mode) or install activated carbon filters (for recirculation mode).

4.3. Electrical Connection

Connect the hood to a grounded electrical outlet. Ensure all electrical connections comply with local electrical codes.

5. OPERATION

The EVVO CE11 features easy-to-use push-button controls for efficient operation.



Libre de humos

Asegura la eliminación de los humos con su capacidad de succión de 650 m³/h y una potencia de motor de 165W.

Figure 5.1: The EVVO CE11 effectively removes smoke and odors, ensuring a clean kitchen environment.

5.1. Powering On/Off

Press the power button to turn the hood on or off.

5.2. Adjusting Suction Speed

The hood offers two adjustable speeds to match your cooking needs:

- **Speed 1:** For light cooking, simmering, or maintaining air quality.
- **Speed 2:** For intensive cooking, frying, or when significant smoke/vapor is present.

Press the respective speed button to select the desired setting.

5.3. LED Lighting

Press the light button to turn the integrated LED light on or off, providing clear illumination over your cooking surface.

6. MAINTENANCE AND CLEANING

Regular maintenance ensures optimal performance and extends the lifespan of your EVVO CE11 hood.

6.1. Cleaning the Exterior

- Wipe the stainless steel surface with a soft cloth and a mild, non-abrasive cleaner.
- Avoid using harsh chemicals or abrasive pads that could damage the finish.

6.2. Cleaning Grease Filters

The 5-layer aluminum grease filters should be cleaned regularly (e.g., monthly, depending on usage) to maintain suction efficiency and prevent grease buildup.

1. Ensure the hood is turned off and disconnected from power.
2. Remove the grease filters by releasing their latches.
3. Wash the filters by hand in warm, soapy water or in a dishwasher on a gentle cycle.
4. Allow filters to dry completely before re-installing.

6.3. Replacing Activated Carbon Filters (if applicable)

If your hood operates in recirculation mode, the activated carbon filters need to be replaced periodically (typically every 3-6 months, depending on usage). These filters are not washable.

1. Ensure the hood is turned off and disconnected from power.
2. Remove the grease filters to access the carbon filters.
3. Remove the old carbon filters and dispose of them.
4. Install new carbon filters, ensuring they are securely in place.
5. Re-install the grease filters.

7. TROUBLESHOOTING

Before contacting customer support, please refer to the following common issues and solutions:

Problem	Possible Cause	Solution
Hood does not turn on.	No power supply; circuit breaker tripped.	Check power connection; reset circuit breaker.
Low suction power.	Clogged grease filters; incorrect speed setting; blocked ducting.	Clean grease filters; select higher speed; check ducting for obstructions.
Excessive noise.	Loose components; fan obstruction; improper installation.	Check for loose parts; remove any obstructions; ensure proper installation.
Odors not removed.	Activated carbon filters need replacement (recirculation mode); insufficient ventilation.	Replace carbon filters; ensure proper room ventilation.

8. TECHNICAL SPECIFICATIONS



Figure 8.1: The EVVO CE11 boasts an A energy efficiency rating.

Feature	Specification
Brand	EVVO
Model Number	V0318
Product Dimensions	32 x 60 x 28 cm
Product Weight	10.5 Kilograms
Material	Stainless Steel
Color	Inox
Voltage	120V

Feature	Specification
Wattage	165 watts
Airflow Capacity	650 m ³ /h
Noise Level	68 dB
Energy Efficiency Class	A
Filter Type	Mesh (Aluminum 5-layer)
Ventilation Type	Ductless/Recirculating
Control Type	Push Button
Light Source Type	LED (1.5W)
Mounting Type	Integrated Mount (Under-cabinet)
Components Included	Extractor Hood, Aluminum and Activated Carbon Filters
Country of Origin	China

9. WARRANTY AND SUPPORT

EVVO products are manufactured to high-quality standards. In the unlikely event of a defect, please refer to your purchase documentation for specific warranty terms.

Spare Parts Availability: Spare parts for this appliance are available for a period of 10 years within the EU.

For technical support, service, or to order replacement parts, please contact EVVO customer service through the retailer where the product was purchased or visit the official EVVO website.

Important: Do not attempt to repair the appliance yourself. Repairs should only be carried out by qualified service personnel.

© 2025 EVVO. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.