

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

## Arlo FLW2001

# Arlo Wired Floodlight Camera User Manual

Model: FLW2001

## INTRODUCTION

The Arlo Wired Floodlight Camera is an advanced home security solution designed to provide comprehensive surveillance and illumination for outdoor areas. This device integrates a high-resolution 2K HDR camera with a powerful 2000-lumen LED floodlight, offering enhanced visibility and security day and night. It features two-way audio, color night vision, and motion detection capabilities, all accessible through the Arlo Secure App.

This manual provides essential information for the proper installation, operation, and maintenance of your Arlo Wired Floodlight Camera.

## PRODUCT FEATURES

### Key Features

- 2K HDR Video:** Capture clear, detailed footage with high dynamic range.
- 2000 Lumens Floodlight:** Bright illumination for deterrence and clear night vision.
- 160° Field of View:** Wide coverage to monitor large outdoor areas.
- Color Night Vision:** See vivid details even in low light conditions.
- 2-Way Audio:** Communicate with visitors or deter intruders.
- Integrated Siren:** Manually or automatically activate a siren from the app.
- Weather-Resistant Design:** Durable construction for outdoor use (IP65 rated).
- Motion Detection & Alerts:** Receive instant notifications on your smartphone.
- Always Powered:** Wired connection ensures continuous operation.

### Smart Home Integration

- Works with Amazon Alexa.
- Works with Google Home.
- Compatible with IFTTT automations.

### Package Contents

- (1) Arlo Wired Floodlight Camera (Model FLW2001)



*Figure 1: Arlo Wired Floodlight Camera (White)*

This image shows the Arlo Wired Floodlight Camera in white, featuring two adjustable floodlights and a central camera unit. The camera is designed for outdoor security and provides both illumination and surveillance capabilities.

# Wired Floodlight Camera Features



2K

2K Video



Large Field of View  
(160 degrees)



2000 Lumens



Always Powered



2-Way Audio



Color Night Vision



All-Weather Protection



Motion Detection  
& Alerts

Figure 2: Key Features of the Wired Floodlight Camera

This image highlights the main features of the Arlo Wired Floodlight Camera, including 2K Video, 160-degree Field of View, 2000 Lumens brightness, Always Powered operation, 2-Way Audio, Color Night Vision, All-Weather Protection, and Motion Detection & Alerts.

## SETUP AND INSTALLATION

The Arlo Wired Floodlight Camera requires hardwiring to an existing 4-inch round electrical junction box. Ensure power is turned off at the breaker before beginning installation.

### Installation Steps:

- Turn off power:** Locate the circuit breaker controlling the outdoor light fixture you intend to replace and switch it to the OFF position. Verify power is off using a voltage tester.
- Remove existing fixture:** Carefully remove your old floodlight or outdoor fixture from the junction box. Disconnect all wires and ensure they are safely tucked away.
- Install mounting bracket:** Attach the Arlo mounting bracket to your existing 4-inch round electrical junction box using

the provided screws. Ensure it is securely fastened.

4. **Connect wires:** Connect the wires from the floodlight camera to the corresponding wires in the junction box (Live to Live, Neutral to Neutral, Ground to Ground) using wire nuts. Ensure all connections are secure.
5. **Mount floodlight:** Carefully tuck all wires into the junction box. Align the floodlight camera with the mounting bracket and secure it in place.
6. **Restore power:** Turn the power back on at the circuit breaker.
7. **App setup:** Download the Arlo Secure App from your device's app store. Follow the in-app instructions to add your new Arlo Wired Floodlight Camera and complete the setup process, including Wi-Fi connection (2.4 GHz WiFi Network required).



Hardwire to existing electrical for continuous power and protection.

*Figure 3: Hardwiring for Continuous Power*

This image illustrates the process of hardwiring the Arlo Wired Floodlight Camera to an existing electrical junction box, ensuring continuous power and protection.



Figure 4: Simple Setup - Step 1: Turn off power

This image shows a hand turning off a circuit breaker, emphasizing the crucial first step of turning off power before installation.

## Simple setup.



### Step 1: Turn off power.

Turn off power at breaker, remove existing hardware and install the mounting bracket on your existing junction box.



### Step 2: Connect wires.<sup>1</sup>

Attach one end of the S-Hook to the camera and the other end to the Mounting Bracket to support floodlight during installation. Twist wires from floodlight and junction box together.



### Step 3: Mount floodlight.

Tuck all the wires into the junction box and secure floodlight to the Mounting Bracket. Turn power back on at the breaker and follow prompts in Arlo Secure App to finish setting up the floodlight

<sup>1</sup> Requires a 4" round UL listed weatherproof electrical junction box.


Figure 5: Simple Setup - Step 2: Connect wires

This image depicts the process of connecting the floodlight camera's wires to the electrical wiring from the junction box, highlighting the use of an S-Hook for support during wiring.

## Unlock premium features with Arlo Secure Subscriptions.

### Video & Event History

View, share, and save 60 days of video and event recordings from anywhere.




### Person & Vehicle Recognition

Personalize your security to recognize familiar people and vehicles.



### Arlo Intelligence

Person, Vehicle, and Custom Detection, powered by AI.



### 24/7 Protection

We're on guard 24/7 against threats and disruptions.



*Figure 6: Simple Setup - Step 3: Mount floodlight*

This image shows the final step of mounting the floodlight camera to the junction box and securing it, followed by instructions to turn power back on and complete setup via the Arlo Secure App.

## OPERATING YOUR ARLO FLOODLIGHT CAMERA

---

The Arlo Wired Floodlight Camera is primarily operated through the Arlo Secure App, available for smartphones and tablets. The app allows you to manage settings, view live feeds, and receive alerts.

### Arlo Secure App Functions:

- **Live View:** Access real-time video streaming from your camera.
- **Motion Detection:** Configure motion zones and sensitivity to receive alerts when activity is detected.
- **2-Way Audio:** Use the microphone and speaker to communicate with visitors or deter intruders.
- **Siren Activation:** Manually trigger the integrated siren from the app.
- **Floodlight Control:** Adjust brightness, set schedules, or manually turn the floodlight on/off.
- **Video History:** Review recorded events (requires Arlo Secure subscription for extended history).
- **Smart Notifications:** Receive personalized alerts for people, vehicles, packages, and animals (requires Arlo Secure subscription).

Receive real-time alerts, access video history, and communicate with 2-Way Audio—all from your phone.

Some features may require an Arlo Secure plan.

Figure 7: Real-time Alerts and 2-Way Audio via Arlo App

This image displays the Arlo Secure App interface on multiple smartphones, demonstrating real-time alerts for detected activity (person, car, animal) and the 2-Way Audio feature, allowing communication with visitors.

2K

2K HDR Video

160°

160° Field of View

Superior Brightness

2-Way Audio

Color Night Vision

Phone Notifications

Come on in!

Hi Grandma!

**2-Way Audio**

Talk and listen to visitors clearly with noise-canceling two-way talk.

Figure 8: 2-Way Audio Communication

This image highlights the 2-Way Audio feature, showing a smartphone screen with a live view and options to talk and listen, enabling clear communication with visitors through the camera.




Figure 9: Superior Brightness Control

This image demonstrates the floodlight's superior brightness, capable of lighting up property with up to 2000 lumens, and shows the in-app settings for adjusting brightness and duration.

## MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your Arlo Wired Floodlight Camera.

- Cleaning:** Periodically wipe the camera lens and floodlight surfaces with a soft, damp cloth to remove dust, dirt, or water spots. Avoid using harsh chemicals or abrasive materials.
- Firmware Updates:** Ensure your camera's firmware is always up to date through the Arlo Secure App. Updates often include performance improvements and security enhancements.
- Connectivity Check:** Regularly check your Wi-Fi connection strength in the Arlo app to ensure stable streaming and alerts.
- Physical Inspection:** Occasionally inspect the mounting and wiring for any signs of wear, damage, or loose connections.

## TROUBLESHOOTING

If you encounter issues with your Arlo Wired Floodlight Camera, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
No power/Floodlight not turning on	Power breaker is off; Loose wiring; Faulty unit.	Check circuit breaker and ensure it's ON. Verify wiring connections are secure. If issues persist, contact Arlo Support.
Poor video quality (blurry, pixelated)	Dirty lens; Weak Wi-Fi signal; Insufficient lighting.	Clean the camera lens. Ensure strong 2.4 GHz Wi-Fi signal. Adjust floodlight settings for better illumination.

Problem	Possible Cause	Solution
Motion alerts delayed or not received	Poor Wi-Fi connection; Incorrect motion sensitivity settings; App notification settings.	Improve Wi-Fi signal strength. Adjust motion sensitivity and activity zones in the Arlo app. Check phone's notification settings for the Arlo app.
2-Way Audio not working	Microphone/speaker blocked; App permissions; Network issues.	Ensure nothing is obstructing the microphone or speaker. Check app permissions for microphone access. Verify stable network connection.
Camera offline	Power interruption; Wi-Fi disconnected; Router issues.	Check power to the floodlight. Restart your Wi-Fi router. Reconnect the camera to Wi-Fi via the Arlo app.

## SPECIFICATIONS

Feature	Detail
Model Number	FLW2001
Indoor/Outdoor Usage	Outdoor
Power Source	Corded Electric (100-240V AC, 50-60Hz)
Connectivity Protocol	Wi-Fi (2.4 GHz)
Video Capture Resolution	1440p (2K HDR)
Viewing Angle	160 Degrees
Night Vision Range	8 Meters (Color Night Vision)
Floodlight Brightness	2000 Lumens
Material	Plastic
Dimensions (L x W x H)	5.83 x 10.43 x 6.65 inches
Item Weight	1.6 Pounds
Controller Type	Amazon Alexa, Android, IFTTT
Alert Type	Audio and Motion
Zoom Type	Digital Zoom (12x)

## WARRANTY AND SUPPORT

For expert assistance and support regarding your Arlo Wired Floodlight Camera, please utilize the following resources:

- **Arlo Secure App:** Access help directly through the application.
- **Online Community:** Connect with other Arlo users to learn and share experiences.
- **24/7 Chat Support:** Available via the Arlo app or official website.
- **Product Use & Support:** Please note that product use and support are for United States only.


For detailed warranty information, please refer to the official Arlo website or the documentation included with your product.

Arlo is committed to safeguarding your privacy and personal information.

© 2025 Arlo. All rights reserved.

## Related Documents

Documents - Arlo – FLW2001




[pdf] Quick Start Guide Guide

Quick Start Guide QSG FLW1001 FLW2001 AU arlo files |||

Quick Start Guide Wired Floodlight Camera Let's get started! 1 Please scan QR code with your phone camera to watch this video and familiarize yourself with the installation process. Or go to [arlo.com/install/wiredfloodlight](http://arlo.com/install/wiredfloodlight) 2 Download the Arlo Secure App and create an account or log in to your existing account.

lang:en score:39 filesize: 1.07 M page\_count: 16 document\_date: 2024-09-26



[\[pdf\]](#) Quick Start Guide Installation Guide Guide

Device Quick Start Guide Arlo Support Wired Floodlight QSG FLW1001 FLW2001 EN CF SP arlo files ||| Quick Start Guide Wired Floodlight Camera Let's get started 1 Please scan QR code with your camera to watch this video and familiarize yourself with the installation process. Or go to [arlo.com/install/wiredfloodlight](http://arlo.com/install/wiredfloodlight) 2 Download the Arlo Secure App and create an account or log in to your existing account...

lang:en score:36 filesize: 2.26 M page count: 32 document date: 2024-06-12


 <b>EU Declaration of Conformity</b>		
Product Name:	Product Type:	Model Number:
Arlo Pro 2	Wireless Camera	ARLO-PRO2
Manufacturer:		
Arlo Technologies, 10175 El Camino Real, Suite 1000 San Diego, CA 92121 USA		
Authorised Representative:		
DTS Europe Ltd., 1000 Regent Street, Floor 10, University Technology Building, University House, London, WC1B 3HT, United Kingdom		
Declarer under EU Article 102a requires that the following declaration of conformity is made in accordance with the EU Directive 2014/53/EU and the EU harmonized standard(s) and technical specification(s) and can be found in the accompanying technical file.		
<input checked="" type="checkbox"/> I declare that the equipment is in conformity with the following harmonized standard(s) and technical specification(s):		
<b>Health &amp; Safety</b> I declare that the equipment is in conformity with the following harmonized standard(s) and technical specification(s):		
<b>EMC</b> I declare that the equipment is in conformity with the following harmonized standard(s) and technical specification(s):		
<b>RoHS</b> I declare that the equipment is in conformity with the following harmonized standard(s) and technical specification(s):		
<b>Radio Spectrum</b> I declare that the equipment is in conformity with the following harmonized standard(s) and technical specification(s):		
<b>EU Declaration of Conformity</b> I declare that the equipment is in conformity with the following harmonized standard(s) and technical specification(s) and I declare to operate in accordance with the EU declaration of conformity. <a href="http://www.arlo.com/declaration-of-conformity">http://www.arlo.com/declaration-of-conformity</a> for complete list of approved harmonies.		
<b>Acceptance of Responsibility</b> I accept full responsibility for the declaration of conformity and for the correct operation of the equipment.		
<b>Signature and Name</b> I sign and declare that I am the authorized representative of the manufacturer. Name: <b>John Doe</b> Position: <b>Project Manager</b> Signature: 		
<b>Model Number:</b> ARLO-PRO2		
<b>Additional Information:</b> Arlo Technologies, Inc. 10175 El Camino Real, Suite 1000 San Diego, CA 92121 USA  <b>EU Declaration of Conformity:</b> DTS Europe Ltd., 1000 Regent Street, Floor 10, University Technology Building, University House, London, WC1B 3HT, United Kingdom  <b>EU Declaration of Conformity:</b> DTS Europe Ltd., 1000 Regent Street, Floor 10, University Technology Building, University House, London, WC1B 3HT, United Kingdom		

## [pdf] Specifications Declaration of Conformity

Ashish Jain FLW1001 FLW2001 EU and UK Declarations of Conformity for Arlo Products CEDOC arlo files DoC |||

English Docusign Envelope ID: F2B526B9-D44B-4D84-9930-F00BDB672168 EU  
Declaration of Conformity Product Name Wired Floodlight Camera Product Type  
Floodlight Camera Model Number FLW1001, **FLW2001** Manufacturer: Arlo  
Technologies, Inc. 5770 Fleet St, Suite 200, Carlsbad, CA 92008 USA Authorize...  
lang:en score:36 filesize: 843.61 K page\_count: 9 document date: 2024-12-06

lang:en score:36 filesize: 843.61 K page count: 9 document date: 2024-12-06



[\[pdf\]](#) User Manual

Arlo Pro Wire Free HD Security Camera System User Manual Technologies EN 202 50068 01

WiredFloodlight FLW2001 UM 01Nov2024 arlo content dam support user manuals wired floodlight |||

## Wired Floodlight Camera **FLW2001 / FLW2001B** User Manual Contents

### 1. Get to know your Wired Floodlight Camera 4 Get the Arlo Secure

## App..... 4 Meet your Wired Floodlight Camera.....

lang:en score:35 filesize: 1.57 M page\_count: 56 document\_date: 2025-02-26

## [pdf] Specifications Declaration of Conformity

Ashish Jain FLW1001 FLW2001 EU and UK Declarations of Conformity for Arlo Products UKDOC arlo files DoC III

Docusign Envelope ID: D3125972-421E-41D8-B3F3-A3F992722F2B UK Declaration  
of Conformity Product Name Wired Floodlight Camera Product Type Floodlight  
Camera Model Number FLW1001, **FLW2001** Manufacturer: Arlo Technologies, Inc.  
5770 Fleet St. Suite 200, Carlsbad, CA 92008 USA Authorized Represent

lang:en score:35 filesize: 636 7 K page\_count: 2 document date: 2025-04-01



### [\[pdf\] User Manual](#)

Arlo Pro Wire Free HD Security Camera System User Manual Technologies DA 202 50068 01

WiredFloodlight FLW2001 UM 01Nov2024 arlo content dam support user manuals wired floodlight |||

Kablet Floodlight kamera **FLW2001/FLW2001B** Brugervejledning ADVARSEL: Risiko for elektrisk std og brand. Installer ikke det kablede Floodlight kamera armatur i nrheden af brndbare eller letantndelige overflader. Installationen skal udfres af en autoriseret elektriker. Flg altid lokale bygningsre...

lang:da score:34 filesize: 1.25 M page\_count: 56 document date: 2025-02-26



### [\[pdf\] User Manual](#)

Arlo Pro Wire Free HD Security Camera System User Manual Technologies SE 202 50068 01

WiredFloodlight FLW2001 UM 01Nov2024 arlo content dam support user manuals wired floodlight |||

Floodlight kamera med sladd **FLW2001 / FLW2001B** Bruksanvisning WARNING: Risk fr elektriska sttar och brand. Installera inte Floodlight kameran med sladd fixturen nra brnnbara eller brandfarliga ytor. Installationen mste utfras av en auktoriseraad elektriker. Flj alltid lokala bygggregler, standard...

lang:no score:34 filesize: 1.27 M page\_count: 56 document date: 2025-02-26



### [\[pdf\] User Manual](#)

Arlo Pro Wire Free HD Security Camera System User Manual Technologies NL 202 50068 01

WiredFloodlight FLW2001 UM 01Nov2024 arlo content dam support user manuals wired floodlight |||

Bedrade Floodlight-camera **FLW2001 / FLW2001B** Gebruikershandleiding

WAARSCHUWING: Gevaar voor elektrische schokken en brand. Installeer geen bedrade Floodlight-camera armatuur in de buurt van brandbare of ontvlambare oppervlakken. De installatie moet worden uitgevoerd door een erkende elektricien...

lang:nl score:34 filesize: 1.28 M page\_count: 56 document date: 2025-02-26



## [pdf] User Manual

Arlo Pro Wire Free HD Security Camera System User Manual Technologies DE 202 50068 01

WiredFloodlight FLW2001 UM 01Nov2024 arlo content dam support user manuals wired floodlight |||

Kabelgebundene Flutlichtkamera **FLW2001 / FLW2001B** Benutzerhandbuch

**WARNUNG:** Stromschlag- und Brandgefahr. Installieren Sie die kabelgebundene Flutlichtkamera das „Gert nicht in der Nhe von entflammablen oder brennbaren Oberflchen. Die Installation muss von einem zugelassenen Elektriker durchgef...

lang:de **score:34** filesize: 1.46 M page\_count: 56 document date: 2025-02-27



## [pdf] User Manual

Arlo Pro Wire Free HD Security Camera System User Manual Technologies ES 202 50068 01

WiredFloodlight FLW2001 UM 01Nov2024 arlo content dam support user manuals wired floodlight |||

Cmara de seguridad con cable Floodlight **FLW2001 / FLW2001B** Manual de usuario

**ATENCIN:** Riesgo de descarga elctrica e incendio. No instales la cmara de seguridad con cable Floodlight el Aparato cerca de superficies combustibles o inflamables. La instalacin debe realizarse por un electricista con lic...

lang:es **score:34** filesize: 1.44 M page\_count: 56 document date: 2025-02-27



## [pdf] User Manual

Arlo Pro Wire Free HD Security Camera System User Manual Technologies FR 202 50068 01

WiredFloodlight FLW2001 UM 01Nov2024 arlo content dam support user manuals wired floodlight |||

Camra de securit filaire Floodlight **FLW2001 / FLW2001B** Manuel de l utilisateur

**AVERTISSEMENT :** risque de choc et d explosion. N installez pas la camra de securit filaire Floodlight quipement proximit de surfaces combustibles ou inflammables. L installation doit tre effectuee par un lectricien agr....

lang:fr **score:34** filesize: 1.51 M page\_count: 56 document date: 2025-02-26



## [pdf] Quick Start Guide

Brighten Up Your Security Arlo Wired Floodlight Camera DS FLW2001 EN arlo files QSG |||

Arlo Wired Floodlight Camera Brighten Up Your Security Protect your home with powerful 2000 lumens ... ed a paid subscription, visit [www.arlo.com/arlosecure](http://www.arlo.com/arlosecure).

PAPGAEGE11off23 Wired Floodlight Camera **FLW2001** Requirements Mount to existing 4-inch round UL listed weatherproof electrical junction box ...

lang:en score:33 filesize: 797.1 K page\_count: 3 document date: 2024-10-01




## [pdf] Quick Start Guide Guide

Quick Start Guide 201 50785 02 WiredFloodlight FLW2001 EN FR DE IT SD QSG 11Mar2025 arlo content dam support qsg wired floodlight |||

Arlo Technologies Intl. Ltd Ground Floor, Building 3 University Technology Centre Curraheen Road, Cork T12 EF21 Ireland Arlo Technologies UK Limited 280 Bishopsgate London, EC2M 4RB Arlo Technologies, Inc. 5770 Fleet Street, Suite 200 Carlsbad, CA 92008 USA March 2025 201-50785-02 Quick Start Guid...

lang:en score:32 filesize: 5.23 M page\_count: 32 document date: 2025-03-11



## [pdf] User Manual Quick Start Guide Installation Guide

Arlo Pro Wire Free HD Security Camera System User Manual camera VMS4000 Technologies Wired Floodlight FLW2001 FLW2001B Also though the floodlight can detect motion up to 32 feet 10 meters away best area for detection is 5 20 1 6 from its UM AU arlo files QSG |||

Wired Floodlight Camera **FLW2001 / FLW2001B** User Manual WARNING: Risk of electrical shock and fire. Do not install wired floodlight camera Fixture near combustible or flammable surfaces. Installation must be performed by a licensed electrician. Always follow local building codes, standards, and ...

lang:en score:28 filesize: 10.74 M page\_count: 56 document date: 2024-11-01



## [pdf] Quick Start Guide

Arlo Wired Floodlight Security Camera FLW2001 White 100NAS Best BuyDS ENarlo files QSG DS EN gl 1\*b088zo\* gcl au\*NTAwNzgwMzcLjE3NDE4ODlyMjU u0026 ga 2 142425010 1238760062 1748974032 1305561458 1746570693 |||

Arlo Wired Floodlight Camera Brighten Up Your Security Protect your home with powerful 2000 lumens ... ed a paid subscription, visit [www.arlo.com/arlosecure](http://www.arlo.com/arlosecure).

PAPGAEGE11off23 Wired Floodlight Camera **FLW2001** Requirements Mount to existing 4-inch round UL listed weatherproof electrical junction box ...


lang:en score:28 filesize: 797.1 K page\_count: 3 document date: 2024-10-01



## [Connecting Arlo Cameras to a 2.4 GHz Wi-Fi Network](#)

Learn how to connect your Arlo camera and mobile device to a 2.4 GHz Wi-Fi network for optimal setup and performance. This guide covers identifying 2.4 GHz networks, connecting iOS and Android devices, and troubleshooting common connection issues.

lang:en score:27 filesize: 145.86 K page\_count: 2 document date: 2025-05-22




## [\[pdf\] User Manual Quick Start Guide](#)

Arlo Pro Wire Free HD Security Camera System User Manual camera VMS4000 Technologies Wired Floodlight Home with 2K Video and HDR 2000 Lumens Integrated Siren Weather Resistant Color Night Vision 160° Field of View 2 Way Audio White 2025FLW2001 2025 B0F1VBBQ6P B0DB6M7HRW B0DB6LX5SWC1uZ5gysehL media amazon images | C1uZ5gysehL B0DB6LX5SWArlo FLW2001 100NAS Best BuyUM NAm C1uZ5gysehLarlo files QSG UM NA gl 1\*50dwrf\* gcl au\*NTAwNzgwMzczLjE3NDE4ODlyMjU u0026 ga 117226118 1238760062 1748974032 1305561458 1746570693 ||| ||| Wired Floodlight Camera FLW2001 / FLW2001B User Manual Contents 1. Get to know your Wired Floodlight Camera 4 Get the Arlo Secure App 4 Meet your Wired Floodlight Camera . 5 2. Get started 7 Before you begin . 7 What you need for mounting y

Wired Floodlight Camera **FLW2001 / FLW2001B** User Manual Contents 1. Get to know your Wired Floodlight Camera 4 Get the Arlo Secure App..... 4 Meet your Wired Floodlight Camera.....

lang:en score:26 filesize: 6.15 M page\_count: 53 document date: 2024-10-10



## [\[pdf\] User Manual Catalog](#)

Arlo Pro Wire Free HD Security Camera System User Manual camera VMS4000 Technologies 6a561fc9 0d93 4583 b4d7 09a0316a6ae1 images thdstatic catalog Images 6a ||| Wired Floodlight Camera **FLW2001 / FLW2001B** User Manual Contents 1. Get to know your Wired Floodlight Camera 4 Get the Arlo Secure App..... 4 Meet your Wired Floodlight Camera.....

lang:en score:25 filesize: 6.15 M page\_count: 53 document date: 2024-10-10



## [\[pdf\] Specifications Dimension Guide Label](#)

SSD 50076 01 Nightingale product label rev05 EUS ID Label and Location Arlo Technologies Inc 18300426 2APLE18300426

Artwork ARTWORK SPECIFICATION Nightingale FHD/2k REVISION: 05 2024-04-18 REVISION NOTES: 01: remo ... ote 06: change .2A to .3A 07: add ac, 25w, ta 45 c Font Arial 8pt Font Arial 6pt White 2K Model: **FLW2001** SN AA2277KD143F INPUT: 100-240V- 60/50Hz 0.3A Max 25W ta 45oC Label Size: 21.7\*25.7 mm 2D B... lang:en score:25 filesize: 839.11 K page\_count: 3 document date: 2024-09-23

Document ID: 32916DE6-AB53-4A96-8997-861EE1656577

Arlo Technologies, Inc.

Date: 2024/7/29

Dear Sir or Madam,

Due to the business consideration, we hereby declare that our product of **Wired Floodlight Camera** Model: **FLW2001** and **FLW1001** as following is the difference

2K and FHD is only firmware change, there is no hardware difference between FLW2001 and FLW1002.

Should you have any question, feel free to contact me directly.  
Sincerely yours,

 (Signature)

FCC grantee information:  
Name/Title: David V. Neel Director Regulatory Compliance  
Company Name: Arlo Technologies Inc.  
Address: 2200 Franklin Avenue, Suite 150, Carrollton, CA 91008, USA  
TEL: 11014080000  
FAX: 11014080000  
Email: compliance@arlo.com

[\[pdf\]](#)

Quanta Computer Inc ivonne Models Difference Description Letter Arlo Technologies 18300426


2APLE18300426

Docusign Envelope ID: 32916DE6-AB53-4A96-8997-861EE1656577 Arlo Technologies, Inc Date: 2024/7/29 Dear Sir or Madam, Due to the business consideration, we hereby declare that our product of **Wired Floodlight Camera Model: FLW2001** and **FLW1001** as following is the difference 2K and FHD is only firmw... lang:es **score:24** filesize: 224.12 K page\_count: 1 document date: 2024-08-01



[\[pdf\]](#) User Manual Quick Start Guide Installation Guide Guide Catalog

Arlo Outdoor Smart Hardwired Floodlight 2K HDR Security Camera with 160 Field of View 2 Way Talk Color Night Vision White FLW2001 100NAS The Home Depot d9d4b3a 2a03 47ac 85f4 1904cbf020df images thdstatic catalog Images d9d4b3a 1904cbf020df Wired Video and 2000 Lumens Integrated Siren Weather Resistant 160° Audio 2025FLW2001 Installation Manual 2025 B0F1VBBQ6P B0DB6M7HRW B0DB6LX5SW Arlo Depot B12irr ndiLd99d4b3a 1904cbf020df media amazon images B12irr ndiLimages ||| ||| Quick Start Guide Wired Floodlight Camera Let's get started 1 Please scan QR code with your camera to watch this video and familiarize yourself with the installation process. Or go to arlo.com/install/wiredfloodlight 2 Download the Arlo Sec Quick Start Guide Wired Floodlight Camera Let's get started 1 Please scan QR code with your camera to watch this video and familiarize yourself with the installation process. Or go to arlo.com/install/wiredfloodlight 2 Download the Arlo Secure App and create an account or log in to your existing a... lang:en **score:24** filesize: 2.26 M page\_count: 32 document date: 2024-06-12



[\[pdf\]](#) Confidentiality Request Letter

Test Report Mobile Station Over the Air Performance Alan Pasion Antenna Arlo Technologies Inc 18300426 2APLE18300426

Nightingale Antenna Report Report No.: Nightingale\_Ant\_Report\_01 Date: June 18, 2024 Copyright ARLO ... na Mfg. Address Configuration of Primary Mechanical Mode Comments: June 14, 2024 ARLO Technologies **FLW2001** / FLW1001 WIFI Spotlight Camera N/A WiFi 2.4 GHz DV2 N/A N/A N/A Internal, PIFA C107-512112... lang:en **score:23** filesize: 335.08 K page\_count: 6 document date: 2024-06-18




### [pdf] Catalog

Brighten Up Your Security Arlo Wired Floodlight Camera Protect your home with powerful 2000 lumens of light and view 2K HDR live or recorded clips\* from phone Capture clear video in low light e4eb070e c552 4a9f 83f2 ff1dcd3d13cf images thdstatic catalog Images e4 |||

Arlo Wired Floodlight Camera Brighten Up Your Security Protect your home with powerful 2000 lumens ... ed a paid subscription, visit [www.arlo.com/arlosecure](http://www.arlo.com/arlosecure).

PAGPAEGE110off23 Wired Floodlight Camera **FLW2001** Requirements Mount to existing 4-inch round UL listed weatherproof electrical junction box ...

lang:en score:21 filesize: 790.55 K page\_count: 3 document date: 2024-09-17




### [pdf] Test Report Product Photos Teardown

Chen Wayne Internal Photos 1 Arlo Technologies Inc 18300426 2APLE18300426

Test report No. : 4791322031-EP Page : 31 of 68 Issued date : Sep. 20, 2024 Internal Photos **FLW2001** Pic 1 **FLW2001** Pic 2 Underwriters Laboratories Taiwan Co., Ltd. Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan Telephone : 886-2-7737-3000 Fac...

lang:en score:19 filesize: 3.32 M page\_count: 20 document date: 2024-09-20



### [pdf] Test Report Product Photos Teardown


Chen Wayne Internal Photos 2 Arlo Technologies Inc 18300426 2APLE18300426

Test report No. : 4791322031-EP Page : 51 of 68 Issued date : Sep. 20, 2024

**FLW2001** Pic 41 **FLW2001** Pic 42 Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan Telephone : 886-2-7737-3000 Facsimile FAX ...

lang:en score:18 filesize: 2.78 M page\_count: 18 document date: 2024-09-20



### [pdf] Quick Start Guide Installation Guide Guide

Arlo Wired Floodlight Security Camera FLW2001 White 100NAS Best BuyQSG FLW1001AU

FLW2001AU ENarlo files QSG EN gl 1\*1qtjs5v\* gcl au\*NTAwNzgwMzczLjE3NDE4ODlyMjU u0026 ga 2 118388617 1238760062 1748974032 1305561458 1746570693 |||

Quick Start Guide Wired Floodlight Camera Let's get started 1 Please scan QR code with your camera to watch this video and familiarize yourself with the installation process. Or go to [arlo.com/install/wiredfloodlight](http://arlo.com/install/wiredfloodlight) 2 Download the Arlo Secure App and create an account or log in to your existing a...

lang:en score:18 filesize: 825.41 K page\_count: 12 document date: 2024-06-12



## Frequently Asked Questions: Arlo Wired Floodlight Camera

This FAQ applies to the Arlo Wired Floodlight Camera.

What are the key features of the Arlo Wired Floodlight Camera?

- 2K HDR Video
- 160° Field of View
- 2000 Lumens
- 2-Way Audio & Siren
- Color Night Vision
- Weather Resistant
- Articulating Light
- Arlo Secure Plan Trial Included

What is required for my Wired Floodlight Camera to work after the 30-day trial period?

No. A subscription is not required for your Floodlight Camera to work after the 30-day trial period. Without a subscription, you will continue to receive notifications when motion is detected and be able to view your camera's live video feed. However, a subscription is required to maintain premium features like Video Cloud Storage, Interactive Notifications, Video Object Detection, and more.

Can I plug the Wired Floodlight Camera into the wall?

No. Wired Floodlight Camera needs to be installed on an existing 4" round UL listed weatherproof electrical junction box using existing wires.

Updated 11/15/24

## [pdf] Frequently Asked Questions Catalog

Vicky Lopardo Frequently Asked Questions Arlo Wired Floodlight Camera Oct 16 2024 · What are the key features of 2K HDR Video 160° Field View 2000 Lumens 2 Way Audio Siren 7059c6d3 d779 47aa 98e6 89f0888582e7 images thdstatic catalog Images 70 SirenArlo Outdoor Smart Hardwired Security with 160

Talk Color Night Vision White FLW2001 100NAS The Home Depot99708d6f 2188 477b 8a10

45d838eaaa5cimages 89f0888582e7images 99 99708d6f 45d838eaaa5c ||| ||| Frequently Asked

Questions: Arlo Wired Floodlight Camera This FAQ applies to the Arlo Wired Floodlight Camera. What are the key features of the Arlo Wired Floodlight Camera 2K HDR Video 160 Field of View 2000 Lumens 2-Way Audio Siren Color

Frequently Asked Questions: Arlo Wired Floodlight Camera This FAQ applies to the Arlo Wired Floodlight Camera. What are the key features of the Arlo Wired Floodlight Camera 2K HDR Video 160 Field of View 2000 Lumens 2-Way Audio Siren Color Night Vision Weather Resistant Articulating Lights...  
lang:en score:16 filesize: 149.18 K page\_count: 2 document date: 2025-01-14

### Product Information Sheet

**Panasonic Batteries**  
Panasonic Industrial Company  
A Division of Panasonic Corporation of North America  
5201 Tollview Drive, 1F-3 Rolling Meadows, IL 60008  
Toll Free: 877-726-2228 Fax: 847-637-4660 Internet: [www.panasonic.com/industrial/batteries-oem](http://www.panasonic.com/industrial/batteries-oem)  
e-mail: [oeimbatteries@panasonic.com](mailto:oeimbatteries@panasonic.com)

**Product:** Manganese Dioxide (CR Type) **Location:** Japan  
**Applicable Standard:** IEC 60086-45 CR type  
**Cylindrical batteries**

The batteries referenced herein are exempt articles and are not subject to the OSHA Hazard Communication Standard requirement. This sheet is provided as a service to our customers.

**SDS**  
Safety Data Sheets (SDS) are a sub-component of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard. These sheets are intended to provide detailed information about the health and safety hazards of various substances, including anything defined by OSHA as an "article". OSHA has defined "article" as a manufactured item, including an item made or processed for the primary purpose of being sold. An article does not include any intermediate that is a component of a manufactured item. An article does not include any item which has end use functions dependent on its use or in part upon its shape or design during end use, and (c) which under normal conditions of use, is intended to be discarded immediately after use, or (d) which is a hazardous chemical, and does not pose a physical hazard or health risk to employees.

Because this sheet is provided as a service to our customers, it may use exempt from the requirement of the Hazard Communication Standard, hence a SDS is not required.

The following components are found in a Panasonic Manganese Dioxide (CR) Lithium battery:

**Cylindrical Cell Components** **Material** **Formula** **CAS #**

Positive Cell Components Manganese Oxide  $LiMn_2O_4$  1313-13-9

Negative Electrode Lithium  $Li$  7439-93-2

Electrolyte Lithium Carbonate Bisulfate  $Li_2CO_3 \cdot H_2SO_4$  130-13-8

1,2-Dimethoxyethane Solvent  $C_4H_9CO_2$  110-71-4

Lithium Trace Salt  $Li_2SO_4 \cdot 6H_2O$  5692-89-9

Lithium Battery is Under Environmental Protection:

**DISPOSAL:**  
Lithium Batteries are neither specifically listed nor exempted from the Federal Environmental Protection Agency (EPA) Hazardous Waste Manifest System. Therefore, these batteries are subject to the requirements of the Resource Conservation and Recovery Act (RCRA) if placed in a lithium battery in lithium that is not a listed or characteristic toxic hazardous waste. Waste from the disposal of lithium batteries is not a listed or characteristic toxic hazardous waste if the lithium is removed from the battery. The key to disposal of a lithium battery as a non-hazardous waste is to remove the lithium from the battery. You can dispose of a fully charged or partially discharged lithium battery as a non-hazardous waste after they are first discharged. You must follow the requirements of the Resource Conservation and Recovery Act (RCRA) if the lithium battery is a listed or characteristic toxic hazardous waste. You must follow the requirements of the U.S. Land and Water Protection of the Hazardous and Solid Waste Amendments of 1986. A secondary treatment center can only receive these batteries as inert listed hazardous waste. The waste must be charged.

batteries is D003. In either case, button cell batteries contain a little lithium that they never qualify as a reactive hazardous waste. These batteries are safe for disposal in the normal municipal waste stream.

**Notes:** This information and recommendations are based on available data and are subject to be accurate at the date of publication. Panasonic Industrial Company makes no warranty expressed or implied.

PI-04-CR-Cyl

## [pdf] Datasheet Safety Datasheet Catalog

Arlo Outdoor Smart Hardwired Floodlight 2K HDR Security Camera with 160 Field of View 2 Way Talk

Color Night Vision White FLW2001 100NAS The Home Depot4fafd34e cc10 40d5 ba24

e8f262f76595images thdstatic catalog Images 4f 4fafd34e e8f262f76595 |||

Product Information Sheet Panasonic Batteries Panasonic Industrial Company A Division Panasonic Corporation of North America 5201 Tollview Drive, 1F-3 Rolling Meadows, IL 60008 Toll Free: 877-726-2228 Fax: 847-637-4660 Internet: [www.panasonic.com/industrial/batteries-oem](http://www.panasonic.com/industrial/batteries-oem) e-mail: [oeimbatteries@panasonic.com](mailto:oeimbatteries@panasonic.com)

lang:en score:10 filesize: 87.43 K page\_count: 2 document date: 2025-04-03