

Lifetime 60426

Lifetime Outdoor Utility Storage Shed User Manual

Model: 60426

INTRODUCTION

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your Lifetime Outdoor Utility Storage Shed. Designed for durability and functionality, this shed offers a practical solution for organizing your outdoor equipment and freeing up valuable garage space. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

IMPORTANT SAFETY INFORMATION

- Always use caution when handling heavy components.
- Ensure proper assembly to maintain structural stability.
- Use the provided locking mechanisms to secure the shed and prevent unauthorized access.
- Keep the shed floor clear of debris to prevent tripping hazards.
- Do not exceed the weight limit of the shed floor.

SETUP AND ASSEMBLY

Careful preparation is key to a successful assembly. Before starting, thoroughly read all instructions and identify all parts. Lay out all components on the ground to ensure everything is present and to familiarize yourself with each piece, especially the support tubes.



FOUNDATION REQUIRED NOT INCLUDED

Foundation Requirement: A level and stable foundation is required for proper shed installation. This foundation is not included with the shed.

When instructed to insert support tubes, consider alternative methods if the suggested one seems unstable. For instance, if the instructions suggest flipping the shed to slide in a tube, it may be easier to insert the tube from the top, especially if assembling alone or with limited assistance. Ensure the shed is level using shims if necessary after assembly.



SNAP-IN WALL HOOKS
(NO HARDWARE REQUIRED)



LOCKABLE DOORS
(LOCK NOT INCLUDED)



ADJUSTABLE SHELVING

Interior Features: The shed includes snap-in wall hooks and adjustable shelving for versatile storage. The doors are designed to be lockable for security (lock not included).

Assembly Tips:

- **Read Instructions First:** Always read the entire instruction manual before beginning assembly.
- **Identify Parts:** Lay out and identify all components, paying close attention to support tubes and their orientation.
- **Hole Alignment:** Some holes may require slight adjustment or force to align properly. Patience is key.
- **Seek Assistance:** While some steps can be done alone, having an extra person can significantly ease the assembly process, especially for larger components.

OPERATING INSTRUCTIONS

The Lifetime Utility Shed is designed for ease of use and secure storage.

Door Operation:

The shed features double-hinged doors that open 180 degrees, allowing for convenient movement of items in and out. To open, simply pull the handles. To close, push the doors firmly until they meet.



LOW MAINTENANCE

WEATHER RESISTANT

IMPACT RESISTANT

Easy Access: The wide-opening doors provide ample space for storing larger items like lawn mowers.

Security Features:

The shed is equipped with steel-reinforced doors, two deadbolts, and an exterior padlock loop. To secure your belongings, engage the slider latch locking system and attach a padlock (not included) through the designated loops.

Internal Storage:

- **Shelving:** The shed includes one wall shelf. This shelf is height-adjustable, allowing you to customize your storage space.
- **Wall Hooks:** Six heavy-duty snap-in wall hooks are provided for hanging smaller items such as hand tools, power cords, shovels, and rakes.
- **Capacity:** With 107.5 cubic feet of interior space, the shed is large enough to accommodate most push mowers (up to 24" in width), residential garbage containers, and bikes.



Adjustable Shelving: Utilize the adjustable shelf to organize smaller items efficiently.

MAINTENANCE

The Lifetime Utility Shed is designed for minimal maintenance, ensuring long-lasting performance.

- **Cleaning:** The High-density Polyethylene (HDPE) construction is stain-resistant and never needs painting. For general cleaning, wipe down surfaces with a damp cloth and mild soap. Avoid abrasive cleaners.
- **UV Protection:** The shed's material is UV-protected to help prevent fading and cracking from sun exposure.
- **Weather Resistance:** The shed is constructed to be weather-resistant, protecting your belongings from the elements.



LOW MAINTENANCE

WEATHER RESISTANT

IMPACT RESISTANT

Durability Features: The shed is built for low maintenance, weather resistance, and impact resistance.


TROUBLESHOOTING

While assembly is generally straightforward, some common issues may arise. Here are solutions to frequently encountered problems:

- **Holes Not Lining Up:** If you encounter difficulty aligning holes, double-check that all panels and components are correctly oriented according to the diagrams. Sometimes, a slight manipulation or gentle pressure is needed to bring parts into alignment. Ensure no screws are overtightened prematurely, which can prevent proper alignment of subsequent parts.
- **Roof Assembly Issues:** If the roof does not seem to fit properly, verify that all wall panels are securely seated in their base and that any internal support structures are correctly installed and aligned. Refer to the specific roof assembly steps in the manual.
- **Missing Parts/Screws:** In the rare event of missing components, contact Lifetime customer service immediately for replacements.
- **Assembly Difficulty:** If you find the written instructions challenging, consider searching for official assembly videos online (e.g., on YouTube) provided by Lifetime or reputable sources. Visual guides can often clarify complex steps.

SPECIFICATIONS

60426
Lifetime Utility Shed



©2022 Lifetime Products, Inc., Clearfield, UT 84016-0010 USA

Shed Dimensions: Detailed measurements for planning your installation space.

Feature	Detail
Brand	Lifetime
Model Number	60426
Color	Gray
Material	Plastic (High-Density Polyethylene, HDPE), Metal
Product Dimensions (D x W x H)	43.5"D x 75.9"W x 69.6"H
Item Weight	174 Pounds

Feature	Detail
Style	Utility
Base Material	Plastic
Top Material Type	Plastic
Water Resistance Level	Water Resistant
Chamber Depth	3.29 Feet
Frame Material	Plastic (High-Density Polyethylene, HDPE)
Door Style	French Doors
Ultraviolet Light Protection	UV Protection
Assembly Required	Yes
Manufacturer	Lifetime Products
Door Width	59.6 Inches
UPC	081483832319
Door Height	59.6 Inches
Country of Origin	USA

WARRANTY INFORMATION

The Lifetime Outdoor Utility Storage Shed comes with a **10-Year Limited Warranty**. This warranty covers defects in materials and workmanship under normal use and service. Please retain your proof of purchase for warranty claims. For detailed warranty terms and conditions, refer to the documentation included with your product or contact Lifetime customer support.


CUSTOMER SUPPORT

For any questions regarding assembly, missing parts, or product operation, please contact Lifetime customer service. You can also visit the official Lifetime store for more product information and support resources.

[Visit the Lifetime Store on Amazon](#)




© 2025 Lifetime Products. All rights reserved.



[Apple II, Ile, Ilc Expansion Guide: A Comprehensive Review](#)

Explore the Apple II, Ile, and Ilc expansion hardware landscape with this comprehensive guide. Featuring in-depth reviews, comparative tables, and practical advice for selecting the best peripherals for your Apple computer.


lang:en score:26 filesize: 18.92 M page_count: 322 document date: 2016-01-03



[\[pdf\] Quick Start Guide Guide](#)

BIND DNSSEC Guide dnssec guide unix hensa ac uk sites ftp isc org
BIND DNSSEC Guide i BIND DNSSEC Guide BIND DNSSEC Guide ii Copyright
2014, 2015, 2016, 2017 I ... 580 example.com. 299 IN DNSKEY 256 3 8
AwEAAbMZp6...NRJnwyc/uX ; ZSK; alg = RSASHA256; key id = **60426**
example.com. 299 IN RRSIG DNSKEY 8 2 300 20141227074820 20141127064820
48580 example.com. ph...


lang:en score:23 filesize: 2.22 M page_count: 95 document date: 2017-01-16



[\[pdf\] User Manual Instructions Warranty](#)

60331 en fr es 1233486 mcranford Assembly Manual Lifetime Utility Shed 60331U Stylish Practical
Storage Solution — Backyard Oasis manual v 1709029230 cdn shopify s files 1 0404 6759 5414 |||
UTILITY SHED MODEL 60331 ITM./ART. 1902212 BEFORE ASSEMBLY: Assemble
on a level surface At least 2 ... n esta seccin, escanear el cdigo QR debajo para ver
un video del ensamblaje. http://go.lifetime.com/**60426**-Section1 1.1 LEFT DOOR
ASSEMBLY / ASSEMBLAGE DE LA PORTE GAUCHE / ENSAMBLAJE DE LA
PUERTA IZ...

lang:en score:22 filesize: 8.31 M page_count: 76 document date: 2023-11-09



[pdf] Guide Buyer's Guide Accessories

BUYER S GUIDE Billboard 1967 08 19 II International Buyers Guide worldradiohistory Archive All Music 60s |||

BUYER S GUIDE 1967-68 INTERNATIONAL OF THE MUSIC-RECORD INDUSTRY INTERNATIONAL RECORD SURVEY U.S. R ... es.: Ken Has tings, distributed by Celtic Rec g Prod ns . Hawk, 3010 Nottingham Dr., Markham, Ill. **60426** Tel: 312 333-7014/5. Pres. A R: Robert Lee Branch: Chicago, Ill., 1827 S. Michigan. Tel: ... lang:en **score:19** filesize: 36.8 M page_count: 296 document date: 2024-06-25




[pdf] Installation Guide Specifications Guide Declaration of Conformity Accessories

SYLVANIA LED Luminaires Specification Guide Unilog 2022 10 04 — installation guide and in applicable Product Information Bulletin The Quick easy without the need for dimming wires Sylvania 103028664 Sheet assets unilogcorp 187 ITEM DOC |||

www.sylvania.com SYLVANIA LED Luminaires Specification Guide Product Finder Edge-Lit Panel 8 Sho ... 409 60410 60411 60412 60413 60414 60415 60416 60417 60418 60419 60420 60421 60422 60423 60424 60425 **60426** 60427 60428 60429 Ordering Abbreviation CANOPY2A/025UNVD840/12R5/WH CANOPY2A/025UNVD850/12R5/...

lang:en **score:18** filesize: 8.61 M page_count: 85 document date: 2020-12-09




[pdf] Specifications Guide Accessories Catalog

SYLVANIA LED Luminaires Specification Guide Sylvania 60147 Catalog cdn Isicloud net kendall Resources AD

www.sylvania.com SYLVANIA LED Luminaires Specification Guide Product Finder Edge-Lit Panel 6 Lev ... 409 60410 60411 60412 60413 60414 60415 60416 60417 60418 60419 60420 60421 60422 60423 60424 60425 **60426** 60427 60428 60429 74501 74502 74503 74504 74505 Ordering Abbreviation CANOPY2A/045UNVD840/12R...

lang:en **score:17** filesize: 7.28 M page_count: 146 document date: 2019-03-20



[pdf] User Manual Instructions

INS10792 indd Installation Manual Moen SR2100CH Shower Curtain Rings PlumbersStock 60426 077pbv xrefs3 plumbersstock product 6 0 |||

INS10792 - 10/18 Magnetix™ Dual Mount Curved Shower Rod Installation Instructions Instrucciones de instalacin del cortinero curvado para ducha de doble montaje Magnetix™ Directives d installation d une tringle de douche incurve avec deux options de montage Magnetix™ Tools Required / Outils requi...

lang:es **score:17** filesize: 2.85 M page_count: 8 document date: 2018-10-09



[pdf] Dimension Guide Warranty Catalog

selection solutions simplicity eiko LightBulbs LIFETIME HRS ✓ A19 E26 A21 GU24 Page 2 23220 W

84th St 60426 LED9WA19 OMN 840K DIM G7 2PK 800 9W 4000K 80 300° 15K 60W L 41B

LitespanLED R pack web lightbulbs catalog product s |||


LED A19 2-Pack - Dimmable features 6-15 watts Direct replacement for 40W-100W

incandescent A lam ... U24 A21 GU24 ordering information Order Code Item #

Medium Base 60421 60422 60423 60424 60425 **60426** 60427 60428 60429 60430

60431 60432 60433 60434 60435 60436 09413 09442 09443 09444 09445 0944...

lang:en score:17 filesize: 716.56 K page_count: 2 document date: 2016-10-20



[pdf] Specifications Dimension Guide Guide

SYLVANIA LED Luminaires 60426 CANOPY2A 045UNVD840 12S5 BZ 45 120 277 0 10 840 12 60427

Lifetime h Dry Wet Damp Replaces Traditional Equivalent Up To 025UNVD840 WH candelacorp spec

prod num |||

www.sylvania.com SYLVANIA LED Luminaires Specification Guide 12 Canopy


Dimensions H L, W, or D ... 409 60410 60411 60412 60413 60414 60415 60416

60417 60418 60419 60420 60421 60422 60423 60424 60425 **60426** 60427 60428

60429 74501 74502 74503 74504 74505 Ordering Abbreviation

CANOPY2A/045UNVD840/12R...

lang:en score:17 filesize: 395.33 K page_count: 5 document date: 2020-02-13



[pdf] User Manual Guide Catalog

YELLOW JACKET insco Serving the industry since 1949 At Ritchie Engineering Company office

personnel engineers assembly staff quality control team shipping department and UNI 05819 Catalog

ASSETS DOCUMENTS ITEMS EN yellow jacket% 1 ago 2024 — instruction manual be within cable

length from unit Small Mini for 8 to 5 O D 60121 cutter 7 Yellow Jacket® 60616 Insco Distributing 27248

document User Guide 46df master ca media akeneo connector asset files 2 The Master GroupYELLOW

inscooptional two stage vacuum pump provides a deep Scroll up correct charge on high visibility LCD

push switch to Serving the1 8master 46dfinsco Catalogmaster Cataloginsco |||


YELLOW JACKET HVAC/R Service Tools E D I T I O N FIFTY SIX Preferred by

leading commercial and resid ... 8 , 1-1/8 tubing O.D.; deburring tool, steel carrying

case, instructions 60412 Expander handles **60426** Steel carrying case Expander


heads UPC # 60413 60414 60415 60416 60417 60418 60420 60422 60...

lang:en score:17 filesize: 4.61 M page_count: 0 document date: 0000-00-00




[pdf] Catalog

URETHYN E 2 Impexron GMBH is used for the long life and lifetime lubrication of highly stressed plain roller bearings e g in chemical industry textile industry 1 impexron gmbh de show catalogue 1134092 ||| URETHYN E 2 High-temperature grease containing an organic thickener Performance Features temperatur ... ion systems. Avoid mixing with other greases FUCHS LUBRICANTS CO. 17050 Lathrop Avenue Harvey, IL **60426** Phone: 708-333-8900 inquiry fuchs.com www.fuchs.com/us URETHYN E 2 1000068-2 2019-07-01 ... lang:en **score:14** filesize: 180.77 K page_count: 2 document date: 2021-07-21




[pdf] User Manual Instructions Troubleshooting Guide Warranty

73Nhw book jcd 5973 inert Mass Selective Detector Agilent This manual describes the operation troubleshooting and maintenance of Technologies MSD Version 14 About this 15 Other User Information 16 The 17 CI hardware description 19 Important Safety Warnings 21 Regulatory Certifications 24 See accompanying instructions for more informa tion To measure column flow linear velocity page 58 on how to actual in your 035256 agilent cs library usermanuals Public public 5973 inert Mass Selective Detector Hardware Manual Agilent Technologies 5973 inert Mass Selective ... 099-60433 G2589-60030 G1099-60560 G1099-60561 G1099-60425 G1099-60430 G1099-60431 G1099-60436 G1099-**60426** G1099-60427 G1099-60130 G1099-60410 G1099-60416 G1099-60428 G1099-60438 G1099-60435 328 Sou... lang:en **score:14** filesize: 7.38 M page_count: 388 document date: 2003-08-14




[pdf] Documentation Guide Catalog

Apple II Ile Ilc Expansion Guide Gary Phillips Michael Fisher mirrors apple2 org za ftp apple asimov net documentation misc No. 1901 22 .95 APPLE 11//Ile//Ic EXPANSION GUIDE GARY PHILLIPS MICHAEL FISHER I Also by the Au ... 20 Scott Lake Rd . Pontiac, MI 48054 313 674-0953 Ligo Research, Inc. 396 E. 159th St. Harvey, IL **60426** 312 331-8797 Magellan Computer, Inc. 4371 E. 82nd St. , Suite D Indianapolis, IN 46250 317 ... lang:en **score:14** filesize: 85.03 M page_count: 320 document date: 2013-01-19



[pdf] Instructions

60434 en fr es 1232299 B aprice Lifetime Utility Shed at Tractor Supply Co2494605 Man1media tractorsupply is content TractorSupplyCompany tsc product 2 49 46 05 2494605 Man1 ||| UTILITY SHED MODEL 60434 BEFORE ASSEMBLY: Assemble on a level surface At least 2 people are recomm ... esta seccin, escanear el cdigo QR debajo para ver un video del ensamblaje. http://go.Lifetime.com/**60426**-Section1 1.1 LEFT DOOR ASSEMBLY / ASSEMBLAGE DE LA PORTE GAUCHE / ENSAMBLAJE DE LA PUERTA IZ... lang:en **score:13** filesize: 9.65 M page_count: 76 document date: 2023-10-09



[Lifetime Utility Shed Model 60434 Assembly Instructions](#)

This guide provides detailed assembly instructions for the Lifetime Utility Shed, Model 60434. It covers pre-assembly steps, required tools, parts identification, and step-by-step instructions for building the shed. Includes warnings and customer service contact information.

lang:en score:12 filesize: 8.46 M page_count: 76 document date: 2023-11-10



[\[pdf\] Datasheet](#)

ZMP 60426 Index of datasheets sillamps |||

Product datasheet L 30 W/827 LUMILUX T8 Tubular fluorescent lamps 26 mm, with G13 bases Areas of application _ Public buildings _ Office lighting _ Industry _ Shops _ Supermarkets and department stores _ Street lighting _ Outdoor applications only in suitable luminaires __ Product benefits _ Pro...


lang:en score:11 filesize: 238.93 K page_count: 7 document date: 2014-12-30



[\[pdf\] User Manual Troubleshooting Guide Guide Warranty](#)

5975 Series MSD Troubleshooting and Maintenance Manual Agilent Technologies Inc This manual describes the troubleshooting maintenance of Mass Selective Detector It assumes familiarity with No part this may be reproduced in any form or by means including elec tronic storage retrieval translation into a foreign language without prior G3170 90037 agilent cs library troubleshootingguide Public Agilent 5975 Series MSD Troubleshooting and Maintenance Manual Agilent Technologies Notices Agile ... der cable AC to back panel G1099-60436 Low voltage power supply input cable AC to LVPS G1099-60426 Low voltage power supply output cable LVPS to main board G1099-60427 Mass filter contact ...

lang:en score:11 filesize: 14.67 M page_count: 276 document date: 2012-01-24




[pdf] Dimension Guide

Microsoft Word 60 426 olivier claes 60426 elimex 80 DimashopLocalFiles Pdf |||

60.426 Blister 155 x 95 x 55 mm 41 g - EAN Barcode 5411857**604269** FR Ampoule LED Caractéristiques : Type : MR16 Puissance lumineuse : 260 lumen Socket : GU5.3 Alimentation : 12 V Nombre de LED : 60 SMD Angle : 120° Puissance LED driver : 3.5 W Consommation : 4 kWh/1000 h Couleur : blanc cha...

lang:nl **score:10** filesize: 276.23 K page_count: 1 document date: 2014-10-01



[pdf] Billboard International Buyer's Guide 1972-73: Music, Records, Tape

A comprehensive guide to the music industry, including record manufacturers, music publishers, tape wholesalers, and services for the music-record-tape industry. Features data on record and tape sales, historical notes on the music industry, and listings of international music-record sections.

lang:en **score:10** filesize: 41.66 M page_count: 392 document date: 2016-10-21



[pdf] Datasheet Warranty

Datasheet Intellinet Network Solutions Patch kabel Cat5e UTP 341509 datasheet polish assets mhint s3 amazonaws 60426 |||

Patch kabel Cat5e, UTP RJ45 mski / RJ45 mski, 0.5 m, Pomaraczowy Part No.: 341509 EAN-13: 0766623341509 UPC: 766623341509 Features: Dopasowanie impedancyjne Pozłacane styki Zlca Snagless Amortyzator zlcza Gwarantowana jako Gwarancja Lifetime Warranty Specyfikacja: UTP Certfikowany do 350 MHz Z...
lang:pl **score:9** filesize: 221.7 K page_count: 2 document date: 2022-11-01



[\[pdf\]](#) Specifications Warranty Catalog

Specification Sheet Features 3000K LED LITESPAN A21 OMNI DIRECTIONAL 15W 1600LM DIM

Crescent Electric Supply Company eiko led15wa21omn830k dim g72pk specsheet 16 crescentelectric 4a2202 globalassets catalogs 1 171 17159 17159c47 5231 409d bf14 484d9c3b08a1356

484d9c3b08a135660 |||

LED A19 2-Pack : Dimmable Features 6-15 watts Direct replacement for 40W-100W incandescent A lam ... LED6WA19/OMN/840K-DIM-G7 2PK 60424

LED9WA19/OMN/827K-DIM-G7 2PK 60425 LED9WA19/OMN/830K-DIM-G7 2PK

60426 LED9WA19/OMN/840K-DIM-G7 2PK 60427 LED9WA19/OMN/827K-DEC-G7 2PK* 60428 LED9WA19/OMN/830K-DEC-G...

lang:en **score:9** filesize: 869.62 K page_count: 2 document date: 2017-08-09



[\[pdf\]](#) Warranty

Product Spec Sheet EIKO LED9WA19 OMN 840K DIM G72PK 40 Cooper Electric L 41B LitespanLED R A19 2 pack web media distributordatasolutions eiko 2019q4

dda7f0c7f30fa378f951375b8e9eb8080dba23cb |||

LED A19 2-Pack : Dimmable Features 6-15 watts Direct replacement for 40W-100W incandescent A lam ... LED6WA19/OMN/840K-DIM-G7 2PK 60424

LED9WA19/OMN/827K-DIM-G7 2PK 60425 LED9WA19/OMN/830K-DIM-G7 2PK

60426 LED9WA19/OMN/840K-DIM-G7 2PK 60427 LED9WA19/OMN/827K-DEC-G7 2PK* 60428 LED9WA19/OMN/830K-DEC-G...

lang:en **score:9** filesize: 869.7 K page_count: 2 document date: 2017-08-09



[\[pdf\]](#) Specifications Warranty

Fiche de specification Ampoule Eiko LED15WA21 OMN 827K DIM G7 Escomptes sur Volume Lumenco ca eiko fiche technique led15wa21 omn 827k dim g7 2pk lumenco dev |||


LED A19 2-Pack : Dimmable Features 6-15 watts Direct replacement for 40W-100W incandescent A lam ... LED6WA19/OMN/840K-DIM-G7 2PK 60424

LED9WA19/OMN/827K-DIM-G7 2PK 60425 LED9WA19/OMN/830K-DIM-G7 2PK

60426 LED9WA19/OMN/840K-DIM-G7 2PK 60427 LED9WA19/OMN/827K-DEC-G7 2PK* 60428 LED9WA19/OMN/830K-DEC-G...

lang:en **score:9** filesize: 870.52 K page_count: 2 document date: 2017-08-09

[\[pdf\]](#) User Manual



Experience in a Book Help for the Jaguar XJ S Owner XJS V12 V 12 Kirby Palm Enthusiasts premier Jag lovers jaguardriver nu jaguar xj s maintenance Rules May 21 2009 · First and foremost it high time to quit abusing name It does not rhyme with quagmire ! According Jim Isbell At recent Club meeting they showed video of history from Swallow present I was most interested see how owners perpetrators company EXPERIENCE IN A BOOK owner by Compiled an is unique type automotive resource providing sort information found either handbooks or repair manuals manual but rather complement This small pamphlet book 739 pages when printed 10 point proportionally spaced font includes quite few illustrations schematics grows as more becomes available may be ed free charge World Wide Web at books should 7 RHD car Operation Manual intended set Service Manuals help jag org manualer jaguarrules ru 2019 03 EXPERIENCE IN A BOOK Help For The Jaguar XJ-S Owner by Kirby Palm Updated: May 21, 2009 EXPERIENCE ... in letters from the catalog you have when ordering. JAG SERVICES 16820 South Lathrope Harvey, IL **60426** 1-800-842-0912 1 708 331-9151 Fax: 1 708 331-9404 He will call you back; he will ha...

lang:en **score:9** filesize: 4.65 M page_count: 738 document date: 2009-05-21