

[Manuals.plus](#) /

› [Fanbulous](#) /

› Fanbulous 42 Inch Ceiling Fan with Lights and Remote Instruction Manual

Fanbulous F-DS42BK-1X01

Fanbulous 42 Inch Ceiling Fan with Lights and Remote Instruction Manual

Model: F-DS42BK-1X01 | Brand: Fanbulous

PRODUCT OVERVIEW

This Fanbulous 42-inch ceiling fan with lights is designed for both indoor and outdoor use, featuring a modern flush mount design. It incorporates a quiet DC motor and offers versatile lighting options with 3 CCT (Correlated Color Temperature) settings. The fan is controlled by a remote, providing convenience and multiple speed settings.

- **Suitable for Different Styles:** A stylish blend of black and walnut, combining modern and rustic aesthetics to enhance various design styles.
- **3CCT Temperature Adjustable:** Offers warm white (3000K), natural white (4500K), and cool white (6000K) light options to create the desired ambiance.
- **Powerful DC Quiet Motor:** High-speed reversible motor reduces energy consumption by 80% and operates quietly (less than 35 dB), providing cool air in summer and optimizing circulation in winter.
- **Light Memory Function:** Remembers your last brightness and color temperature settings when turned off for 10 seconds or more.

SETUP AND INSTALLATION

Before beginning installation, ensure the power supply to the ceiling fan's circuit is turned off at the circuit breaker. It is recommended to have a qualified electrician perform the installation if you are not comfortable with electrical wiring.

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out to ensure all components are present. Refer to the parts list in your included manual.
2. **Mounting Bracket Installation:** Secure the mounting bracket to the ceiling junction box. Ensure the junction box is adequately supported for the fan's weight.
3. **Wiring Connections:** Connect the fan's electrical wires to the household wiring according to the provided wiring diagram. Ensure all connections are secure and insulated.
4. **Blade Assembly:** Attach the fan blades to the motor housing. This model offers reversible blades with black and wood grain finishes. Choose the desired finish before assembly.
5. **Light Kit Installation:** Install the LED light kit to the fan motor assembly.
6. **Canopy Installation:** Secure the canopy to the mounting bracket, covering the wiring connections.
7. **Remote Control Setup:** Insert batteries into the remote control. The remote can be mounted on a wall using the included

Fanbulous

2-Colors in One Blade

Suitable for variety decoration styles

Modern Style: Black Color



Vintage Style: Wood Grain color



Figure 1: Fan blades showing reversible black and wood grain options. Choose your preferred side during assembly.



Figure 2: The Fanbulous 42-inch ceiling fan with its remote control, illustrating the overall product design.

OPERATING INSTRUCTIONS

The Fanbulous ceiling fan is operated using the included remote control. Ensure the remote has working batteries and is within range of the fan.

Remote Control Functions:

- **Power Button ():** Turns the fan and light ON/OFF.
- **Fan Speed (1-6):** Selects one of six fan speeds. '1' is the lowest speed, '6' is the highest.
- **Light ON/OFF ():** Toggles the light on or off.
- **Color Temperature (3CCT):** Cycles through warm white (3000K), natural white (4500K), and cool white (6000K) light settings. Press the light button repeatedly within 10 seconds to change the color temperature.
- **Timer (1H, 4H, 8H):** Sets the fan to turn off automatically after 1, 4, or 8 hours.
- **Airflow Direction (↻):** Reverses the fan's blade rotation for summer (downward airflow for cooling) or winter (upward airflow for warm air circulation).
- **Anti-theft Mode:** (If applicable, refer to full manual for details)
- **Delay off in 5 Minutes:** (If applicable, refer to full manual for details)

Fanbulous

6-Speed Reversible

Cool in summer, Warm in winter




Figure 3: Illustration of the 6-speed reversible DC motor, demonstrating summer forward (cool air) and winter reverse (warm air circulation) modes.

Fanbulous

3-Color Temperature

Meet the light demand in different scenarios




Figure 4: The 3CCT adjustable lighting feature, showcasing warm white (3000K), natural white (4500K), and cool white (6000K) options.

Fanbulous

6 Speeds Selectable

Choose the wind speed according to your need



LOW WIND
Level 1-2 Soft Wind



MED WIND
Level 3-4 Natural Wind



HIGH WIND
Level 5-6 Cool wind

Figure 5: Depiction of the 6 selectable speeds, categorized into Low Wind (Levels 1-2), Med Wind (Levels 3-4), and High Wind (Levels 5-6).

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your Fanbulous ceiling fan.

- **Cleaning:** Periodically wipe down the fan blades and motor housing with a soft, damp cloth. Do not use abrasive cleaners or solvents. Ensure the fan is turned off and power is disconnected before cleaning.
- **Blade Balance:** If the fan wobbles, check that all blade screws are tightened. A balancing kit (not included) may be used if wobbling persists.
- **Light Source:** The integrated LED light source is designed for long life. If replacement is ever needed, contact customer support.

TROUBLESHOOTING

If you encounter issues with your Fanbulous ceiling fan, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
Fan does not operate	No power supply; Loose wiring; Remote control issues.	Check circuit breaker. Ensure all wiring connections are secure. Replace remote batteries or re-pair remote if necessary.
Light does not turn on	Loose wiring; LED module failure; Remote control issues.	Check light kit wiring. Ensure remote is functioning correctly. Contact customer support if LED module is suspected to be faulty.
Fan wobbles	Loose blade screws; Unbalanced blades; Improper mounting.	Tighten all blade screws. Ensure blades are installed correctly. Use a balancing kit if needed. Verify mounting bracket is secure.
Noisy operation	Loose screws; Motor issues; Obstruction.	Check all screws for tightness. Ensure no wires or objects are touching the fan blades or motor. If noise persists, contact customer support.


SPECIFICATIONS

Feature	Detail
Brand	Fanbulous
Model Name	F-DS42BK-1X01
Color	Black
Electric Fan Design	Ceiling Fan
Power Source	AC 120V
Style	Casual
Product Dimensions	42"D x 42"W x 11.8"H
Room Type	Bedroom (Suitable for various rooms)
Recommended Uses	Cooling
Wattage	18 watts
Finish Type	Painted

Feature	Detail
Voltage	120 Volts (AC)
Indoor/Outdoor Usage	Indoor
Control Method	Remote
Blade Material	Engineered Wood
Efficiency	High Efficiency
Number of Power Levels	6
Type of Bulb	LED

Fanbulous

42 Inch Ceiling Fan with Lights



Timer: 1/4/8 H



Control Distance: <15 M



Certificate: FCC



Wind Speed: 6 Speeds



LED Light: 3CCT



Material: Engineered Wood

Figure 6: Detailed dimensions and key features of the 42-inch Fanbulous ceiling fan.

WARRANTY AND SUPPORT

The Fanbulous 42 Inch Ceiling Fan comes with a **2-year manufacturer's warranty**. Fanbulous is committed to ensuring customer

satisfaction.

For any questions, assistance, or to utilize your warranty, please contact Fanbulous professional customer service team. You can also visit the official [Fanbulous Store on Amazon](#) for more information and support.

© 2025 Fanbulous. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question