

smaate CBLBP4

smaate Smart Watch Charger Cable for ASWEE P4 1.85-inch Smartwatch - Instruction Manual

Model: CBLBP4

1. PRODUCT OVERVIEW

The smaate Smart Watch Charger Cable is designed for charging the ASWEE P4 1.85-inch smartwatch. This package includes two charger cables, each featuring a magnetic 2-pin connector for secure attachment to your smartwatch and a standard USB-A connector for power input.

Each charger cable is equipped with a built-in short-circuit protection IC to ensure safe charging by automatically cutting off the circuit in case of a short-circuit situation. The cable length is 60cm, supporting a maximum current of 1A and a maximum voltage of 5V.

2. PACKAGE CONTENTS

- 2 x smaate Smart Watch Charger Cables
- 1 x Support Card

3. SETUP AND COMPATIBILITY

These charger cables are specifically compatible with the ASWEE P4 1.85-inch smartwatch. Ensure your smartwatch model matches for proper functionality.

Compatibility

This Charger is Compatible with **P4 1.85"**



For P4 1.85"
The smartwatch is not included.

Figure 3.1: Compatibility with ASWEE P4 1.85-inch smartwatch. The smartwatch is not included.

Initial Connection

To begin charging, connect the USB-A end of the charger cable to a compatible USB power source (e.g., a wall adapter, computer USB port, or power bank). Then, align the magnetic 2-pin connector with the charging contacts on the back of your ASWEE P4 smartwatch. The magnetic connection will secure the charger in place.

Your browser does not support the video tag.

Video 3.2: Demonstration of connecting the smaate charger cable to the ASWEE P4 1.85-inch smartwatch for charging.

4. OPERATING INSTRUCTIONS

Charging Your Smartwatch

1. Connect the USB-A end of the charger cable to a power source.

2. Gently place the magnetic 2-pin connector onto the charging contacts on the back of your ASWEE P4 smartwatch. The magnets will automatically align and secure the connection.
3. Confirm that the smartwatch display indicates it is charging.

Charging by suction with watch.



Figure 4.1: Charging the smartwatch using the magnetic suction connection.

Safety Precautions

- **Short-Circuit Protection:** The charger cable includes a built-in short-circuit protection IC. If a short-circuit occurs, the protection IC will automatically cut off the circuit to prevent damage.



Figure 4.2: Illustration of the built-in short-circuit protection IC.

- **Unplug After Charging:** For optimal safety, it is recommended to unplug the charger cable from the power source once your smartwatch is fully charged. This also prevents the magnetic points from accidentally attracting and absorbing metal objects when not in use.



Figure 4.3: Always unplug the charger after use.

5. MAINTENANCE

- **Cleaning:** Keep the magnetic charging pins and the smartwatch charging contacts clean and free from dust or debris to ensure a reliable connection. Use a soft, dry cloth for cleaning.
- **Storage:** Store the charger cables in a dry place, away from extreme temperatures and direct sunlight. Avoid tangling the cables to prevent damage.
- **Handling:** Do not pull the cable forcefully to disconnect it. Always grasp the connector ends when plugging or unplugging.

6. TROUBLESHOOTING

- **Smartwatch not charging:**

- Ensure the USB-A end is securely connected to a working power source.
- Verify that the magnetic 2-pin connector is correctly aligned and firmly attached to the smartwatch charging contacts.
- Check for any debris or obstruction on the charging pins or smartwatch contacts.
- Try using a different USB power source or a different charger cable from the pack.

- **Slow charging:**

- Ensure your power source provides sufficient current (e.g., a standard 5V/1A USB adapter).
- Avoid charging through unpowered USB hubs or very long extension cables, which can reduce power delivery.

7. SPECIFICATIONS

| Feature | Specification |
|----------------|--------------------------------------|
| Model | CBLBP4 |
| Compatibility | ASWEE P4 1.85-inch smartwatch |
| Connector Type | Magnetic 2-Pin to USB-A |
| Cable Length | 60 cm |
| Max. Current | 1A |
| Max. Voltage | 5V |
| Safety Feature | Built-in Short-circuit Protection IC |
| Quantity | 2 cables per package |

8. WARRANTY AND SUPPORT

This product does not specify an explicit warranty period within the provided information. For any product-related issues or support inquiries, please contact us through Amazon:

1. Navigate to the product page on Amazon.
2. Click on the seller name: [Smaate-US](#).
3. Select the "Ask a question" option.

Our support team aims to provide a professional solution within 24 hours.

