

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [ToLife](#) /

› [ToLife Dehumidifier User Manual](#)

ToLife TZ-C4S

ToLife Dehumidifier User Manual

Model: TZ-C4S

INTRODUCTION

The ToLife Dehumidifier is designed to efficiently remove excess moisture from the air, creating a more comfortable and healthier indoor environment. Utilizing advanced semiconductor condensation technology, this portable unit is suitable for various spaces including bedrooms, bathrooms, basements, kitchens, RVs, closets, and other rooms up to 1000 sq.ft. It features an intelligent automatic shut-off, dual working modes, and ambient LED lighting for enhanced user convenience.



Figure 1: Front view of the ToLife Dehumidifier, showcasing its compact design and control panel.

SAFETY INFORMATION

Please read all safety instructions carefully before using the appliance. Failure to comply may result in electric shock, fire, or serious injury.

- Always ensure the dehumidifier is placed on a stable, level surface to prevent tipping and water spillage.
- Do not block the air inlets or outlets. Maintain adequate clearance around the unit for proper airflow.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Unplug the dehumidifier from the power outlet before cleaning, performing maintenance, or when not in use for extended periods.
- Keep out of reach of children and pets. This appliance is not intended for use by persons with reduced physical, sensory, or mental capabilities unless supervised.
- Do not operate the unit if the power cord or plug is damaged, or if the unit has been dropped or damaged in any way. Contact customer support for assistance.
- Only use the power adapter supplied with the unit.
- Ensure the water tank is correctly seated to prevent automatic shut-off or water leakage.

PACKAGE CONTENTS

Verify that all items are present in the package:

- ToLife Dehumidifier Unit (Model TZ-C4S)
- Power Adapter
- User Manual

PRODUCT OVERVIEW

Familiarize yourself with the components of your ToLife Dehumidifier:



Figure 2: Exploded view showing the dual semiconductor dehumidification condenser and the 95 OZ water tank.

- **Control Panel:** Located on the top front, with touch-sensitive buttons for power, mode selection, and LED light control.
- **Air Inlet/Outlet:** Grilles on the sides for air circulation.
- **Water Tank:** A transparent 95 OZ (2.8 Liter) tank at the bottom to collect condensed moisture.
- **Water Level Window:** A vertical window on the front to monitor the water level in the tank.
- **Handle:** Integrated handle for easy portability.
- **Power Port:** Located at the back for connecting the power adapter.

SETUP

1. **Unpack the Unit:** Carefully remove the dehumidifier and all accessories from the packaging.
2. **Choose a Location:** Place the dehumidifier on a firm, level surface in the desired area. Ensure there is at least 10 cm (4 inches) of space around the unit for proper air circulation. The unit is effective for areas up to 1000 sq.ft.
3. **Connect Power:** Insert the power adapter into the power port on the back of the dehumidifier, then plug the adapter into a suitable electrical outlet.
4. **Ensure Water Tank is Empty and Secure:** Before first use, ensure the water tank is empty and properly seated in the unit.

OPERATING INSTRUCTIONS

Control Panel Functions:



Figure 3: Control panel showing Power, Sleep Mode, and Light buttons.

- **Power Button ():** Press to turn the dehumidifier ON or OFF.

- **Mode Button (⚡):** Press to switch between High-Speed Mode and Sleep Mode.
 - **High-Speed Mode:** Provides fast dehumidification (30-40 dB noise level).
 - **Sleep Mode:** Operates quietly (less than 30 dB) for a peaceful environment, ideal for nighttime use.
- **Light Button (⚡):** Press to cycle through 7 LED ambient light colors or turn the light off.

Automatic Shut-off Feature:

The dehumidifier is equipped with an intelligent automatic shut-off function for safety and convenience. The unit will automatically turn off when:

- The water tank is full.
- The water tank is misaligned or removed.

When the tank is full or misaligned, a red light will illuminate, and a warning sound may be emitted. To resume operation, empty and correctly reinsert the water tank.



Figure 4: Illustration of the automatic shut-off protection when the water tank is full.

MAINTENANCE

Emptying the Water Tank:

The 95 OZ (2.8 Liter) water tank offers extended operation, but regular emptying is necessary. The unit will automatically stop when the tank is full.

1. **Step 1:** Gently pull out the water tank from the bottom of the dehumidifier.
2. **Step 2:** Remove the water tank cover and carefully pour out the collected water.
3. **Step 3:** Replace the water tank cover and firmly push the tank back into the dehumidifier until it clicks into place.

Easy To Remove Water Tank




Figure 5: Visual guide for removing and emptying the water tank.

Cleaning the Unit:

- Wipe the exterior of the dehumidifier with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Clean the air inlets and outlets regularly with a soft brush or vacuum cleaner to prevent dust buildup, which can affect performance.
- Rinse the water tank with clean water periodically to prevent mold or mildew growth. Allow it to air dry completely before reinserting.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Dehumidifier not turning on.	No power supply; Power adapter not connected; Water tank full or not properly seated.	Check power outlet and adapter connection. Ensure water tank is empty and correctly inserted.
Unit not collecting water.	Room humidity is too low; Temperature is too low; Air inlets/outlets blocked.	Ensure room humidity is above 45% RH and temperature is above 41°F (5°C). Clear any obstructions from air vents.
Unit is noisy.	Operating in High-Speed Mode; Unit not on a stable surface.	Switch to Sleep Mode for quieter operation. Place the unit on a flat, stable surface.
Red indicator light is on.	Water tank is full or misaligned.	Empty the water tank and ensure it is properly reinserted.

SPECIFICATIONS

Brand	ToLife
Model Name	TZ-C4S
Color	Grey
Coverage Area	Up to 1000 sq.ft
Water Tank Capacity	95 OZ (2.8 Liters)
Dehumidification Capacity	22 Pints per Day
Product Dimensions (D x W x H)	8.27" x 5.55" x 13.78"
Item Weight	6.16 pounds
Operation Modes	High-Speed, Sleep
Special Features	Automatic Shutoff, 7 Colors LED Light





Figure 6: Product dimensions for placement reference.


WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the contact details provided on the product packaging or visit the official ToLife website. Keep your purchase receipt as proof of purchase for any warranty claims.

Date First Available: July 29, 2024

Related Documents - TZ-C4S

	<p>ToLife TZ-C2 Dehumidifier User Manual and Specifications Official user manual for the ToLife TZ-C2 dehumidifier, covering safety instructions, specifications, operation, maintenance, troubleshooting, and warranty information.</p>
	<p>ToLife TZ-K1 Air Purifier User Manual This manual provides instructions for the ToLife TZ-K1 Air Purifier, including safety information, operating instructions, filter replacement, troubleshooting, and maintenance.</p>
	<p>ToLife TZ-K2 Air Purifier User Manual and Operating Instructions Comprehensive guide for the ToLife TZ-K2 Air Purifier, covering setup, operation, maintenance, troubleshooting, and warranty information. Learn how to effectively use your air purifier for cleaner indoor air.</p>
	<p>ToLife Air Purifier TZ-K2 User Manual: Operation, Specifications, and Troubleshooting Comprehensive user manual for the ToLife Air Purifier Model TZ-K2. Includes safety instructions, operating guidance, product specifications, 3-stage filtration details, troubleshooting tips, and warranty information.</p>
	<p>ToLife TZ-C2 Dehumidifier User Manual and Specifications Official user manual for the ToLife TZ-C2 dehumidifier, covering safety instructions, specifications, operation, maintenance, troubleshooting, and warranty information.</p>



[SonicOS 7.1 Upgrade Guide: NSsp, NSa, TZ Series Firmware Update & Configuration](#)

Comprehensive guide for upgrading SonicWall NSsp, NSa, and TZ series firewalls to SonicOS 7.1.

Learn how to upgrade firmware, back up configurations, and import settings.