VIWAT VMS-A717

VIWAT 8x12 FT Outdoor Steel Storage Shed User Manual

Model: VMS-A717

Introduction

Thank you for choosing the VIWAT 8x12 FT Outdoor Steel Storage Shed. This manual provides essential information for the safe assembly, operation, and maintenance of your new storage shed. Please read it thoroughly before beginning assembly and keep it for future reference.



Image: The VIWAT 8x12 FT Outdoor Steel Storage Shed, showcasing its spacious interior and brown exterior, situated in a green backyard.

Safety Information

Your safety is paramount. Please adhere to the following guidelines during assembly and use:

- **Handle heavy components with care:** The shed components are made of metal and can be heavy. Use proper lifting techniques or seek assistance to prevent injury.
- **Ensure a stable foundation:** The shed must be assembled on a level and stable surface to ensure structural integrity and prevent tipping.
- **Use appropriate tools for assembly:** Refer to the tools required section and use only the recommended tools to avoid damage to components or injury.
- Keep children and pets away from the assembly area.
- Wear appropriate personal protective equipment (PPE) such as gloves and eye protection during assembly.
- Do not assemble in strong winds or adverse weather conditions.

Product Features and Benefits

- **Improved Stability:** Enhanced stability by 35% compared to older models, featuring three high-strength ridge metal beams for additional support.
- **Durable Metal Construction:** Built with premium, durable steel for enduring outdoor resilience, safeguarding your belongings through all seasons.
- **Lockable Doors:** Equipped with secure door locks for enhanced security of your stored items.
- **Ample Storage Space:** Generous 8x12 FT dimensions provide significant room for outdoor furniture, tools, and other utility items.
- **Ventilation:** Features 4 air vents to ensure proper air circulation within the shed.
- **Weather-Resistant:** Designed to withstand various weather conditions, keeping contents dry and protected.



Image: Detailed view of key features including the robust internal beams, secure door lock mechanism, protective shell, and ventilation openings.

Setup and Assembly

Assembly of the VIWAT storage shed requires careful attention to detail. It is recommended to have at least two people for assembly.

Tools Required:

- Work gloves (2 pairs included)
- Safety glasses
- Phillips head screwdriver
- Adjustable wrench or socket set
- Measuring tape
- Step ladder
- Drill (optional, for pre-drilling pilot holes if needed)

Before You Begin:

1. **Unpack and Identify Parts:** Carefully unpack all cartons and identify each part using the provided parts list. Separate similar parts to avoid confusion.
2. **Choose a Level Site:** Select a flat, level, and stable area for the shed's foundation. Ensure adequate clearance around the shed for assembly and future access.

3. **Review Instructions:** Read the entire assembly manual thoroughly before starting.

Assembly Steps (General Overview):

Note: A detailed step-by-step assembly guide with diagrams is included in the physical product packaging. This section provides a general overview.

1. **Base Frame Assembly:** Assemble the base frame components on your chosen level site. Ensure it is square and secure.
2. **Wall Panel Installation:** Attach the wall panels to the base frame, starting from a corner and working your way around. Secure panels with the provided fasteners.
3. **Roof Frame Assembly:** Construct the roof frame, including the ridge beams, and attach it to the top of the wall panels.
4. **Roof Panel Installation:** Install the roof panels, ensuring they overlap correctly for water resistance.
5. **Door Assembly and Installation:** Assemble the door panels and hinges, then attach them to the shed frame. Install the lock mechanism.
6. **Finishing Touches:** Install any remaining trim, vents, or accessories.



Image: Product dimensions diagram, illustrating the overall size of the shed (8x12 FT) and key measurements for planning placement.

Operating Instructions

The VIWAT storage shed is designed for straightforward use.

- **Opening/Closing Doors:** The shed features single/double hinged doors. Gently push or pull the doors to open or close them. Ensure they are fully closed to protect contents from weather and pests.
- **Locking Mechanism:** Use the integrated lockable doors to secure your belongings. Insert your key into the lock and turn to engage or disengage the locking mechanism. Always remove the key after locking.
- **Storage:** Utilize the spacious interior for storing garden tools, lawn equipment, outdoor furniture, and other items. Consider adding shelving or organizers for efficient space utilization.
- **Ventilation:** The shed is equipped with air vents. Ensure these vents are not obstructed to allow for proper air circulation and prevent condensation buildup.



Image: Examples of the shed's versatility, demonstrating its use as a dog house, a dedicated tool room, or a general storage area for various items.

Maintenance

Regular maintenance will extend the life and appearance of your VIWAT storage shed.

- **Cleaning:** Clean the exterior of the shed periodically with mild soap and water. Rinse thoroughly with a garden hose. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Inspect Fasteners:** Annually inspect all screws, bolts, and fasteners to ensure they are tight. Re-tighten as necessary to maintain structural integrity.
- **Clear Debris:** Keep the roof and surrounding area clear of leaves, snow, and other debris to prevent accumulation and potential damage.
- **Door Maintenance:** Lubricate door hinges and the lock mechanism annually with a silicone-based lubricant to ensure smooth operation.
- **Foundation Check:** Periodically check the shed's foundation for any signs of settling or shifting. Address any issues

promptly to maintain stability.



Image: The shed standing strong in a winter landscape, emphasizing its weather-resistant and durable construction for year-round use.

Troubleshooting

Here are some common issues and their solutions:

Problem	Possible Cause	Solution
Doors do not close properly.	Uneven foundation; misaligned hinges; debris in door track.	Check and level the foundation. Adjust hinge alignment. Clear any obstructions from the door track.
Water leakage inside the shed.	Improperly installed roof panels; damaged seals; clogged vents.	Inspect roof panel overlaps and seals. Ensure all fasteners are tight. Clear any debris from vents.
Shed feels unstable or wobbly.	Uneven foundation; loose fasteners; missing support beams.	Verify the foundation is level. Tighten all fasteners. Ensure all ridge beams are correctly installed.
Difficulty with door lock.	Lack of lubrication; misaligned lock mechanism.	Apply silicone lubricant to the lock. Check if the door is properly aligned with the frame.

Specifications

Attribute	Detail
Brand	VIWAT
Model Number	VMS-A717
Product Dimensions (D x W x H)	138.6"D x 88.6"W x 81.5"H (Approx. 8x12 FT)
Item Weight	222 Pounds
Color	Brown
Material	Metal (Steel)

Attribute	Detail
Base Material	Metal
Top Material Type	Metal
Water Resistance Level	Water Resistant
Door Style	Single/Double Hinged Doors
Door Width	67.3 Inches
Door Height	67.3 Inches
Assembly Required	Yes

Warranty and Support

For specific warranty details and customer support, please refer to the documentation included with your product packaging or contact VIWAT customer service directly. Contact information can typically be found on the manufacturer's website or on the product packaging.
Visit the official VIWAT Store for more information:VIWAT Store on Amazon

© 2023 VIWAT. All rights reserved.
This manual is for informational purposes only. VIWAT reserves the right to make changes to the product and specifications at any time without notice.