



[Manuals.plus](#) /

> [GUY-TECH](#) /

> GUY-TECH AC-DC Adapter Charger for Fusion Stereoactive WS-SA150 User Manual

## GUY-TECH WS-SA150

# GUY-TECH AC-DC Adapter Charger User Manual

Model: WS-SA150

## 1. INTRODUCTION

This manual provides essential instructions for the safe and efficient use of your GUY-TECH AC-DC Adapter Charger. This adapter is designed to provide power to compatible devices, specifically the Fusion Stereoactive Model WS-SA150. Please read this manual thoroughly before using the product and retain it for future reference.



Figure 1: GUY-TECH AC-DC Adapter Charger. This image shows the compact black adapter with its integrated AC plug and attached DC output cable, coiled neatly.

## 2. SAFETY INFORMATION

To ensure safe operation and prevent damage, observe the following precautions:

- Do not expose the adapter to water, moisture, or extreme temperatures.
- Do not disassemble or modify the adapter. Unauthorized modifications can lead to electric shock, fire, or product damage.
- Ensure the adapter is connected to a power outlet within the specified input voltage range

(100V - 240V AC).

- Avoid placing heavy objects on the power cord or adapter.
  - Disconnect the adapter from the power outlet during lightning storms or when unused for extended periods.
  - This adapter is designed for indoor use only.
  - Keep out of reach of children.
  - The adapter features Over Voltage Output Protection, Over Current Output Protection, and Short Circuit Output Protection to safeguard your device. However, always ensure proper connection.
- 

### 3. PACKAGE CONTENTS

Verify that all items are present in the package:

- 1 x GUY-TECH AC-DC Adapter Charger (Model WS-SA150 compatible)
- 

### 4. SETUP AND CONNECTION

Follow these steps to connect your GUY-TECH AC-DC Adapter Charger:

1. **Identify the DC Input Port:** Locate the power input port on your Fusion Stereoactive Model WS-SA150 device. Ensure it matches the DC plug of the adapter.
2. **Connect the DC Plug:** Carefully insert the DC output plug of the GUY-TECH adapter into the power input port of your Fusion Stereoactive device. Ensure a firm and secure connection.
3. **Connect to Power Outlet:** Plug the AC input prongs of the adapter into a standard wall power outlet (100V - 240V AC).
4. **Verify Power:** Once connected, your device should receive power. Refer to your device's manual for specific power indicators.

# Products Details of Different Directions



Figure 2: Adapter Views. This image displays the front view of the adapter showing the AC input prongs and product labels, and a side view showing its profile.

## 5. OPERATION

The GUY-TECH AC-DC Adapter Charger is designed for straightforward operation:

- Once properly connected to both the power outlet and your compatible device, the adapter will supply the necessary power.
- The adapter operates with high power exchange efficiency, which helps in controlling its working temperature and ensures stable power delivery to your device.
- It is normal for the adapter to feel slightly warm during operation. If it becomes excessively hot, disconnect it immediately and contact support.

## 6. MAINTENANCE

Proper maintenance ensures the longevity and reliable performance of your adapter:

- **Cleaning:** Disconnect the adapter from the power source and your device before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or aerosols.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and moisture. Avoid tightly coiling the cable to prevent damage.
- **Inspection:** Periodically inspect the power cord and adapter housing for any signs of damage, such as cuts, frayed wires, or cracks. If damage is found, discontinue use and replace the adapter.

## 7. TROUBLESHOOTING

If you encounter issues with your adapter, refer to the following common problems and solutions:

| Problem                        | Possible Cause   | Solution   |
|--------------------------------|--|--|
| Device not powering on.        | Adapter not properly connected to power outlet or device.<br>Power outlet is not active.<br>Adapter or device malfunction. | Ensure both the DC plug and AC prongs are securely connected.<br>Test the power outlet with another device.<br>Disconnect and reconnect the adapter. If the issue persists, contact support. |
| Adapter feels excessively hot. | Overload or internal malfunction.  | Immediately disconnect the adapter from the power source and device. Allow it to cool down. If it continues to overheat, discontinue use and contact support.                                |
| Intermittent power supply.     | Loose connection.<br>Damaged cable or plug.  | Check all connections for tightness.<br>Inspect the cable and plugs for visible damage. If damaged, replace the adapter.   |

## 8. SPECIFICATIONS

| Feature       | Detail                                |
|---------------|---------------------------------------|
| Model         | WS-SA150 Compatible                   |
| Brand         | GUY-TECH                              |
| Input Voltage | 100V - 240V AC (Worldwide compatible) |

| Feature            | Detail                                    |
|--------------------|---|
| Output Protection  | Over Voltage, Over Current, Short Circuit |
| Connector Type     | DC Plug                                   |
| Compatible Devices | Fusion Stereoactive Model WS-SA150        |
| Color              | Black                                     |
| Material           | Metal, Plastic                            |
| Certifications     | CCC, CE                                   |




Figure 3: Adapter Dimensions. This image illustrates the physical dimensions of the adapter, showing its length, width, and height in inches.

## 9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation provided with your purchase or contact GUY-TECH customer service directly. Keep your purchase receipt as proof of purchase.

For further assistance, please visit the official GUY-TECH website or contact their customer support

channels.