



Manuals.plus /

› WinZo /

› WinZo Elongated Smart Toilet User Manual

WinZo SM801

WinZo Elongated Smart Toilet User Manual

Model: SM801 | Brand: WinZo

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your WinZo Elongated Smart Toilet. Designed for modern bathrooms, this smart toilet integrates advanced features such as automatic flushing, a built-in bidet with warm water and dry air, a heated seat, and self-cleaning capabilities. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.

KEY FEATURES

- **Automatic Flush & Soft Close:** Features auto-flushing upon departure, remote control, and foot sensor flushing. Both lid and seat offer soft-close functionality.
- **Heated Bidet Seat:** 4-level temperature adjustment (ergonomically designed with 30 temperature detection points).
- **Warm Air Drying:** 4 wind temperatures adjustable from 95°F to 131°F for fast and natural drying.
- **Multiple Washing Modes:** Includes rear wash, front wash, constant temperature washing, women care wash, spa bubble wash, and multi-cleanse modes. Water temperature, pressure, and cleaning position are adjustable via remote.
- **Efficient Flushing:** Siphonic jet and jet flushing system (1.28 GPF) for powerful and water-saving performance.
- **Blackout Flush:** 9V backup battery ensures normal flushing during power outages.
- **Safety & Quality Assurance:** CUPC, ETL certified, IPX4 rated waterproof.
- **Easy Installation:** Floor-mounted, 12-inch rough-in, 110V power supply.

SETUP AND INSTALLATION

Follow these steps for proper installation of your WinZo Smart Toilet. It is recommended to have basic plumbing knowledge or consult a professional.

1. **Prepare the Area:** Ensure the rough-in is 12 inches and a 110V power supply is available.
2. **Install Flange and Bolts:** Securely install the toilet flange to the floor and insert the flange bolts.

3. **Apply Wax Ring:** Place the wax ring onto the toilet's waste outlet.
4. **Position the Toilet:** Carefully lift and lower the toilet onto the flange bolts, ensuring proper alignment.
5. **Secure the Toilet:** Place washers over the flange bolts and tighten the nuts to secure the toilet to the floor. Do not overtighten.
6. **Connect Water Supply:** Connect the water supply line to the toilet's inlet valve.
7. **Connect Power:** Plug the toilet into a grounded 110V outlet.
8. **Reattach Bidet Seat (if removed):** If the bidet seat was removed for installation, carefully align it and press down until it clicks into place.

Product Size



Image: Product dimensions and rough-in measurements for installation planning.

Your browser does not support the video tag.

Video: Step-by-step installation guide for the WinZo Smart Toilet. This video demonstrates installing the flange, wax ring, positioning the toilet, securing it, and reattaching the bidet seat.

OPERATING INSTRUCTIONS

Your WinZo Smart Toilet offers various intelligent functions for enhanced comfort and hygiene.

Flushing Operations

- **Automatic Flush:** The toilet will automatically flush after you leave the seat.
- **Foot Sensor Flush:** A sensor near the base allows for hands-free flushing by simply tapping your foot.
- **Remote Control Flush:** Use the provided remote control to initiate a flush.
- **Side Button Flush:** Manual flush buttons are located on the side of the toilet for convenience.



Image: Overview of hands-free smart features including remote, foot sensor, and auto-flush.

Instant Warm Comfort




Image: Visual representation of auto-open lid, auto-flush, foot sensor, and night light features.

Bidet and Comfort Functions

- **Heated Seat:** Adjust the seat temperature to one of four levels (95°F, 100°F, 104°F, or OFF) using the remote control.
- **Warm Water Wash:** Select from rear wash, front wash, constant temperature wash, women care wash, or spa bubble wash. Adjust water temperature and pressure via the remote.
- **Warm Air Drying:** After washing, activate the warm air dryer. Choose from four temperature settings (95°F to 131°F) for comfortable drying.
- **Night Light:** A soft night light illuminates the bowl for convenience during nighttime use.



Image: Details on heated seat, instant warm water, and warm air dryer functionalities.

Your browser does not support the video tag.

Video: Demonstration of WinZo Smart Toilet features including auto-open lid, foot sensor, auto-flush, self-cleaning, and various bidet wash modes.

MAINTENANCE

- **Self-Cleaning Nozzle:** The bidet nozzle performs a self-cleaning cycle before and after each use to maintain hygiene.
- **Regular Cleaning:** Clean the exterior of the toilet with a soft cloth and mild, non-abrasive cleaner. Avoid harsh chemicals that may damage the finish or electronic components.
- **Nozzle Cleaning:** Periodically inspect and clean the bidet nozzle manually if necessary, following instructions in the

full product manual (not provided here).

- **Water Filter (if applicable):** Check and replace any water filters as recommended by the manufacturer to ensure optimal bidet performance and longevity.

TROUBLESHOOTING

- **Power Outage (Blackout Flush):** In case of a power outage, the toilet is equipped with a 9V backup battery to ensure normal flushing. Replace the 9V battery as needed.
- **No Bidet Function/Weak Spray:** Check water supply connection and ensure the bidet functions are activated via the remote. Ensure water pressure is adequate.
- **Seat Not Heating:** Verify the heated seat function is turned on and the temperature setting is selected on the remote.
- **Auto-Flush Not Working:** Ensure the foot sensor area is clear and the auto-flush feature is enabled.
- For other issues, please refer to the comprehensive troubleshooting guide in the full product manual or contact WinZo customer support.

SPECIFICATIONS

Attribute	Value
Model Number	SM801
Color	White
Product Dimensions	26.38"D x 15"W x 20"H
Material	Porcelain (Toilet), Acrylonitrile Butadiene Styrene (ABS) (Seat)
Item Weight	108 Pounds
Installation Type	Floor Mounted
Rough-in	12 inch
Power Supply	110V
Flushing Capability	1.28 Gallons per flush (GPF)
Certifications	CUPC, ETL, IPX4 waterproof

WARRANTY AND SUPPORT

The WinZo Smart Toilet comes with a **2-year warranty** from the date of receipt, covering manufacturing defects and ensuring quality and stability.

For technical assistance, troubleshooting, or warranty claims, please contact WinZo Customer Support. Refer to the product packaging or the official WinZo website for the most current contact information.

Customer Support: Available for assistance with product inquiries and support.